

thm_2Eoption_2EOPTION__MAP2__SOME (TMa6dGvb6P1hGvsg4G1kDA7GrgXddaCFcCW)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p x)$ of type $\iota \Rightarrow \iota$.

Definition 7 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A_27a P))$

Definition 8 We define $c_2Ebool_2E_5C_2E_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Definition 9 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \tag{1}$$

Definition 10 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone.V0x))$

Definition 11 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \tag{2}$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \tag{3}$$

Definition 12 We define c_Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap (c_Esum_2EABS$
Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty_2Eoption_2Eoption A0) \quad (4)$$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Eoption_2Eoption_ABS A_27a \in ((ty_2Eoption_2Eoption A_27a)^{(ty_2Esum_2Esum A_27a ty_2Eone_2Eone)}) \quad (5)$$

Definition 13 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota. (ap (c_2Eoption_2Eoption_ABS A_27a) ($

Definition 14 We define c_Esum_2EINL to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27a. (ap (c_Esum_2EABS$

Definition 15 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. (ap (c_2Eoption_2Eoption_$

Let $c_2Eoption_2ETHE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Eoption_2ETHE A_27a \in (A_27a^{(ty_2Eoption_2Eoption A_27a)}) \quad (6)$$

Let $c_2Eoption_2EIS_SOME : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Eoption_2EIS_SOME A_27a \in (2^{(ty_2Eoption_2Eoption A_27a)}) \quad (7)$$

Definition 16 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Definition 17 We define $c_2Eoption_2EOPTION_MAP2$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in ((A$

Assume the following.

$$True \quad (8)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (9)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (10)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\exists V1x \in A_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (11)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (12)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\
& (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \Leftrightarrow
\end{aligned} \tag{13}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \tag{14}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{15}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow \\
& ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \Leftrightarrow
\end{aligned} \tag{16}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Leftrightarrow (p V1t2)) \Leftrightarrow (((p \\
& V0t1) \Rightarrow (p V1t2)) \wedge ((p V1t2) \Rightarrow (p V0t1)))))) \Leftrightarrow
\end{aligned} \tag{17}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in \\
& 2.(((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))) \Rightarrow \\
& (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27)))))) \Leftrightarrow
\end{aligned} \tag{18}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).(\forall V1a \in A_27a.((\exists V2x \in A_27a.((V2x = V1a) \wedge (p (ap V0P V2x)))) \Leftrightarrow (p (ap V0P V1a)))))) \tag{19}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0opt \in (ty_2Eoption_2Eoption A_27a).((V0opt = (c_2Eoption_2ENONE A_27a)) \vee (\exists V1x \in A_27a.(V0opt = (ap (c_2Eoption_2ESOME A_27a) V1x)))))) \tag{20}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.(((ap (c_2Eoption_2ESOME A_27a) V0x) = (ap (c_2Eoption_2ESOME A_27a) V1y)) \Leftrightarrow (V0x = V1y)))) \tag{21}$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. (\neg((\text{c_2Eoption_2ENONE } A_27a) = (\text{ap } (\text{c_2Eoption_2ESOME } A_27a) V0x)))) \quad (22)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow \forall A_27c. \\ & \quad \text{nonempty } A_27c \Rightarrow (\forall V0f \in ((A_27a^{A_27c})^{A_27b}). (\forall V1x \in \\ & \quad A_27b. (\forall V2y \in A_27c. (((\text{ap } (\text{ap } (\text{ap } (\text{c_2Eoption_2EOPTION_MAP2} \\ & \quad A_27a } A_27b } A_27c) V0f) (\text{ap } (\text{c_2Eoption_2ESOME } A_27b) V1x)) (\text{ap} \\ & \quad (\text{c_2Eoption_2ESOME } A_27c) V2y)) = (\text{ap } (\text{c_2Eoption_2ESOME } A_27a) \\ & \quad (\text{ap } (\text{ap } V0f } V1x) V2y)))) \wedge (((\text{ap } (\text{ap } (\text{ap } (\text{c_2Eoption_2EOPTION_MAP2} \\ & \quad A_27a } A_27b } A_27c) V0f) (\text{ap } (\text{c_2Eoption_2ESOME } A_27b) V1x)) (\text{c_2Eoption_2ENONE} \\ & \quad A_27c)) = (\text{c_2Eoption_2ENONE } A_27a)) \wedge (((\text{ap } (\text{ap } (\text{ap } (\text{c_2Eoption_2EOPTION_MAP2} \\ & \quad A_27a } A_27b } A_27c) V0f) (\text{c_2Eoption_2ENONE } A_27b)) (\text{ap } (\text{c_2Eoption_2ESOME} \\ & \quad A_27c) V2y)) = (\text{c_2Eoption_2ENONE } A_27a)) \wedge ((\text{ap } (\text{ap } (\text{ap } (\text{c_2Eoption_2EOPTION_MAP2} \\ & \quad A_27a } A_27b } A_27c) V0f) (\text{c_2Eoption_2ENONE } A_27b)) (\text{c_2Eoption_2ENONE} \\ & \quad A_27c)) = (\text{c_2Eoption_2ENONE } A_27a)))))) \end{aligned} \quad (23)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow \forall A_27c. \\ & \quad \text{nonempty } A_27c \Rightarrow (\forall V0f \in ((A_27c^{A_27b})^{A_27a}). (\forall V1o1 \in \\ & \quad (\text{ty_2Eoption_2Eoption } A_27a). (\forall V2o2 \in (\text{ty_2Eoption_2Eoption} \\ & \quad A_27b). (\forall V3v \in A_27c. (((\text{ap } (\text{ap } (\text{ap } (\text{c_2Eoption_2EOPTION_MAP2} \\ & \quad A_27c } A_27a } A_27b) V0f) V1o1) V2o2) = (\text{ap } (\text{c_2Eoption_2ESOME } A_27c) \\ & \quad V3v)) \Leftrightarrow (\exists V4x1 \in A_27a. (\exists V5x2 \in A_27b. ((V1o1 = (\text{ap } (\\ & \quad \text{c_2Eoption_2ESOME } A_27a) V4x1)) \wedge ((V2o2 = (\text{ap } (\text{c_2Eoption_2ESOME} \\ & \quad A_27b) V5x2)) \wedge (V3v = (\text{ap } (\text{ap } V0f } V4x1) V5x2)))))))))) \end{aligned}$$