

thm_2Eoption_2EOPTION__MAP__EQ__NONE
 (TMcUVvmqoHvoMH-
 pDGvGbn8Qi1kdey76xjXp)

October 26, 2020

Definition 1 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \ x)) \text{ of type } \iota \Rightarrow \iota$.

Definition 2 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define `c_2Ebool_2E_3F` to be $\lambda A_{27a} : \iota. (\lambda V0P \in (2^{A_{27a}}). (\text{ap } V0P \text{ (ap (c_2Emin_2E_40 } A_{27a} \ V0P))$

Definition 4 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p \Rightarrow q)$ of type ι .

Definition 5 We define `c_2Ebool_2E_2T` to be $(\text{ap (ap (c_2Emin_2E_3D } (2^2)) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x))$

Definition 6 We define `c_2Ebool_2E_21` to be $\lambda A_{27a} : \iota. (\lambda V0P \in (2^{A_{27a}}). (\text{ap (ap (c_2Emin_2E_3D } (2^{A_{27a}} \ V0P))$

Definition 7 We define `c_2Ebool_2E_5C_2E_2F` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap (c_2Ebool_2E_21 } 2) (\lambda V2t \in 2. V2t))$

Let `ty_2Eoption_2Eoption` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty (ty_2Eoption_2Eoption } A0) \quad (1)$$

Let `c_2Eoption_2EOPTION__JOIN` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow c_2Eoption_2EOPTION__JOIN \ A_{27a} \in ((\text{ty_2Eoption_2Eoption } A_{27a})^{(\text{ty_2Eoption_2Eoption } (\text{ty_2Eoption_2Eoption } A_{27a}))}) \quad (2)$$

Let `c_2Eoption_2EOPTION__MAP` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow \forall A_{27b}. \text{nonempty } A_{27b} \Rightarrow c_2Eoption_2EOPTION__MAP \ A_{27a} \ A_{27b} \in (((\text{ty_2Eoption_2Eoption } A_{27b})^{(\text{ty_2Eoption_2Eoption } A_{27a})})^{(A_{27b}^{A_{27a}})}) \quad (3)$$

Let $c_2Eoption_2Eoption_CASE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Eoption_2Eoption_CASE\ A_27a\ A_27b \in (((A_27b^{(A_27b^{A_27a})})^{A_27b})^{(ty_2Eoption_2Eoption\ A_27a)}) \quad (4)$$

Let $c_2Eoption_2EIS_NONE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2EIS_NONE\ A_27a \in (\quad (5)$$

$$2^{(ty_2Eoption_2Eoption\ A_27a)})$$

Definition 8 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Let $c_2Eoption_2EIS_SOME : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2EIS_SOME\ A_27a \in (\quad (6)$$

$$2^{(ty_2Eoption_2Eoption\ A_27a)})$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (7)$$

Definition 9 We define c_2Eone_2Eone to be $(ap\ (c_2Emin_2E_40\ ty_2Eone_2Eone)\ (\lambda V0x \in ty_2Eone_2Eone))$

Definition 10 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E))$

Definition 11 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.V2t))))$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (8)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (9)$$

Definition 12 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap\ (c_2Esum_2EABS_sum\ A_27a\ A_27b)\ V0e)$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \quad (10)$$

Definition 13 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota.(ap\ (c_2Eoption_2Eoption_ABS\ A_27a)\ (c_2Eone_2Eone\ A_27a))$

Let $c_2Eoption_2ETHE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2ETHE\ A_27a \in (A_27a^{(ty_2Eoption_2Eoption\ A_27a)}) \quad (11)$$

Definition 14 We define c_Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap (c_Esum_2EABS$

Definition 15 We define $c_Eoption_2ESOME$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.(ap (c_Eoption_2Eoption$

Assume the following.

$$True \quad (12)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (13)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (14)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (15)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (17)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0opt \in (ty_2Eoption_2Eoption A_27a).((V0opt = (c_2Eoption_2ENONE A_27a)) \vee (\exists V1x \in A_27a.(V0opt = (ap (c_2Eoption_2ESOME A_27a) V1x)))))) \quad (18)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow (\\
& \quad \forall V0e \in A_27b. (\forall V1f \in (A_27b^{A_27a}). (\forall V2e \in (\\
& \quad \text{ty_2Eoption_2Eoption } A_27a). (\forall V3x \in A_27a. (\forall V4y \in \\
& \quad A_27a. (((\text{ap } (c_2Eoption_2ESOME } A_27a) V3x) = (\text{ap } (c_2Eoption_2ESOME \\
& \quad A_27a) V4y)) \Leftrightarrow (V3x = V4y)))) \wedge ((\forall V5x \in A_27a. ((\text{ap } (c_2Eoption_2ETHE \\
& \quad A_27a) (\text{ap } (c_2Eoption_2ESOME } A_27a) V5x)) = V5x)) \wedge ((\forall V6x \in \\
& \quad A_27a. (\neg((c_2Eoption_2ENONE } A_27a) = (\text{ap } (c_2Eoption_2ESOME \\
& \quad A_27a) V6x)))) \wedge ((\forall V7x \in A_27a. (\neg((\text{ap } (c_2Eoption_2ESOME \\
& \quad A_27a) V7x) = (c_2Eoption_2ENONE } A_27a)))) \wedge ((\forall V8x \in A_27a. \\
& \quad ((\text{p } (\text{ap } (c_2Eoption_2EIS_SOME } A_27a) (\text{ap } (c_2Eoption_2ESOME \\
& \quad A_27a) V8x))) \Leftrightarrow \text{True})) \wedge ((\text{p } (\text{ap } (c_2Eoption_2EIS_SOME } A_27a) \\
& \quad (c_2Eoption_2ENONE } A_27a))) \Leftrightarrow \text{False})) \wedge ((\forall V9x \in (\text{ty_2Eoption_2Eoption} \\
& \quad A_27a). ((\text{p } (\text{ap } (c_2Eoption_2EIS_NONE } A_27a) V9x)) \Leftrightarrow (V9x = (c_2Eoption_2ENONE \\
& \quad A_27a)))) \wedge ((\forall V10x \in (\text{ty_2Eoption_2Eoption } A_27a). ((\neg \\
& \quad (\text{p } (\text{ap } (c_2Eoption_2EIS_SOME } A_27a) V10x))) \Leftrightarrow (V10x = (c_2Eoption_2ENONE \\
& \quad A_27a)))) \wedge ((\forall V11x \in (\text{ty_2Eoption_2Eoption } A_27a). ((\text{p} \\
& \quad (\text{ap } (c_2Eoption_2EIS_SOME } A_27a) V11x)) \Rightarrow ((\text{ap } (c_2Eoption_2ESOME \\
& \quad A_27a) (\text{ap } (c_2Eoption_2ETHE } A_27a) V11x)) = V11x))) \wedge ((\forall V12x \in \\
& \quad (\text{ty_2Eoption_2Eoption } A_27a). ((\text{ap } (\text{ap } (\text{ap } (c_2Eoption_2Eoption_CASE \\
& \quad A_27a) (\text{ty_2Eoption_2Eoption } A_27a)) V12x) (c_2Eoption_2ENONE \\
& \quad A_27a)) (c_2Eoption_2ESOME } A_27a)) = V12x)) \wedge ((\forall V13x \in (\\
& \quad \text{ty_2Eoption_2Eoption } A_27a). ((\text{ap } (\text{ap } (\text{ap } (c_2Eoption_2Eoption_CASE \\
& \quad A_27a) (\text{ty_2Eoption_2Eoption } A_27a)) V13x) V13x) (c_2Eoption_2ESOME \\
& \quad A_27a)) = V13x)) \wedge ((\forall V14x \in (\text{ty_2Eoption_2Eoption } A_27a). \\
& \quad ((\text{p } (\text{ap } (c_2Eoption_2EIS_NONE } A_27a) V14x)) \Rightarrow ((\text{ap } (\text{ap } (\text{ap } (c_2Eoption_2Eoption_CASE \\
& \quad A_27a) A_27b) V14x) V0e) V1f) = V0e))) \wedge ((\forall V15x \in (\text{ty_2Eoption_2Eoption} \\
& \quad A_27a). ((\text{p } (\text{ap } (c_2Eoption_2EIS_SOME } A_27a) V15x)) \Rightarrow ((\text{ap } (\text{ap} \\
& \quad (\text{ap } (c_2Eoption_2Eoption_CASE } A_27a) A_27b) V15x) V0e) V1f) = (\\
& \quad \text{ap } V1f) (\text{ap } (c_2Eoption_2ETHE } A_27a) V15x)))) \wedge ((\forall V16x \in \\
& \quad (\text{ty_2Eoption_2Eoption } A_27a). ((\text{p } (\text{ap } (c_2Eoption_2EIS_SOME \\
& \quad A_27a) V16x)) \Rightarrow ((\text{ap } (\text{ap } (\text{ap } (c_2Eoption_2Eoption_CASE } A_27a) (\\
& \quad \text{ty_2Eoption_2Eoption } A_27a)) V16x) V2e) (c_2Eoption_2ESOME } A_27a)) = \\
& \quad V16x))) \wedge ((\forall V17v \in A_27b. (\forall V18f \in (A_27b^{A_27a}). (\\
& \quad (\text{ap } (\text{ap } (\text{ap } (c_2Eoption_2Eoption_CASE } A_27a) A_27b) (c_2Eoption_2ENONE \\
& \quad A_27a)) V17v) V18f) = V17v))) \wedge ((\forall V19x \in A_27a. (\forall V20v \in \\
& \quad A_27b. (\forall V21f \in (A_27b^{A_27a}). ((\text{ap } (\text{ap } (\text{ap } (c_2Eoption_2Eoption_CASE \\
& \quad A_27a) A_27b) (\text{ap } (c_2Eoption_2ESOME } A_27a) V19x)) V20v) V21f) = \\
& \quad (\text{ap } V21f) V19x)))) \wedge ((\forall V22f \in (A_27b^{A_27a}). (\forall V23x \in \\
& \quad A_27a. ((\text{ap } (\text{ap } (c_2Eoption_2EOPTION_MAP } A_27a) A_27b) V22f) (\\
& \quad \text{ap } (c_2Eoption_2ESOME } A_27a) V23x)) = (\text{ap } (c_2Eoption_2ESOME } A_27b) \\
& \quad (\text{ap } V22f) V23x)))) \wedge ((\forall V24f \in (A_27b^{A_27a}). ((\text{ap } (\text{ap } (c_2Eoption_2EOPTION_MAP \\
& \quad A_27a) A_27b) V24f) (c_2Eoption_2ENONE } A_27a)) = (c_2Eoption_2ENONE \\
& \quad A_27b))) \wedge (((\text{ap } (c_2Eoption_2EOPTION_JOIN } A_27a) (c_2Eoption_2ENONE \\
& \quad (\text{ty_2Eoption_2Eoption } A_27a))) = (c_2Eoption_2ENONE } A_27a)) \wedge \\
& \quad (\forall V25x \in (\text{ty_2Eoption_2Eoption } A_27a). ((\text{ap } (c_2Eoption_2EOPTION_JOIN \\
& \quad A_27a) (\text{ap } (c_2Eoption_2ESOME } (\text{ty_2Eoption_2Eoption } A_27a)) \\
& \quad V25x)) \neq V25x)))))))))
\end{aligned}$$

(19)

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0f \in (A_27b^{A_27a}). (\forall V1x \in (ty_2Eoption_2Eoption \\ & \quad A_27a). (((ap\ (ap\ (c_2Eoption_2EOPTION_MAP\ A_27a\ A_27b)\ V0f) \\ & \quad V1x) = (c_2Eoption_2ENONE\ A_27b)) \Leftrightarrow (V1x = (c_2Eoption_2ENONE\ A_27a)))))) \end{aligned}$$