

# thm\_2Eoption\_2ESOME\_\_SOME\_\_APPLY (TMH5RYVvk1RK3QbbbeyhGkM15c8MXBzCKjx)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Eoption\_2Eoption A0) \quad (1)$$

Let  $c\_2Eoption\_2EOPTION\_MAP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Eoption\_2EOPTION\_MAP A\_27a A\_27b \in (((ty\_2Eoption\_2Eoption A\_27b)^{(ty\_2Eoption\_2Eoption A\_27a)})^{(A\_27b^{A\_27a})}) \quad (2)$$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty ty\_2Eone\_2Eone \quad (3)$$

**Definition 3** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P)))$

**Definition 5** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Esum\_2Esum A0 A1) \quad (4)$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Esum\_2EABS\_sum A\_27a A\_27b \in (((ty\_2Esum\_2Esum A\_27a A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \quad (5)$$

**Definition 6** We define  $c\_Esum\_2EINL$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27a.(ap (c\_Esum\_2EABS$   
Let  $c\_Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_Eoption\_2Eoption\_ABS A\_27a \in ((ty\_2Eoption\_2Eoption A\_27a)^{(ty\_2Esum\_2Esum A\_27a ty\_2Eone\_2Eone)}) \quad (6)$$

**Definition 7** We define  $c\_Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.(ap (c\_Eoption\_2Eoption\_ABS$

**Definition 8** We define  $c\_Emin\_2E40$  to be  $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p$   
of type  $\iota \Rightarrow \iota$ .

**Definition 9** We define  $c\_Eone\_2Eone$  to be  $(ap (c\_Emin\_2E40 ty\_2Eone\_2Eone) (\lambda V0x \in ty\_2Eone\_2Eone$

**Definition 10** We define  $c\_Ebool\_2EF$  to be  $(ap (c\_Ebool\_2E21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 11** We define  $c\_Ebool\_2E7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_Emin\_2E3D\_3D\_3E V0t) c\_Ebool\_2EF$

**Definition 12** We define  $c\_Esum\_2EINR$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27b.(ap (c\_Esum\_2EABS$

**Definition 13** We define  $c\_Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota.(ap (c\_Eoption\_2Eoption\_ABS A\_27a) (c\_Eoption\_2Eoption\_ABS$

Let  $c\_Eoption\_2EOPTION\_APPLY : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_Eoption\_2EOPTION\_APPLY A\_27a A\_27b \in (((ty\_2Eoption\_2Eoption A\_27a)^{(ty\_2Eoption\_2Eoption A\_27b)})^{(ty\_2Eoption\_2Eoption (A\_27a^{A\_27b})^{A\_27b})}) \quad (7)$$

Assume the following.

$$True \quad (8)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (9)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.(((ap (c\_Eoption\_2ESOME A\_27a) V0x) = (ap (c\_Eoption\_2ESOME A\_27a) V1y)) \Leftrightarrow (V0x = V1y)))) \quad (10)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow ((\forall V0f \in (A\_27b^{A\_27a}).(\forall V1x \in A\_27a.((ap (ap (c\_Eoption\_2EOPTION\_MAP A\_27a A\_27b) V0f) (ap (c\_Eoption\_2ESOME A\_27a) V1x)) = (ap (c\_Eoption\_2ESOME A\_27b) (ap V0f V1x)))))) \wedge (\forall V2f \in (A\_27b^{A\_27a}).((ap (ap (c\_Eoption\_2EOPTION\_MAP A\_27a A\_27b) V2f) (c\_Eoption\_2ENONE A\_27a)) = (c\_Eoption\_2ENONE A\_27b)))) \quad (11)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& (\forall V0x \in (ty\_2Eoption\_2Eoption\ A\_27b).((ap\ (ap\ (c\_2Eoption\_2EOPTION\_APPLY \\
& \quad A\_27a\ A\_27b)\ (c\_2Eoption\_2ENONE\ (A\_27a^{A\_27b})))\ V0x) = (c\_2Eoption\_2ENONE \\
& \quad A\_27a))) \wedge (\forall V1f \in (A\_27a^{A\_27b}).(\forall V2x \in (ty\_2Eoption\_2Eoption \\
& \quad A\_27b).((ap\ (ap\ (c\_2Eoption\_2EOPTION\_APPLY\ A\_27a\ A\_27b)\ (ap \\
& \quad (c\_2Eoption\_2ESOME\ (A\_27a^{A\_27b})\ V1f))\ V2x) = (ap\ (ap\ (c\_2Eoption\_2EOPTION\_MAP \\
& \quad A\_27b\ A\_27a)\ V1f)\ V2x))))))
\end{aligned} \tag{12}$$

**Theorem 1**

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \forall V0f \in (A\_27a^{A\_27b}).(\forall V1x \in A\_27b.((ap\ (ap\ (c\_2Eoption\_2EOPTION\_APPLY \\
& \quad A\_27a\ A\_27b)\ (ap\ (c\_2Eoption\_2ESOME\ (A\_27a^{A\_27b})\ V0f))\ (ap\ (c\_2Eoption\_2ESOME \\
& \quad A\_27b)\ V1x)) = (ap\ (c\_2Eoption\_2ESOME\ A\_27a)\ (ap\ V0f\ V1x))))))
\end{aligned}$$