

thm_2Eordinal_2EIN__preds (TM- FZJWs1oxXBDvJeNuxzmsYBDbdmQudp7qs)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 5 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 6 We define $c_2Ebool_2E_2E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Let $ty_2Eenum_2Eenum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eenum_2Eenum \tag{1}$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \tag{2}$$

Let $ty_2Ewellorder_2Ewellorder : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ewellorder_2Ewellorder\ A0) \tag{3}$$

Let $ty_2Eordinal_2Eordinal : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eordinal_2Eordinal\ A0) \tag{4}$$

Let $c_2Eordinal_2Eordinal_REP_CLASS : \iota \Rightarrow \iota$ be given. Assume the following.

$$A_27a \in ((2^{(ty_2Ewellorder_2Ewellorder\ (ty_2Esum_2Esum\ ty_2Eenum_2Eenum\ A_27a))})^{(ty_2Eordinal_2Eordinal\ A_27a)}) \tag{5}$$

Definition 7 We define $c_2Emin_2E.40$ to be $\lambda A.\lambda P \in 2^A$. **if** $(\exists x \in A.p (ap P x))$ **then** (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 8 We define $c_2Eordinal_2Eordinal_REP$ to be $\lambda A.27a : \iota.\lambda V0a \in (ty_2Eordinal_2Eordinal A.27a$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (6)$$

Let $c_2Ewellorder_2Ewellorder_REP : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow c_2Ewellorder_2Ewellorder_REP A.27a \in ((2^{(ty_2Epair_2Eprod A.27a A.27a)})^{(ty_2Ewellorder_2Ewellorder A.27a)}) \quad (7)$$

Definition 9 We define $c_2Ebool_2E2F.5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E21 2) (\lambda V2t \in 2$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c_2Epair_2EABS_prod A.27a A.27b \in ((ty_2Epair_2Eprod A.27a A.27b)^{(2^{A.27b})^{A.27a}}) \quad (8)$$

Definition 10 We define c_2Epair_2E2C to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0x \in A.27a.\lambda V1y \in A.27b.(ap (c_2$

Definition 11 We define c_2Ebool_2EIN to be $\lambda A.27a : \iota.(\lambda V0x \in A.27a.(\lambda V1f \in (2^{A.27a}).(ap V1f V0x))$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c_2Epair_2ESND A.27a A.27b \in (A.27b^{(ty_2Epair_2Eprod A.27a A.27b)}) \quad (9)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c_2Epair_2EFST A.27a A.27b \in (A.27a^{(ty_2Epair_2Eprod A.27a A.27b)}) \quad (10)$$

Definition 12 We define $c_2Epair_2EUNCURRY$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda A.27c : \iota.\lambda V0f \in ((A.27c^{A.27$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c_2Epred_set_2EGSPEC A.27a A.27b \in ((2^{A.27a})^{(ty_2Epair_2Eprod A.27a 2)^{A.27b}}) \quad (11)$$

Definition 13 We define $c_2Eset_relation_2Estrict$ to be $\lambda A.27a : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod A.27a A.27a)})$

Definition 14 We define $c_2Ewellorder_2Eiseg$ to be $\lambda A.27a : \iota.\lambda V0w \in (ty_2Ewellorder_2Ewellorder A.27a$

Definition 15 We define $c_Eset_relation_Erestrict$ to be $\lambda A_27a : \iota. \lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})$

Let $c_Ewellorder_Ewellorder_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty\ A_27a \Rightarrow c_Ewellorder_Ewellorder_ABS \\ & A_27a \in ((ty_2Ewellorder_Ewellorder\ A_27a)^{(2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})}) \end{aligned} \quad (12)$$

Definition 16 We define $c_Ewellorder_Ewobound$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1w \in (ty_2Ewellorder\ A_27a)$

Definition 17 We define $c_Ebool_E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E40\ A_27a\ P))))$

Definition 18 We define $c_Eset_relation_Erange$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27b)})$

Definition 19 We define $c_Eset_relation_Edomain$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27b)})$

Definition 20 We define $c_Ebool_E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_E_21\ 2)\ (V1t2\ V0t1))))$

Definition 21 We define $c_Epred_set_EUNION$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap\ (c_2Epred_set_EUNION\ A_27a\ s\ t))$

Definition 22 We define $c_Ewellorder_EelsOf$ to be $\lambda A_27a : \iota. \lambda V0w \in (ty_2Ewellorder_Ewellorder\ A_27a)$

Definition 23 We define $c_Ewellorder_Eorderiso$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0w1 \in (ty_2Ewellorder_Ewellorder\ A_27a)$

Definition 24 We define $c_Ewellorder_Eorderlt$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0w1 \in (ty_2Ewellorder_Ewellorder\ A_27a)$

Definition 25 We define $c_Eordinal_Eordlt$ to be $\lambda A_27a : \iota. \lambda V0T1 \in (ty_2Eordinal_Eordinal\ A_27a)$

Definition 26 We define $c_Eordinal_Epreds$ to be $\lambda A_27a : \iota. \lambda V0w \in (ty_2Eordinal_Eordinal\ A_27a)$

Assume the following.

$$True \quad (13)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p\ V0t)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0x \in A_27a. (\forall V1y \in A_27b. (\forall V2a \in A_27a. (\forall V3b \in \\ & \quad A_27b. (((ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y) = (ap\ (ap \\ & \quad (c_2Epair_2E_2C\ A_27a\ A_27b)\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \\ & \hspace{15em} (17) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0f \in ((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}). (\forall V1v \in \\ & \quad A_27a. ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V1v)\ (ap\ (c_2Epred_set_2EGSPEC \\ & \quad A_27a\ A_27b)\ V0f))) \Leftrightarrow (\exists V2x \in A_27b. ((ap\ (ap\ (c_2Epair_2E_2C \\ & \quad A_27a\ 2)\ V1v)\ c_2Ebool_2ET) = (ap\ V0f\ V2x)))))) \\ & \hspace{15em} (18) \end{aligned}$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in (ty_2Eordinal_2Eordinal \\ & \quad A_27a). (\forall V1w \in (ty_2Eordinal_2Eordinal\ A_27a). ((p\ (ap \\ & \quad (ap\ (c_2Ebool_2EIN\ (ty_2Eordinal_2Eordinal\ A_27a))\ V0x)\ (ap\ (\\ & \quad c_2Eordinal_2Epreds\ A_27a)\ V1w))) \Leftrightarrow (p\ (ap\ (ap\ (c_2Eordinal_2Eordlt \\ & \quad A_27a)\ V0x)\ V1w)))))) \end{aligned}$$