

thm_2Eordinal_2Eexpbound__add (TMVcjxH- hYR2ftrW9LLbXcoUmU4FW2pfz3FB)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \tag{2}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{3}$$

Let $ty_2Ewellorder_2Ewellorder : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ewellorder_2Ewellorder\ A0) \tag{4}$$

Let $c_2Ewellorder_2Ewellorder_REP : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewellorder_2Ewellorder_REP\ A_27a \in ((2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)}) (ty_2Ewellorder_2Ewellorder\ A_27a)) \tag{5}$$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21\ 2)) (\lambda V0t \in 2.V0t)$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 6 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_7E))$

Definition 7 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2)))$

Let `c_2Epair_2EABS_prod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (6)$$

Definition 8 We define `c_2Epair_2E_2C` to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap (c_2E_2C))$

Definition 9 We define `c_2Ebool_2EIN` to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap V1f V0x)))$

Let `c_2Epair_2ESND` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND \\ A_27a A_27b \in (A_27b^{(ty_2Epair_2Eprod A_27a A_27b)}) \end{aligned} \quad (7)$$

Let `c_2Epair_2EFST` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFST \\ A_27a A_27b \in (A_27a^{(ty_2Epair_2Eprod A_27a A_27b)}) \end{aligned} \quad (8)$$

Definition 10 We define `c_2Epair_2EUNCURRY` to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in ((A_27c^{A_27a})^{A_27b})$

Let `c_2Epred_set_2EGSPEC` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a 2)^{A_27b}}) \end{aligned} \quad (9)$$

Definition 11 We define `c_2Eset_relation_2Estrict` to be $\lambda A_27a : \iota. \lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a A_27a)})$

Definition 12 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (ap P x)) \text{ then } (the (\lambda x. x \in A) p)$ of type $\iota \Rightarrow \iota$.

Definition 13 We define `c_2Ebool_2E_3F` to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap V0P (ap (c_2Emin_2E_40))))$

Definition 14 We define `c_2Eset_relation_2Erange` to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a A_27b)})$

Definition 15 We define `c_2Eset_relation_2Edomain` to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a A_27b)})$

Definition 16 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2))))$

Definition 17 We define `c_2Epred_set_2EUNION` to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap (c_2Epred_set_2EUNION))$

Definition 18 We define `c_2Ewellorder_2EelsOf` to be $\lambda A_27a : \iota. \lambda V0w \in (ty_2Ewellorder_2Ewellorder A_27a)$

Definition 19 We define $c_Ewellorder_Eorderiso$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0w1 \in (ty_2Ewellorder_2Ewellorder A_27a A_27b)$

Let $ty_2Eordinal_2Eordinal : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Eordinal_2Eordinal A0) \quad (10)$$

Let $c_2Eordinal_2Eordinal_ABS_CLASS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Eordinal_2Eordinal_ABS_CLASS A_27a \in ((ty_2Eordinal_2Eordinal A_27a)^{(2^{(ty_2Ewellorder_2Ewellorder (ty_2Esum_2Esum ty_2Enum_2Enum A_27a))})}) \quad (11)$$

Definition 20 We define $c_2Eordinal_2Eordinal_ABS$ to be $\lambda A_27a : \iota. \lambda V0r \in (ty_2Ewellorder_2Ewellorder A_27a A_27a)$

Let $c_2Eordinal_2Eordinal_REP_CLASS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Eordinal_2Eordinal_REP_CLASS A_27a \in ((2^{(ty_2Ewellorder_2Ewellorder (ty_2Esum_2Esum ty_2Enum_2Enum A_27a))})^{(ty_2Eordinal_2Eordinal A_27a)}) \quad (12)$$

Definition 21 We define $c_2Eordinal_2Eordinal_REP$ to be $\lambda A_27a : \iota. \lambda V0a \in (ty_2Eordinal_2Eordinal A_27a A_27a)$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (13)$$

Let $c_2Eordinal_2EfromNat : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Eordinal_2EfromNat A_27a \in (ty_2Eordinal_2Eordinal A_27a)^{ty_2Enum_2Enum} \quad (14)$$

Definition 22 We define $c_2Ewellorder_2Eiseg$ to be $\lambda A_27a : \iota. \lambda V0w \in (ty_2Ewellorder_2Ewellorder A_27a A_27a)$

Definition 23 We define $c_2Eset_relation_2Errestrict$ to be $\lambda A_27a : \iota. \lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a A_27a)})$

Let $c_2Ewellorder_2Ewellorder_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ewellorder_2Ewellorder_ABS A_27a \in ((ty_2Ewellorder_2Ewellorder A_27a)^{(2^{(ty_2Epair_2Eprod A_27a A_27a)})}) \quad (15)$$

Definition 24 We define $c_2Ewellorder_2Ewobound$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1w \in (ty_2Ewellorder_2Ewellorder A_27a A_27a)$

Definition 25 We define $c_2Ewellorder_2Eorderlt$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0w1 \in (ty_2Ewellorder_2Ewellorder A_27a A_27b)$

Definition 26 We define $c_2Eordinal_2Eordlt$ to be $\lambda A_27a : \iota. \lambda V0T1 \in (ty_2Eordinal_2Eordinal A_27a A_27a)$

Definition 27 We define $c_2Eordinal_2Epreds$ to be $\lambda A_27a : \iota. \lambda V0w \in (ty_2Eordinal_2Eordinal A_27a A_27a)$

Definition 28 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in$

Definition 29 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^{A_27a})}).(ap (c_2Epred_set_2EIMAGE$

Definition 30 We define $c_2Eordinal_2Eoleast$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(ty_2Eordinal_2Eordinal\ A_27a)}).(ap$

Definition 31 We define $c_2Eordinal_2Esup$ to be $\lambda A_27a : \iota.\lambda V0ordset \in (2^{(ty_2Eordinal_2Eordinal\ A_27a)}).(ap$

Definition 32 We define $c_2Eordinal_2Eomega$ to be $\lambda A_27a : \iota.(ap (c_2Eordinal_2Esup\ A_27a) (ap (c_2Epred_set_2EBIGUNION$

Let $c_2Eordinal_2EordADD : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eordinal_2EordADD\ A_27a \in ((ty_2Eordinal_2Eordinal\ A_27a)^{(ty_2Eordinal_2Eordinal\ A_27a)})^{(ty_2Eordinal_2Eordinal\ A_27a)} \quad (16)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (17)$$

Definition 33 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40\ ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone.$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (18)$$

Definition 34 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap (c_2Esum_2EABS_sum$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (19)$$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \quad (20)$$

Definition 35 We define $c_2Eoption_2EENONE$ to be $\lambda A_27a : \iota.(ap (c_2Eoption_2Eoption_ABS\ A_27a) (ap$

Definition 36 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2E_EF)$.

Definition 37 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap (c_2Epred_set_2EEMPTY$

Definition 38 We define $c_2Eset_relation_2Emaximal_elements$ to be $\lambda A_27a : \iota.\lambda V0xs \in (2^{A_27a}).\lambda V1r \in$

Definition 39 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap (c_2Esum_2EABS_sum$

Definition 40 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.(ap (c_2Eoption_2Eoption_ABS$

Definition 41 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(\lambda V3t3 \in$

Definition 42 We define $c_2Eoption_2Esome$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{A_27a}).(ap (ap (ap (c_2Ebool_2ECC$

Definition 43 We define $c_2Eordinal_2Eomax$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{(ty_2Eordinal_2Eordinal A_27a)}).(ap ($

Let $c_2Eordinal_2EordMULT : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Eordinal_2EordMULT A_27a \in (((ty_2Eordinal_2Eordinal A_27a)^{(ty_2Eordinal_2Eordinal A_27a)})(ty_2Eordinal_2Eordinal A_27a)) \quad (21)$$

Definition 44 We define $c_2Eordinal_2EordSUC$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Eordinal_2Eordinal A_27a)$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (22)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (23)$$

Definition 45 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Let $c_2Eordinal_2EordEXP : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Eordinal_2EordEXP A_27a \in (((ty_2Eordinal_2Eordinal A_27a)^{(ty_2Eordinal_2Eordinal A_27a)})(ty_2Eordinal_2Eordinal A_27a)) \quad (24)$$

Definition 46 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (25)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (26)$$

Definition 47 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num$

Definition 48 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic$

Definition 49 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 50 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x)$

Definition 51 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a})$

Definition 52 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota.(ap (ap (c_2Ecombin_2ES A_27a (A_27a^{A_27a}) A$

Definition 53 We define $c_2Equotient_2E_2D_2D_3E$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda A_27d : \iota.\lambda V0j$

Definition 54 We define $c_2\text{Equotient_2E_3D_3D_3D_3E}$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R1 \in ((2^{A_27a})^{A_27a})$

Definition 55 We define $c_2\text{Equotient_2EQUOTIENT}$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda$

Definition 56 We define $c_2\text{Ecombin_2EW}$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0f \in ((A_27b^{A_27a})^{A_27a}).(\lambda V1x$

Definition 57 We define $c_2\text{Equotient_2Erespects}$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(c_2\text{Ecombin_2EW } A_27a \ A_27b)$

Definition 58 We define $c_2\text{Ebool_2ERES_FORALL}$ to be $\lambda A_27a : \iota.(\lambda V0p \in (2^{A_27a}).(\lambda V1m \in (2^{A_27a}).\lambda$

Definition 59 We define $c_2\text{Equotient_2EEQUIV}$ to be $\lambda A_27a : \iota.\lambda V0E \in ((2^{A_27a})^{A_27a}).(ap \ (c_2\text{Ebool_2E}$

Assume the following.

$$True \tag{27}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p \ V0t1) \Rightarrow (p \ V1t2)) \Rightarrow (((p \ V1t2) \Rightarrow (p \ V0t1)) \Rightarrow ((p \ V0t1) \Leftrightarrow (p \ V1t2)))))) \tag{28}$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p \ V0t))) \tag{29}$$

Assume the following.

$$(\forall V0t \in 2.((p \ V0t) \vee (\neg(p \ V0t)))) \tag{30}$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \tag{31}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \tag{32}$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \tag{33}$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \tag{34}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (35)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0f \in (A_27b^{A_27a}). (\forall V1g \in (A_27b^{A_27a}). ((V0f = V1g) \Leftrightarrow (\forall V2x \in A_27a. ((ap\ V0f\ V2x) = (ap\ V1g\ V2x)))))) \quad (36)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (37)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1Q \in (2^{A_27a}). ((\forall V2x \in A_27a. ((p\ (ap\ V0P\ V2x)) \wedge (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((\forall V3x \in A_27a. (p\ (ap\ V0P\ V3x))) \wedge (\forall V4x \in A_27a. (p\ (ap\ V1Q\ V4x))))))) \quad (38)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A_27a}). ((p\ V0P) \wedge (\forall V2x \in A_27a. (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow (\forall V3x \in A_27a. ((p\ V0P) \wedge (p\ (ap\ V1Q\ V3x)))))) \quad (39)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1Q \in 2. ((\exists V2x \in A_27a. ((p\ (ap\ V0P\ V2x)) \wedge (p\ V1Q))) \Leftrightarrow ((\exists V3x \in A_27a. (p\ (ap\ V0P\ V3x)) \wedge (p\ V1Q)))))) \quad (40)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0Q \in 2. (\forall V1P \in (2^{A_27a}). ((\forall V2x \in A_27a. ((p\ (ap\ V1P\ V2x)) \vee (p\ V0Q))) \Leftrightarrow ((\forall V3x \in A_27a. (p\ (ap\ V1P\ V3x)) \vee (p\ V0Q)))))) \quad (41)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (42)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Leftrightarrow (p\ V1t2)) \Leftrightarrow (((p\ V0t1) \Rightarrow (p\ V1t2)) \wedge ((p\ V1t2) \Rightarrow (p\ V0t1)))))) \quad (43)$$

Assume the following.

$$2.(((p \ V0x) \Leftrightarrow (p \ V1x_27)) \wedge ((p \ V1x_27) \Rightarrow ((p \ V2y) \Leftrightarrow (p \ V3y_27)))) \Rightarrow \\ (((p \ V0x) \Rightarrow (p \ V2y)) \Leftrightarrow ((p \ V1x_27) \Rightarrow (p \ V3y_27)))) \quad (44)$$

Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1a \in \\ A_27a. ((\exists V2x \in A_27a. ((V2x = V1a) \wedge (p \ (ap \ V0P \ V2x)))) \Leftrightarrow (p \ (\\ ap \ V0P \ V1a)))))) \quad (45)$$

Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. ((ap \ (c_2Ecombin_2EI \\ A_27a) \ V0x) = V0x)) \quad (46)$$

Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow (p \ (ap \ (ap \ (ap \ (c_2Equotient_2EQUOTIENT \\ (ty_2Ewellorder_2Ewellorder \ (ty_2Esum_2Esum \ ty_2Enum_2Enum \\ A_27a)) \ (ty_2Eordinal_2Eordinal \ A_27a)) \ (c_2Ewellorder_2Eorderiso \\ (ty_2Esum_2Esum \ ty_2Enum_2Enum \ A_27a) \ (ty_2Esum_2Esum \ ty_2Enum_2Enum \\ A_27a))) \ (c_2Eordinal_2Eordinal_ABS \ A_27a)) \ (c_2Eordinal_2Eordinal_REP \\ A_27a))) \quad (47)$$

Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow (\forall V0x \in (ty_2Eordinal_2Eordinal \\ A_27a). (\forall V1y \in (ty_2Eordinal_2Eordinal \ A_27a). (\forall V2z \in \\ (ty_2Eordinal_2Eordinal \ A_27a). (((p \ (ap \ (ap \ (c_2Eordinal_2Eordlt \\ A_27a) \ V0x) \ V1y)) \wedge (\neg (p \ (ap \ (ap \ (c_2Eordinal_2Eordlt \ A_27a) \ V2z) \\ V1y)))) \Rightarrow (p \ (ap \ (ap \ (c_2Eordinal_2Eordlt \ A_27a) \ V0x) \ V2z)))))) \quad (48)$$

Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow (\forall V0f \in ((ty_2Eordinal_2Eordinal \\ A_27a) \ (ty_2Eordinal_2Eordinal \ A_27a)). (\forall V1a \in (ty_2Eordinal_2Eordinal \\ A_27a). (\forall V2b \in (ty_2Eordinal_2Eordinal \ A_27a). ((p \ (ap \\ (ap \ (c_2Eordinal_2Eordlt \ A_27a) \ V2b) \ (ap \ (c_2Eordinal_2Esup \ A_27a) \\ (ap \ (ap \ (c_2Epred_set_2EIMAGE \ (ty_2Eordinal_2Eordinal \ A_27a) \\ (ty_2Eordinal_2Eordinal \ A_27a)) \ V0f) \ (ap \ (c_2Eordinal_2Epreds \\ A_27a) \ V1a)))))) \Leftrightarrow (\exists V3d \in (ty_2Eordinal_2Eordinal \ A_27a). \\ ((p \ (ap \ (ap \ (c_2Eordinal_2Eordlt \ A_27a) \ V3d) \ V1a)) \wedge (p \ (ap \ (ap \ (c_2Eordinal_2Eordlt \\ A_27a) \ V2b) \ (ap \ V0f \ V3d)))))))))) \quad (49)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{(ty_2Eordinal_2Eordinal\ A_27a)}), \\
& (((p\ (ap\ V0P\ (ap\ (c_2Eordinal_2EfromNat\ A_27a)\ c_2Enum_2E0))) \wedge \\
& ((\forall V1a \in (ty_2Eordinal_2Eordinal\ A_27a).((p\ (ap\ V0P\ V1a)) \Rightarrow \\
& (p\ (ap\ V0P\ (ap\ (c_2Eordinal_2EordSUC\ A_27a)\ V1a)))))) \wedge (\forall V2a \in \\
& (ty_2Eordinal_2Eordinal\ A_27a).(((ap\ (c_2Eordinal_2Eomax \\
& A_27a)\ (ap\ (c_2Eordinal_2Epreds\ A_27a)\ V2a)) = (c_2Eoption_2ENONE \\
& (ty_2Eordinal_2Eordinal\ A_27a))) \wedge ((p\ (ap\ (ap\ (c_2Eordinal_2Eordlt \\
& A_27a)\ (ap\ (c_2Eordinal_2EfromNat\ A_27a)\ c_2Enum_2E0))\ V2a)) \wedge \\
& (\forall V3b \in (ty_2Eordinal_2Eordinal\ A_27a).((p\ (ap\ (ap\ (c_2Eordinal_2Eordlt \\
& A_27a)\ V3b)\ V2a)) \Rightarrow (p\ (ap\ V0P\ V3b)))))) \Rightarrow (p\ (ap\ V0P\ V2a)))))) \Rightarrow (\forall V4a \in \\
& (ty_2Eordinal_2Eordinal\ A_27a).(p\ (ap\ V0P\ V4a))))
\end{aligned} \tag{50}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0a \in (ty_2Eordinal_2Eordinal \\
& A_27a).((p\ (ap\ (ap\ (c_2Eordinal_2Eordlt\ A_27a)\ V0a)\ (c_2Eordinal_2Eomega \\
& A_27a)))) \Leftrightarrow (\exists V1m \in ty_2Enum_2Enum.(V0a = (ap\ (c_2Eordinal_2EfromNat \\
& A_27a)\ V1m))))
\end{aligned} \tag{51}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0n \in ty_2Enum_2Enum.(\\
& p\ (ap\ (ap\ (c_2Eordinal_2Eordlt\ A_27a)\ (ap\ (c_2Eordinal_2EfromNat \\
& A_27a)\ V0n))\ (c_2Eordinal_2Eomega\ A_27a))))
\end{aligned} \tag{52}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0b \in (ty_2Eordinal_2Eordinal \\
& A_27a).(((ap\ (ap\ (c_2Eordinal_2EordADD\ A_27a)\ V0b)\ (ap\ (c_2Eordinal_2EfromNat \\
& A_27a)\ c_2Enum_2E0)) = V0b) \wedge ((\forall V1a \in (ty_2Eordinal_2Eordinal \\
& A_27a).((ap\ (ap\ (c_2Eordinal_2EordADD\ A_27a)\ V0b)\ (ap\ (c_2Eordinal_2EordSUC \\
& A_27a)\ V1a)) = (ap\ (c_2Eordinal_2EordSUC\ A_27a)\ (ap\ (ap\ (c_2Eordinal_2EordADD \\
& A_27a)\ V0b)\ V1a)))))) \wedge (\forall V2a \in (ty_2Eordinal_2Eordinal\ A_27a). \\
& (((p\ (ap\ (ap\ (c_2Eordinal_2Eordlt\ A_27a)\ (ap\ (c_2Eordinal_2EfromNat \\
& A_27a)\ c_2Enum_2E0))\ V2a)) \wedge ((ap\ (c_2Eordinal_2Eomax\ A_27a)\ (\\
& ap\ (c_2Eordinal_2Epreds\ A_27a)\ V2a)) = (c_2Eoption_2ENONE\ (ty_2Eordinal_2Eordinal \\
& A_27a)))))) \Rightarrow ((ap\ (ap\ (c_2Eordinal_2EordADD\ A_27a)\ V0b)\ V2a) = (ap \\
& (c_2Eordinal_2Esup\ A_27a)\ (ap\ (ap\ (c_2Epred_set_2EIMAGE\ (ty_2Eordinal_2Eordinal \\
& A_27a)\ (ty_2Eordinal_2Eordinal\ A_27a))\ (ap\ (c_2Eordinal_2EordADD \\
& A_27a)\ V0b))\ (ap\ (c_2Eordinal_2Epreds\ A_27a)\ V2a))))))
\end{aligned} \tag{53}$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0n \in ty_2Enum_2Enum.(\\ \forall V1m \in ty_2Enum_2Enum.((ap\ (ap\ (c_2Eordinal_2EordADD\ A.27a) \\ (ap\ (c_2Eordinal_2EfromNat\ A.27a)\ V0n))\ (ap\ (c_2Eordinal_2EfromNat \\ A.27a)\ V1m))) = (ap\ (c_2Eordinal_2EfromNat\ A.27a)\ (ap\ (ap\ c_2Earithmetic_2E_2B \\ V0n)\ V1m)))))) \end{aligned} \quad (54)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow ((ap\ (c_2Eordinal_2Eomax\ A.27a) \\ (ap\ (c_2Eordinal_2Epreds\ A.27a)\ (c_2Eordinal_2Eomega\ A.27a))) = \quad (55) \\ (c_2Eoption_2ENONE\ (ty_2Eordinal_2Eordinal\ A.27a))) \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0b \in (ty_2Eordinal_2Eordinal \\ A.27a).(\forall V1a \in (ty_2Eordinal_2Eordinal\ A.27a).(\forall V2c \in \\ (ty_2Eordinal_2Eordinal\ A.27a).((p\ (ap\ (ap\ (c_2Eordinal_2Eordlt \\ A.27a)\ (ap\ (c_2Eordinal_2EordADD\ A.27a)\ V2c)\ V1a))\ (ap\ (ap\ (\\ c_2Eordinal_2EordADD\ A.27a)\ V2c)\ V0b)))) \Leftrightarrow (p\ (ap\ (ap\ (c_2Eordinal_2Eordlt \\ A.27a)\ V1a)\ V0b)))))) \end{aligned} \quad (56)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0c \in (ty_2Eordinal_2Eordinal \\ A.27a).(\forall V1a \in (ty_2Eordinal_2Eordinal\ A.27a).(\forall V2b \in \\ (ty_2Eordinal_2Eordinal\ A.27a).((p\ (ap\ (ap\ (c_2Eordinal_2Eordlt \\ A.27a)\ V1a)\ V2b))) \Rightarrow (\neg (p\ (ap\ (ap\ (c_2Eordinal_2Eordlt\ A.27a)\ (ap \\ (ap\ (c_2Eordinal_2EordADD\ A.27a)\ V2b)\ V0c))\ (ap\ (ap\ (c_2Eordinal_2EordADD \\ A.27a)\ V1a)\ V0c)))))))) \end{aligned} \quad (57)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0b \in (ty_2Eordinal_2Eordinal \\ A.27a).(((ap\ (ap\ (c_2Eordinal_2EordMULT\ A.27a)\ V0b)\ (ap\ (c_2Eordinal_2EfromNat \\ A.27a)\ c_2Enum_2E0)) = (ap\ (c_2Eordinal_2EfromNat\ A.27a)\ c_2Enum_2E0)) \wedge \\ ((\forall V1a \in (ty_2Eordinal_2Eordinal\ A.27a).((ap\ (ap\ (c_2Eordinal_2EordMULT \\ A.27a)\ V0b)\ (ap\ (c_2Eordinal_2EordSUC\ A.27a)\ V1a)) = (ap\ (ap\ (c_2Eordinal_2EordADD \\ A.27a)\ (ap\ (ap\ (c_2Eordinal_2EordMULT\ A.27a)\ V0b)\ V1a))\ V0b))) \wedge \\ (\forall V2a \in (ty_2Eordinal_2Eordinal\ A.27a).(((p\ (ap\ (ap\ (c_2Eordinal_2Eordlt \\ A.27a)\ (ap\ (c_2Eordinal_2EfromNat\ A.27a)\ c_2Enum_2E0))\ V2a)) \wedge \\ ((ap\ (c_2Eordinal_2Eomax\ A.27a)\ (ap\ (c_2Eordinal_2Epreds\ A.27a) \\ V2a)) = (c_2Eoption_2ENONE\ (ty_2Eordinal_2Eordinal\ A.27a)))) \Rightarrow \\ ((ap\ (ap\ (c_2Eordinal_2EordMULT\ A.27a)\ V0b)\ V2a) = (ap\ (c_2Eordinal_2Esup \\ A.27a)\ (ap\ (ap\ (c_2Epred_set_2EIMAGE\ (ty_2Eordinal_2Eordinal \\ A.27a)\ (ty_2Eordinal_2Eordinal\ A.27a))\ (ap\ (c_2Eordinal_2EordMULT \\ A.27a)\ V0b))\ (ap\ (c_2Eordinal_2Epreds\ A.27a)\ V2a)))))) \end{aligned} \quad (58)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0a \in (ty_2Eordinal_2Eordinal \\
& \quad A.27a).(\forall V1b \in (ty_2Eordinal_2Eordinal\ A.27a).(\forall V2c \in \\
& \quad (ty_2Eordinal_2Eordinal\ A.27a).((ap\ (ap\ (c_2Eordinal_2EordMULT \\
& \quad A.27a)\ V2c)\ (ap\ (ap\ (c_2Eordinal_2EordADD\ A.27a)\ V0a)\ V1b)) = (ap \\
& \quad (ap\ (c_2Eordinal_2EordADD\ A.27a)\ (ap\ (ap\ (c_2Eordinal_2EordMULT \\
& \quad A.27a)\ V2c)\ V0a))\ (ap\ (ap\ (c_2Eordinal_2EordMULT\ A.27a)\ V2c)\ V1b))))))
\end{aligned} \tag{59}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow ((\forall V0a \in (ty_2Eordinal_2Eordinal \\
& \quad A.27a).((ap\ (ap\ (c_2Eordinal_2EordEXP\ A.27a)\ V0a)\ (ap\ (c_2Eordinal_2EfromNat \\
& \quad A.27a)\ c_2Enum_2E0)) = (ap\ (c_2Eordinal_2EfromNat\ A.27a)\ (ap\ c_2Earithmetic_2ENUMERAL \\
& \quad (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO)))))) \wedge ((\forall V1a \in \\
& \quad (ty_2Eordinal_2Eordinal\ A.27a).(\forall V2a.27 \in (ty_2Eordinal_2Eordinal \\
& \quad A.27a).((ap\ (ap\ (c_2Eordinal_2EordEXP\ A.27a)\ V1a)\ (ap\ (c_2Eordinal_2EordSUC \\
& \quad A.27a)\ V2a.27)) = (ap\ (ap\ (c_2Eordinal_2EordMULT\ A.27a)\ (ap\ (ap \\
& \quad (c_2Eordinal_2EordEXP\ A.27a)\ V1a)\ V2a.27))\ V1a)))) \wedge ((\forall V3a \in \\
& \quad (ty_2Eordinal_2Eordinal\ A.27a).(\forall V4a.27 \in (ty_2Eordinal_2Eordinal \\
& \quad A.27a).(((p\ (ap\ (ap\ (c_2Eordinal_2Eordlt\ A.27a)\ (ap\ (c_2Eordinal_2EfromNat \\
& \quad A.27a)\ c_2Enum_2E0))\ V4a.27)) \wedge ((ap\ (c_2Eordinal_2Eomax\ A.27a) \\
& \quad (ap\ (c_2Eordinal_2Epreds\ A.27a)\ V4a.27)) = (c_2Eoption_2ENONE \\
& \quad (ty_2Eordinal_2Eordinal\ A.27a)))))) \Rightarrow ((ap\ (ap\ (c_2Eordinal_2EordEXP \\
& \quad A.27a)\ V3a)\ V4a.27) = (ap\ (c_2Eordinal_2Esup\ A.27a)\ (ap\ (ap\ (c_2Epred_set_2EIMAGE \\
& \quad (ty_2Eordinal_2Eordinal\ A.27a)\ (ty_2Eordinal_2Eordinal\ A.27a)) \\
& \quad (ap\ (c_2Eordinal_2EordEXP\ A.27a)\ V3a))\ (ap\ (c_2Eordinal_2Epreds \\
& \quad A.27a)\ V4a.27))))))
\end{aligned} \tag{60}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in (ty_2Eordinal_2Eordinal \\
& \quad A.27a).(((\neg(V0x = (ap\ (c_2Eordinal_2EfromNat\ A.27a)\ c_2Enum_2E0))) \Leftrightarrow \\
& \quad (p\ (ap\ (ap\ (c_2Eordinal_2Eordlt\ A.27a)\ (ap\ (c_2Eordinal_2EfromNat \\
& \quad A.27a)\ c_2Enum_2E0))\ V0x))) \wedge ((\neg(p\ (ap\ (ap\ (c_2Eordinal_2Eordlt \\
& \quad A.27a)\ V0x)\ (ap\ (c_2Eordinal_2EfromNat\ A.27a)\ (ap\ c_2Earithmetic_2ENUMERAL \\
& \quad (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO)))))) \Leftrightarrow (p\ (\\
& \quad ap\ (ap\ (c_2Eordinal_2Eordlt\ A.27a)\ (ap\ (c_2Eordinal_2EfromNat \\
& \quad A.27a)\ c_2Enum_2E0))\ V0x))))))
\end{aligned} \tag{61}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in (ty_2Eordinal_2Eordinal \\
& \quad A_27a).(\forall V1y \in (ty_2Eordinal_2Eordinal\ A_27a).(\forall V2a \in \\
& \quad (ty_2Eordinal_2Eordinal\ A_27a).((p\ (ap\ (ap\ (c_2Eordinal_2Eordlt \\
& \quad A_27a)\ (ap\ (c_2Eordinal_2EfromNat\ A_27a)\ (ap\ c_2Earithmetic_2ENUMERAL \\
& \quad (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO))))\ V2a)) \Rightarrow \\
& \quad ((p\ (ap\ (ap\ (c_2Eordinal_2Eordlt\ A_27a)\ (ap\ (ap\ (c_2Eordinal_2EordEXP \\
& \quad A_27a)\ V2a)\ V0x))\ (ap\ (ap\ (c_2Eordinal_2EordEXP\ A_27a)\ V2a)\ V1y))) \Leftrightarrow \\
& \quad (p\ (ap\ (ap\ (c_2Eordinal_2Eordlt\ A_27a)\ V0x)\ V1y))))))
\end{aligned} \tag{62}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27a)\ (c_2Emin_2E_3D\ A_27a))\ (c_2Ecombin_2EI\ A_27a))\ (\\
& \quad c_2Ecombin_2EI\ A_27a)))
\end{aligned} \tag{63}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0R1 \in (\\
& \quad (2^{A_27a} A_27a).(\forall V1abs1 \in (A_27c^{A_27a}).(\forall V2rep1 \in \\
& \quad (A_27a^{A_27c}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT\ A_27a\ A_27c) \\
& \quad V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A_27b} A_27b).(\forall V4abs2 \in \\
& \quad (A_27d^{A_27b}).(\forall V5rep2 \in (A_27b^{A_27d}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27b\ A_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad (A_27b^{A_27a})\ (A_27d^{A_27c}))\ (ap\ (ap\ (c_2Equotient_2E_3D_3D_3D_3E \\
& \quad A_27a\ A_27b)\ V0R1)\ V3R2))\ (ap\ (ap\ (c_2Equotient_2E_2D_2D_3E\ A_27c \\
& \quad A_27b\ A_27a\ A_27d)\ V2rep1)\ V4abs2))\ (ap\ (ap\ (c_2Equotient_2E_2D_2D_3E \\
& \quad A_27a\ A_27d\ A_27c\ A_27b)\ V1abs1)\ V5rep2)))))))))
\end{aligned} \tag{64}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0R1 \in (\\
& \quad (2^{A_27a} A_27a).(\forall V1abs1 \in (A_27c^{A_27a}).(\forall V2rep1 \in \\
& \quad (A_27a^{A_27c}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT\ A_27a\ A_27c) \\
& \quad V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A_27b} A_27b).(\forall V4abs2 \in \\
& \quad (A_27d^{A_27b}).(\forall V5rep2 \in (A_27b^{A_27d}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27b\ A_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (\forall V6f \in (A_27d^{A_27c}). \\
& \quad ((\lambda V7x \in A_27c.(ap\ V6f\ V7x)) = (ap\ (ap\ (ap\ (c_2Equotient_2E_2D_2D_3E \\
& \quad A_27c\ A_27b\ A_27a\ A_27d)\ V2rep1)\ V4abs2)\ (\lambda V8x \in A_27a.(ap\ V5rep2 \\
& \quad (ap\ V6f\ (ap\ V1abs1\ V8x)))))))))
\end{aligned} \tag{65}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0REL \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& \quad (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0REL)\ V1abs)\ V2rep)) \Rightarrow (\forall V3x1 \in A_27a.(\forall V4x2 \in \\
& \quad A_27a.((p\ (ap\ (ap\ V0REL\ V3x1)\ V4x2)) \Rightarrow (p\ (ap\ (ap\ V0REL\ V3x1)\ (ap\ V2rep \\
& \quad (ap\ V1abs\ V4x2))))))))))))) \\
\end{aligned} \tag{66}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& \quad (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3f \in (2^{A_27b}).((p\ (\\
& \quad ap\ (c_2Ebool_2E_21\ A_27b)\ V3f)) \Leftrightarrow (p\ (ap\ (ap\ (c_2Ebool_2ERES_FORALL \\
& \quad A_27a)\ (ap\ (c_2Equotient_2ERespects\ A_27a\ 2)\ V0R))\ (ap\ (ap\ (ap \\
& \quad (c_2Equotient_2E_2D_2D_3E\ A_27a\ 2\ A_27b\ 2)\ V1abs)\ (c_2Ecombin_2EI \\
& \quad 2))\ V3f)))))))))) \\
\end{aligned} \tag{67}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& \quad (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3f \in (2^{A_27a}).(\forall V4g \in \\
& \quad (2^{A_27a}).((p\ (ap\ (ap\ (ap\ (ap\ (c_2Equotient_2E_3D_3D_3D_3E\ A_27a \\
& \quad 2)\ V0R)\ (c_2Emin_2E_3D\ 2)\ V3f)\ V4g)) \Rightarrow ((p\ (ap\ (ap\ (c_2Ebool_2ERES_FORALL \\
& \quad A_27a)\ (ap\ (c_2Equotient_2ERespects\ A_27a\ 2)\ V0R))\ V3f)) \Leftrightarrow (p\ (\\
& \quad ap\ (ap\ (c_2Ebool_2ERES_FORALL\ A_27a)\ (ap\ (c_2Equotient_2ERespects \\
& \quad A_27a\ 2)\ V0R))\ V4g)))))))))) \\
\end{aligned} \tag{68}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0R1 \in (\\
& \quad (2^{A_27a})^{A_27a}).(\forall V1abs1 \in (A_27c^{A_27a}).(\forall V2rep1 \in \\
& \quad (A_27a^{A_27c}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT\ A_27a\ A_27c) \\
& \quad V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A_27b})^{A_27b}).(\forall V4abs2 \in \\
& \quad (A_27d^{A_27b}).(\forall V5rep2 \in (A_27b^{A_27d}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27b\ A_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (\forall V6f \in (A_27b^{A_27a}). \\
& \quad (\forall V7g \in (A_27b^{A_27a}).(\forall V8x \in A_27a.(\forall V9y \in \\
& \quad A_27a.(((p\ (ap\ (ap\ (ap\ (c_2Equotient_2E_3D_3D_3D_3E\ A_27a \\
& \quad A_27b)\ V0R1)\ V3R2)\ V6f)\ V7g)) \wedge (p\ (ap\ (ap\ V0R1\ V8x)\ V9y))) \Rightarrow (p\ (ap\ (\\
& \quad ap\ V3R2\ (ap\ V6f\ V8x))\ (ap\ V7g\ V9y))))))))))))) \\
\end{aligned} \tag{69}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0E \in ((2^{A_27a})^{A_27a}). \\ & (\forall V1P \in (2^{A_27a}). ((p\ (ap\ (c_2Equotient_2EEQUIV\ A_27a) \\ & V0E)) \Rightarrow ((p\ (ap\ (ap\ (c_2Ebool_2ERES_FORALL\ A_27a)\ (ap\ (c_2Equotient_2Erespects \\ & A_27a\ 2)\ V0E))\ V1P)) \Leftrightarrow (p\ (ap\ (c_2Ebool_2E.21\ A_27a)\ V1P)))))) \end{aligned} \quad (70)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (71)$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (72)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \end{aligned} \quad (73)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \end{aligned} \quad (74)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (75)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\ & (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg(\\ & p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\ & ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \end{aligned} \quad (76)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\ & (p\ V1q) \wedge (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V2r)))) \wedge (((p\ V1q) \vee \\ & (\neg(p\ V0p))) \wedge ((p\ V2r) \vee (\neg(p\ V0p)))))))))) \end{aligned} \quad (77)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow (\\ & (p\ V1q) \vee (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee (\neg(p\ V1q))) \wedge (((p\ V0p) \vee (\neg(p\ V2r))) \wedge \\ & ((p\ V1q) \vee ((p\ V2r) \vee (\neg(p\ V0p)))))))))) \end{aligned} \quad (78)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee \neg(p V2r))) \wedge (\neg(p V1q)) \vee ((p V2r) \vee \neg(p V0p)))))))) \quad (79)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow \neg(p V1q)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (\neg(p V1q)) \vee \neg(p V0p)))))) \quad (80)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \Rightarrow (p V1q)) \Rightarrow (p V0p)))) \quad (81)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \Rightarrow (p V1q)) \Rightarrow \neg(p V1q)))) \quad (82)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \vee (p V1q)) \Rightarrow \neg(p V0p)))) \quad (83)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \vee (p V1q)) \Rightarrow \neg(p V1q)))) \quad (84)$$

Assume the following.

$$(\forall V0p \in 2. (\neg(\neg(p V0p)) \Rightarrow (p V0p))) \quad (85)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0w \in (ty_2Ewellorder_2Ewellorder A.27a). (p (ap (ap (c_2Ewellorder_2Eorderiso A.27a A.27a) V0w) V0w))) \quad (86)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow (\forall V0w1 \in (ty_2Ewellorder_2Ewellorder A.27a). (\forall V1w2 \in (ty_2Ewellorder_2Ewellorder A.27b). ((p (ap (ap (c_2Ewellorder_2Eorderiso A.27a A.27b) V0w1) V1w2)) \Rightarrow (p (ap (ap (c_2Ewellorder_2Eorderiso A.27b A.27a) V1w2) V0w1)))))) \quad (87)$$

Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow \forall A.27c.nonempty A.27c \Rightarrow (\forall V0w1 \in (ty_2Ewellorder_2Ewellorder A.27a). (\forall V1w2 \in (ty_2Ewellorder_2Ewellorder A.27b). (\forall V2w3 \in (ty_2Ewellorder_2Ewellorder A.27c). (((p (ap (ap (c_2Ewellorder_2Eorderiso A.27a A.27b) V0w1) V1w2)) \wedge (p (ap (ap (c_2Ewellorder_2Eorderiso A.27b A.27c) V1w2) V2w3))) \Rightarrow (p (ap (ap (c_2Ewellorder_2Eorderiso A.27a A.27c) V0w1) V2w3)))))) \quad (88)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& nonempty\ A_27c \Rightarrow (\forall V0w1 \in (ty_2Ewellorder_2Ewellorder\ A_27a). \\
& (\forall V1w2 \in (ty_2Ewellorder_2Ewellorder\ A_27b). (\forall V2w3 \in \\
& (ty_2Ewellorder_2Ewellorder\ A_27c). (((p\ (ap\ (ap\ (c_2Ewellorder_2Eorderlt \\
& A_27a\ A_27b)\ V0w1)\ V1w2)) \wedge (p\ (ap\ (ap\ (c_2Ewellorder_2Eorderlt \\
& A_27b\ A_27c)\ V1w2)\ V2w3))) \Rightarrow (p\ (ap\ (ap\ (c_2Ewellorder_2Eorderlt \\
& A_27a\ A_27c)\ V0w1)\ V2w3))))))
\end{aligned} \tag{89}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0x0 \in (\\
& ty_2Ewellorder_2Ewellorder\ A_27a). (\forall V1y0 \in (ty_2Ewellorder_2Ewellorder \\
& A_27b). (\forall V2a0 \in (ty_2Ewellorder_2Ewellorder\ A_27c). (\\
& \forall V3b0 \in (ty_2Ewellorder_2Ewellorder\ A_27d). (((p\ (ap\ (ap \\
& (c_2Ewellorder_2Eorderiso\ A_27a\ A_27b)\ V0x0)\ V1y0)) \wedge (p\ (ap\ (ap \\
& (c_2Ewellorder_2Eorderiso\ A_27c\ A_27d)\ V2a0)\ V3b0))) \Rightarrow ((p\ (ap \\
& (ap\ (c_2Ewellorder_2Eorderlt\ A_27a\ A_27c)\ V0x0)\ V2a0)) \Leftrightarrow (p\ (ap \\
& (ap\ (c_2Ewellorder_2Eorderlt\ A_27b\ A_27d)\ V1y0)\ V3b0))))))
\end{aligned} \tag{90}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0a \in (ty_2Eordinal_2Eordinal \\
& A_27a). (\forall V1x \in (ty_2Eordinal_2Eordinal\ A_27a). (\forall V2y \in \\
& (ty_2Eordinal_2Eordinal\ A_27a). (((p\ (ap\ (ap\ (c_2Eordinal_2Eordlt \\
& A_27a)\ V1x)\ (ap\ (ap\ (c_2Eordinal_2EordEXP\ A_27a)\ (c_2Eordinal_2Eomega \\
& A_27a))\ V0a))) \wedge (p\ (ap\ (ap\ (c_2Eordinal_2Eordlt\ A_27a)\ V2y)\ (ap \\
& (ap\ (c_2Eordinal_2EordEXP\ A_27a)\ (c_2Eordinal_2Eomega\ A_27a)) \\
& V0a)))) \Rightarrow (p\ (ap\ (ap\ (c_2Eordinal_2Eordlt\ A_27a)\ (ap\ (ap\ (c_2Eordinal_2EordADD \\
& A_27a)\ V1x)\ V2y))\ (ap\ (ap\ (c_2Eordinal_2EordEXP\ A_27a)\ (c_2Eordinal_2Eomega \\
& A_27a))\ V0a))))))
\end{aligned}$$