

thm_2Eordinal_2EfromNat__SUC (TMGXbFW- Bxmr9Xy7N1mW4UuNDpmmznPogApQ)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \tag{2}$$

Let $ty_2Ewellorder_2Ewellorder : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ewellorder_2Ewellorder\ A0) \tag{3}$$

Let $ty_2Eordinal_2Eordinal : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eordinal_2Eordinal\ A0) \tag{4}$$

Let $c_2Eordinal_2Eordinal_REP_CLASS : \iota \Rightarrow \iota$ be given. Assume the following.

$$A_27a \in ((2^{(ty_2Ewellorder_2Ewellorder\ (ty_2Esum_2Esum\ ty_2Enum_2Enum\ A_27a))})^{(ty_2Eordinal_2Eordinal\ A_27a)}) \tag{5}$$

Definition 1 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A$.if $(\exists x \in A.p\ (ap\ P\ x))$ then $(the\ (\lambda x.x \in A \wedge p\ x))$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o\ (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define $c_2Ebool_2E_21$ to be $(ap\ (ap\ (c_2Emin_2E_3D\ (2^2)))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x)$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a})).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A_27a})))\ P)$

Definition 5 We define $c_2Eordinal_2Eordinal_REP$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Eordinal_2Eordinal\ A_27a)$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (6)$$

Let $c_2Ewellorder_2Ewellorder_REP : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewellorder_2Ewellorder_REP\ A_27a \in ((2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})^{(ty_2Ewellorder_2Ewellorder\ A_27a)}) \quad (7)$$

Definition 6 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 7 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Definition 8 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2EF))$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.V2t))))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (8)$$

Definition 10 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2EABS_prod\ A_27a\ A_27b)\ V0x\ V1y))$

Definition 11 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap\ V1f\ V0x)))$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \quad (9)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \quad (10)$$

Definition 12 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c)^{A_27a})$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \quad (11)$$

Definition 13 We define $c_2Eset_relation_2Estrict$ to be $\lambda A_27a : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})$

Definition 14 We define $c_Ewellorder_2Eiseg$ to be $\lambda A_27a : \iota. \lambda V0w \in (ty_2Ewellorder_2Ewellorder A_27a)$

Definition 15 We define $c_2Eset_relation_2Errestrict$ to be $\lambda A_27a : \iota. \lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a A_27a)})$

Let $c_2Ewellorder_2Ewellorder_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty A_27a \Rightarrow c_2Ewellorder_2Ewellorder_ABS \\ & A_27a \in ((ty_2Ewellorder_2Ewellorder A_27a)^{(2^{(ty_2Epair_2Eprod A_27a A_27a)})}) \end{aligned} \quad (12)$$

Definition 16 We define $c_2Ewellorder_2Ewobound$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1w \in (ty_2Ewellorder A_27a)$

Definition 17 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap V0P (ap (c_2Emin_2E_40$

Definition 18 We define $c_2Eset_relation_2Erangle$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a A_27b)})$

Definition 19 We define $c_2Eset_relation_2Edomain$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a A_27b)})$

Definition 20 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2. (ap (c_2Ebool_2E_3F$

Definition 21 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap (c_2Emin_2E_40$

Definition 22 We define $c_2Ewellorder_2EelsOf$ to be $\lambda A_27a : \iota. \lambda V0w \in (ty_2Ewellorder_2Ewellorder A_27a)$

Definition 23 We define $c_2Ewellorder_2Eorderiso$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0w1 \in (ty_2Ewellorder_2Ewellorder A_27a)$

Definition 24 We define $c_2Ewellorder_2Eorderlt$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0w1 \in (ty_2Ewellorder_2Ewellorder A_27a)$

Definition 25 We define $c_2Eordinal_2Eordlt$ to be $\lambda A_27a : \iota. \lambda V0T1 \in (ty_2Eordinal_2Eordinal A_27a). \lambda V1T2 \in (ty_2Eordinal_2Eordinal A_27a)$

Definition 26 We define $c_2Eordinal_2Eoleast$ to be $\lambda A_27a : \iota. \lambda V0P \in (2^{(ty_2Eordinal_2Eordinal A_27a)}).$

Definition 27 We define $c_2Eordinal_2EordSUC$ to be $\lambda A_27a : \iota. \lambda V0a \in (ty_2Eordinal_2Eordinal A_27a).$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (omega^{ty_2Enum_2Enum}) \quad (13)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (omega^{omega}) \quad (14)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \quad (15)$$

Definition 28 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap c_2Enum_2EABS_num$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in omega \quad (16)$$

Definition 29 We define c_Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Eordinal_2EfromNat : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eordinal_2EfromNat\ A_27a \in ((ty_2Eordinal_2Eordinal\ A_27a)^{ty_2Enum_2Enum}) \quad (17)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow & ((ap\ (c_2Eordinal_2EfromNat\ A_27a) \\ c_2Enum_2E0) = & (ap\ (c_2Eordinal_2Eoleast\ A_27a)\ (\lambda V0a \in (ty_2Eordinal_2Eordinal \\ & A_27a).c_2Ebool_2ET))) \wedge (\forall V1n \in ty_2Enum_2Enum. ((ap\ (\\ c_2Eordinal_2EfromNat\ A_27a) (ap\ c_2Enum_2ESUC\ V1n)) = & (ap\ (c_2Eordinal_2EordSUC \\ & A_27a) (ap\ (c_2Eordinal_2EfromNat\ A_27a)\ V1n)))))) \end{aligned} \quad (18)$$

Theorem 1

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow & (\forall V0n \in ty_2Enum_2Enum. (\\ (ap\ (c_2Eordinal_2EfromNat\ A_27a) (ap\ c_2Enum_2ESUC\ V0n)) = & (ap \\ (c_2Eordinal_2EordSUC\ A_27a) (ap\ (c_2Eordinal_2EfromNat\ A_27a) & \\ V0n)))) \end{aligned}$$