

thm_2Eordinal_2Eislimit__mul__R (TMTAwfS7RFgYWVY1BV883VTHVzFBkdhJZi5)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p \Rightarrow q)$ of type ι .

Definition 2 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define `c_2Ebool_2E_2T` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define `c_2Ebool_2E_21` to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A_27a}))))$

Definition 5 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2)) (\lambda V2t \in 2)))$

Definition 6 We define `c_2Ebool_2E_2F` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2)) (\lambda V0t \in 2.V0t)$.

Let `ty_2Eordinal_2Eordinal` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty_2Eordinal_2Eordinal } A0) \quad (1)$$

Let `c_2Eordinal_2EordADD` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow \text{c_2Eordinal_2EordADD } A_27a \in ((\text{ty_2Eordinal_2Eordinal } A_27a)^{(\text{ty_2Eordinal_2Eordinal } A_27a)})^{(\text{ty_2Eordinal_2Eordinal } A_27a)} \quad (2)$$

Let `ty_2Enum_2Enum` : ι be given. Assume the following.

$$\text{nonempty } \text{ty_2Enum_2Enum} \quad (3)$$

Let `ty_2Esum_2Esum` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \forall A1. \text{nonempty } A1 \Rightarrow \text{nonempty } (\text{ty_2Esum_2Esum } A0 \ A1) \quad (4)$$

Let `ty_2Ewellorder_2Ewellorder` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty_2Ewellorder_2Ewellorder } A0) \quad (5)$$

Let $c_2Eordinal_2Eordinal_REP_CLASS : \iota \Rightarrow \iota$ be given. Assume the following.

$$A_27a \in ((2^{(ty_2Ewellorder_2Ewellorder (ty_2Esum_2Esum ty_2Enum_2Enum A_27a))})^{(ty_2Eordinal_2Eordinal A_27a)})^{\forall A_27a.nonempty A_27a \Rightarrow c_2Eordinal_2Eordinal_REP_CLASS} \quad (6)$$

Definition 7 We define c_2Emin_2E40 to be $\lambda A.\lambda P \in 2^A$. **if** $(\exists x \in A.p (ap P x))$ **then** (the $(\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$).

Definition 8 We define $c_2Eordinal_2Eordinal_REP$ to be $\lambda A.27a : \iota.\lambda V0a \in (ty_2Eordinal_2Eordinal A_27a$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (7)$$

Let $c_2Ewellorder_2Ewellorder_REP : \iota \Rightarrow \iota$ be given. Assume the following.

$$A_27a \in ((2^{(ty_2Epair_2Eprod A_27a A_27a)})^{(ty_2Ewellorder_2Ewellorder A_27a)})^{\forall A_27a.nonempty A_27a \Rightarrow c_2Ewellorder_2Ewellorder_REP} \quad (8)$$

Definition 9 We define c_2Ebool_2E7E to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E3D_3D_3E V0t) c_2Ebool_2E7E$

Definition 10 We define $c_2Ebool_2E2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E21 2) (\lambda V2t \in$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}})^{\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod} \quad (9)$$

Definition 11 We define c_2Epair_2E2C to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0x \in A.27a.\lambda V1y \in A.27b.(ap (c_2$

Definition 12 We define c_2Ebool_2EIN to be $\lambda A.27a : \iota.(\lambda V0x \in A.27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x))$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$A_27a A_27b \in (A_27b^{(ty_2Epair_2Eprod A_27a A_27b)})^{\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND} \quad (10)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$A_27a A_27b \in (A_27a^{(ty_2Epair_2Eprod A_27a A_27b)})^{\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFST} \quad (11)$$

Definition 13 We define $c_2Epair_2EUNCURRY$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda A.27c : \iota.\lambda V0f \in ((A_27c^{A_27$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}})$$
(12)

Definition 14 We define $c_2Eset_relation_2Estrict$ to be $\lambda A_27a : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})$

Definition 15 We define $c_2Ewellorder_2Eiseg$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Ewellorder_2Ewellorder\ A_27a)$

Definition 16 We define $c_2Eset_relation_2Errestrict$ to be $\lambda A_27a : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})$

Let $c_2Ewellorder_2Ewellorder_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewellorder_2Ewellorder_ABS\ A_27a \in ((ty_2Ewellorder_2Ewellorder\ A_27a)^{(2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})})$$
(13)

Definition 17 We define $c_2Ewellorder_2Ewobound$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1w \in (ty_2Ewellorder\ A_27a)$

Definition 18 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40\ A_27a))))$

Definition 19 We define $c_2Eset_relation_2Erangle$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27b)})$

Definition 20 We define $c_2Eset_relation_2Edomain$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27b)})$

Definition 21 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2Epred_set_2EGSPEC\ A_27a\ A_27a)\ V1t))$

Definition 22 We define $c_2Ewellorder_2EelsOf$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Ewellorder_2Ewellorder\ A_27a)$

Definition 23 We define $c_2Ewellorder_2Eorderiso$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0w1 \in (ty_2Ewellorder_2Ewellorder\ A_27a)$

Definition 24 We define $c_2Ewellorder_2Eorderlt$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0w1 \in (ty_2Ewellorder_2Ewellorder\ A_27a)$

Definition 25 We define $c_2Eordinal_2Eordlt$ to be $\lambda A_27a : \iota.\lambda V0T1 \in (ty_2Eordinal_2Eordinal\ A_27a)$

Definition 26 We define $c_2Eordinal_2Eoleast$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(ty_2Eordinal_2Eordinal\ A_27a)})$

Definition 27 We define $c_2Eordinal_2EordSUC$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Eordinal_2Eordinal\ A_27a)$

Let $c_2Eordinal_2EordMULT : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eordinal_2EordMULT\ A_27a \in ((ty_2Eordinal_2Eordinal\ A_27a)^{(ty_2Eordinal_2Eordinal\ A_27a)})$$
(14)

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega$$
(15)

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega})$$
(16)

Definition 28 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 29 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (17)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (18)$$

Definition 30 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (19)$$

Definition 31 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Definition 32 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Eordinal_2EfromNat : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eordinal_2EfromNat\ A_27a \in ((ty_2Eordinal_2Eordinal\ A_27a)^{ty_2Enum_2Enum}) \quad (20)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (21)$$

Definition 33 We define c_2Eone_2Eone to be $(ap\ (c_2Emin_2E_40\ ty_2Eone_2Eone))\ (\lambda V0x \in ty_2Eone_2Eone$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (22)$$

Definition 34 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap\ (c_2Esum_2EABS$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (23)$$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \quad (24)$$

Definition 35 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota.(ap\ (c_2Eoption_2Eoption_ABS\ A_27a))\ (c$

Definition 36 We define $c_2Eordinal_2Eprede$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Eordinal_2Eordinal A_27a).(c_2Eordinal_2Eordinal A_27a)$.

Definition 37 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2Ebool_2Ebool)$.

Definition 38 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap (c_2Epred_set_2EEMPTY) (c_2Ebool_2Ebool_2Ebool))$.

Definition 39 We define $c_2Eset_relation_2Emaximal_elements$ to be $\lambda A_27a : \iota.\lambda V0xs \in (2^{A_27a}).\lambda V1r \in (2^{A_27a}).(c_2Ebool_2Ebool_2Ebool)$.

Definition 40 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap (c_2Esum_2EABS) (c_2Ebool_2Ebool_2Ebool))$.

Definition 41 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.(ap (c_2Eoption_2Eoption) (c_2Ebool_2Ebool_2Ebool))$.

Definition 42 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a).c_2Ebool_2Ebool_2Ebool))$.

Definition 43 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{A_27a}).(ap (ap (ap (c_2Ebool_2Ebool_2Ebool) (c_2Ebool_2Ebool_2Ebool)) (c_2Ebool_2Ebool_2Ebool)) (c_2Ebool_2Ebool_2Ebool))$.

Definition 44 We define $c_2Eordinal_2Eomax$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{(ty_2Eordinal_2Eordinal A_27a)}).(ap (c_2Eordinal_2Eordinal A_27a) (c_2Ebool_2Ebool_2Ebool))$.

Definition 45 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27a}).(ap (c_2Epred_set_2EEMPTY) (c_2Ebool_2Ebool_2Ebool))$.

Definition 46 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^{A_27a})}).(ap (c_2Epred_set_2EEMPTY) (c_2Ebool_2Ebool_2Ebool))$.

Definition 47 We define $c_2Eordinal_2Esup$ to be $\lambda A_27a : \iota.\lambda V0ordset \in (2^{(ty_2Eordinal_2Eordinal A_27a)}).(c_2Eordinal_2Eordinal A_27a)$.

Definition 48 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2Ebool_2Ebool)$.

Definition 49 We define $c_2Epred_set_2EINJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27a}).(ap (c_2Epred_set_2EEMPTY) (c_2Ebool_2Ebool_2Ebool))$.

Definition 50 We define $c_2Ecardinal_2Ecardleq$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0s1 \in (2^{A_27a}).\lambda V1s2 \in (2^{A_27a}).(c_2Ebool_2Ebool_2Ebool)$.

Assume the following.

$$True \tag{25}$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee (\neg(p V0t)))) \tag{26}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p V0t)) \Leftrightarrow (p V0t))) \tag{27}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \tag{29}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (30)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (31)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (32)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2) \Rightarrow (p\ V2t3)) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (33)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in 2. (((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))))) \Rightarrow (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \quad (34)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow ((ap\ (c_2Eordinal_2Eomax\ A_27a)\ (c_2Epred_set_2EEMPTY\ (ty_2Eordinal_2Eordinal\ A_27a))) = (c_2Eoption_2ENONE\ (ty_2Eordinal_2Eordinal\ A_27a))) \quad (35)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow ((ap\ (c_2Eordinal_2Epreds\ A_27a)\ (ap\ (c_2Eordinal_2EfromNat\ A_27a)\ c_2Enum_2E0)) = (c_2Epred_set_2EEMPTY\ (ty_2Eordinal_2Eordinal\ A_27a))) \quad (36)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0b \in (ty_2Eordinal_2Eordinal \\
& A_27a).(((ap\ (ap\ (c_2Eordinal_2EordMULT\ A_27a)\ V0b)\ (ap\ (c_2Eordinal_2EfromNat \\
& A_27a)\ c_2Enum_2E0)) = (ap\ (c_2Eordinal_2EfromNat\ A_27a)\ c_2Enum_2E0)) \wedge \\
& ((\forall V1a \in (ty_2Eordinal_2Eordinal\ A_27a).((ap\ (ap\ (c_2Eordinal_2EordMULT \\
& A_27a)\ V0b)\ (ap\ (c_2Eordinal_2EordSUC\ A_27a)\ V1a)) = (ap\ (ap\ (c_2Eordinal_2EordADD \\
& A_27a)\ (ap\ (ap\ (c_2Eordinal_2EordMULT\ A_27a)\ V0b)\ V1a))\ V0b))) \wedge \\
& (\forall V2a \in (ty_2Eordinal_2Eordinal\ A_27a).(((p\ (ap\ (ap\ (c_2Eordinal_2Eordlt \\
& A_27a)\ (ap\ (c_2Eordinal_2EfromNat\ A_27a)\ c_2Enum_2E0))\ V2a)) \wedge \\
& ((ap\ (c_2Eordinal_2Eomax\ A_27a)\ (ap\ (c_2Eordinal_2Epreds\ A_27a)\ \\
& V2a)) = (c_2Eoption_2ENONE\ (ty_2Eordinal_2Eordinal\ A_27a)))) \Rightarrow \\
& ((ap\ (ap\ (c_2Eordinal_2EordMULT\ A_27a)\ V0b)\ V2a) = (ap\ (c_2Eordinal_2Esup \\
& A_27a)\ (ap\ (ap\ (c_2Epred_set_2EIMAGE\ (ty_2Eordinal_2Eordinal \\
& A_27a)\ (ty_2Eordinal_2Eordinal\ A_27a))\ (ap\ (c_2Eordinal_2EordMULT \\
& A_27a)\ V0b))\ (ap\ (c_2Eordinal_2Epreds\ A_27a)\ V2a))))))))) \\
& \tag{37}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0a \in (ty_2Eordinal_2Eordinal \\
& A_27a).((ap\ (ap\ (c_2Eordinal_2EordMULT\ A_27a)\ (ap\ (c_2Eordinal_2EfromNat \\
& A_27a)\ c_2Enum_2E0))\ V0a) = (ap\ (c_2Eordinal_2EfromNat\ A_27a)\ \\
& c_2Enum_2E0))) \\
& \tag{38}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0c \in (ty_2Eordinal_2Eordinal \\
& A_27a).(\forall V1a \in (ty_2Eordinal_2Eordinal\ A_27a).(\forall V2b \in \\
& (ty_2Eordinal_2Eordinal\ A_27a).((p\ (ap\ (ap\ (c_2Eordinal_2Eordlt \\
& A_27a)\ (ap\ (ap\ (c_2Eordinal_2EordMULT\ A_27a)\ V0c)\ V1a))\ (ap\ (ap \\
& (c_2Eordinal_2EordMULT\ A_27a)\ V0c)\ V2b))) \Leftrightarrow ((p\ (ap\ (ap\ (c_2Eordinal_2Eordlt \\
& A_27a)\ V1a)\ V2b)) \wedge (p\ (ap\ (ap\ (c_2Eordinal_2Eordlt\ A_27a)\ (ap\ (c_2Eordinal_2EfromNat \\
& A_27a)\ c_2Enum_2E0))\ V0c)))))) \\
& \tag{39}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0a \in (ty_2Eordinal_2Eordinal \\
& A_27a).(\forall V1s \in (2^{(ty_2Eordinal_2Eordinal\ A_27a)}).((\\
& p\ (ap\ (ap\ (c_2Ecardinal_2Ecardleq\ (ty_2Eordinal_2Eordinal\ A_27a) \\
& (ty_2Esum_2Esum\ ty_2Enum_2Enum\ A_27a))\ V1s)\ (c_2Epred_set_2EUNIV \\
& (ty_2Esum_2Esum\ ty_2Enum_2Enum\ A_27a)))) \Rightarrow ((ap\ (ap\ (c_2Eordinal_2EordMULT \\
& A_27a)\ V0a)\ (ap\ (c_2Eordinal_2Esup\ A_27a)\ V1s)) = (ap\ (c_2Eordinal_2Esup \\
& A_27a)\ (ap\ (ap\ (c_2Epred_set_2EIMAGE\ (ty_2Eordinal_2Eordinal \\
& A_27a)\ (ty_2Eordinal_2Eordinal\ A_27a))\ (ap\ (c_2Eordinal_2EordMULT \\
& A_27a)\ V0a))\ V1s)))))) \\
& \tag{40}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0x \in (ty_2Eordinal_2Eordinal \\
& A_{.27a}).((\neg(V0x = (ap\ (c_2Eordinal_2EfromNat\ A_{.27a})\ c_2Enum_2E0))) \Leftrightarrow \\
& (p\ (ap\ (ap\ (c_2Eordinal_2Eordlt\ A_{.27a})\ (ap\ (c_2Eordinal_2EfromNat \\
& A_{.27a})\ c_2Enum_2E0))\ V0x))) \wedge ((\neg(p\ (ap\ (ap\ (c_2Eordinal_2Eordlt \\
& A_{.27a})\ V0x)\ (ap\ (c_2Eordinal_2EfromNat\ A_{.27a})\ (ap\ c_2Earithmetic_2ENUMERAL \\
& (ap\ c_2Earithmetic_2EBIT1\ c_2Earithmetic_2EZERO)))))) \Leftrightarrow (p\ (\\
& ap\ (ap\ (c_2Eordinal_2Eordlt\ A_{.27a})\ (ap\ (c_2Eordinal_2EfromNat \\
& A_{.27a})\ c_2Enum_2E0))\ V0x))))))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0f \in ((ty_2Eordinal_2Eordinal \\
& A_{.27a})^{(ty_2Eordinal_2Eordinal\ A_{.27a})}).(\forall V1a \in (ty_2Eordinal_2Eordinal \\
& A_{.27a}).((\forall V2s \in (2^{(ty_2Eordinal_2Eordinal\ A_{.27a})}). \\
& (((p\ (ap\ (ap\ (c_2Ecardinal_2Ecardleq\ (ty_2Eordinal_2Eordinal \\
& A_{.27a})\ (ty_2Esum_2Esum\ ty_2Enum_2Enum\ A_{.27a}))\ V2s)\ (c_2Epred_set_2EUNIV \\
& (ty_2Esum_2Esum\ ty_2Enum_2Enum\ A_{.27a)))))) \wedge (\neg(V2s = (c_2Epred_set_2EEMPTY \\
& (ty_2Eordinal_2Eordinal\ A_{.27a)))))) \Rightarrow ((ap\ V0f\ (ap\ (c_2Eordinal_2Esup \\
& A_{.27a})\ V2s)) = (ap\ (c_2Eordinal_2Esup\ A_{.27a})\ (ap\ (ap\ (c_2Epred_set_2EIMAGE \\
& (ty_2Eordinal_2Eordinal\ A_{.27a})\ (ty_2Eordinal_2Eordinal\ A_{.27a})) \\
& V0f\ V2s)))))) \wedge ((\forall V3x \in (ty_2Eordinal_2Eordinal\ A_{.27a}). \\
& (\forall V4y \in (ty_2Eordinal_2Eordinal\ A_{.27a}).((p\ (ap\ (ap\ (c_2Eordinal_2Eordlt \\
& A_{.27a})\ V3x)\ V4y)) \Rightarrow (p\ (ap\ (ap\ (c_2Eordinal_2Eordlt\ A_{.27a})\ (ap\ V0f \\
& V3x))\ (ap\ V0f\ V4y)))))) \wedge ((ap\ (c_2Eordinal_2Eomax\ A_{.27a})\ (ap\ (\\
& c_2Eordinal_2Epreds\ A_{.27a})\ V1a)) = (c_2Eoption_2ENONE\ (ty_2Eordinal_2Eordinal \\
& A_{.27a}))) \wedge (\neg(V1a = (ap\ (c_2Eordinal_2EfromNat\ A_{.27a})\ c_2Enum_2E0)))))) \Rightarrow \\
& ((ap\ (c_2Eordinal_2Eomax\ A_{.27a})\ (ap\ (c_2Eordinal_2Epreds\ A_{.27a}) \\
& (ap\ V0f\ V1a))) = (c_2Eoption_2ENONE\ (ty_2Eordinal_2Eordinal\ A_{.27a}))))))
\end{aligned} \tag{42}$$

Theorem 1

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0b \in (ty_2Eordinal_2Eordinal \\
& A_{.27a}).(\forall V1a \in (ty_2Eordinal_2Eordinal\ A_{.27a}).(((ap\ (\\
& c_2Eordinal_2Eomax\ A_{.27a})\ (ap\ (c_2Eordinal_2Epreds\ A_{.27a})\ V1a)) = \\
& (c_2Eoption_2ENONE\ (ty_2Eordinal_2Eordinal\ A_{.27a}))) \Rightarrow ((ap\ (\\
& c_2Eordinal_2Eomax\ A_{.27a})\ (ap\ (c_2Eordinal_2Epreds\ A_{.27a})\ (ap \\
& (ap\ (c_2Eordinal_2EordMULT\ A_{.27a})\ V0b)\ V1a))) = (c_2Eoption_2ENONE \\
& (ty_2Eordinal_2Eordinal\ A_{.27a}))))))
\end{aligned}$$