

thm\_2Eordinal\_2Eno\_\_maximal\_\_ordinal  
(TMYYYY675dqMXrrhfkqcwYqiwypEyXj5Ng53)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.$ if  $(\exists x \in A.p (ap P x))$  **then** (the  $(\lambda x.x \in A \wedge p)$  of type  $\iota \Rightarrow \iota$ ).

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define  $c\_2Ebool\_2E\_2IN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).)(ap V1f V0x))$

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).)(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})) (\lambda V1t \in 2.V1t)) (\lambda V2t \in 2.V2t))$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)) (\lambda V3t \in 2.V3t))$

**Definition 8** We define  $c\_2Ebool\_2E\_2F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).)(ap V0P (ap (c\_2Emin\_2E\_40 A\_27a) (\lambda V1s \in 2.V1s))$

**Definition 9** We define  $c\_2Epred\_set\_2ESURJ$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in (2^{A\_27b})$

**Definition 10** We define  $c\_2Epred\_set\_2EINJ$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in (2^{A\_27b})$

**Definition 11** We define  $c\_2Epred\_set\_2EBIJ$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in (2^{A\_27b})$

**Definition 12** We define  $c\_2Ecardinal\_2Ecardeq$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0s1 \in (2^{A\_27a}).\lambda V1s2 \in (2^{A\_27b})$

**Definition 13** We define  $c\_2Emarker\_2EAbbrev$  to be  $\lambda V0x \in 2.V0x$ .

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \tag{2}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (3)$$

Let  $ty\_2Ewellorder\_2Ewellorder : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ewellorder\_2Ewellorder\ A0) \quad (4)$$

Let  $c\_2Ewellorder\_2Ewellorder\_REP : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ewellorder\_2Ewellorder\_REP\ A\_27a \in ((2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)})^{(ty\_2Ewellorder\_2Ewellorder\ A\_27a)}) \quad (5)$$

**Definition 14** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 15** We define  $c\_2Ebool\_2E7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E21))$ .

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (6)$$

**Definition 16** We define  $c\_2Epair\_2E2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b)\ V0x\ V1y)$ .

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND\ A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (7)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (8)$$

**Definition 17** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c)^{A\_27b})^{A\_27a}$ .

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \quad (9)$$

**Definition 18** We define  $c\_2Eset\_relation\_2Estrict$  to be  $\lambda A\_27a : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)})$ .

**Definition 19** We define  $c\_2Eset\_relation\_2Erangle$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)})$ .

**Definition 20** We define  $c\_Eset\_relation\_Edomain$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0r \in (2^{(ty\_2Epair\_2Eprod$

**Definition 21** We define  $c\_Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in$

**Definition 22** We define  $c\_Epred\_set\_2EUNION$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap (c$

**Definition 23** We define  $c\_Ewellorder\_2EelsOf$  to be  $\lambda A\_27a : \iota. \lambda V0w \in (ty\_2Ewellorder\_2Ewellorder A$

**Definition 24** We define  $c\_Ewellorder\_2Eorderiso$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0w1 \in (ty\_2Ewellorder\_2E$

Let  $ty\_2Eordinal\_2Eordinal : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty\_2Eordinal\_2Eordinal A0) \quad (10)$$

Let  $c\_2Eordinal\_2Eordinal\_ABS\_CLASS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty A\_27a \Rightarrow c\_2Eordinal\_2Eordinal\_ABS\_CLASS \\ & A\_27a \in ((ty\_2Eordinal\_2Eordinal A\_27a)^{(2^{(ty\_2Ewellorder\_2Ewellorder (ty\_2Esum\_2Esum ty\_2Eenum\_2Eenum A\_27a))})}) \end{aligned} \quad (11)$$

**Definition 25** We define  $c\_2Eordinal\_2Eordinal\_ABS$  to be  $\lambda A\_27a : \iota. \lambda V0r \in (ty\_2Ewellorder\_2Ewellorder$

Let  $c\_2Eordinal\_2Eordinal\_REP\_CLASS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty A\_27a \Rightarrow c\_2Eordinal\_2Eordinal\_REP\_CLASS \\ & A\_27a \in ((2^{(ty\_2Ewellorder\_2Ewellorder (ty\_2Esum\_2Esum ty\_2Eenum\_2Eenum A\_27a))})^{(ty\_2Eordinal\_2Eordinal A\_27a)}) \end{aligned} \quad (12)$$

**Definition 26** We define  $c\_2Eordinal\_2Eordinal\_REP$  to be  $\lambda A\_27a : \iota. \lambda V0a \in (ty\_2Eordinal\_2Eordinal A$

**Definition 27** We define  $c\_2Ewellorder\_2Eiseg$  to be  $\lambda A\_27a : \iota. \lambda V0w \in (ty\_2Ewellorder\_2Ewellorder A$

**Definition 28** We define  $c\_Eset\_relation\_2Erestrict$  to be  $\lambda A\_27a : \iota. \lambda V0r \in (2^{(ty\_2Epair\_2Eprod A\_27a A\_27a$

Let  $c\_2Ewellorder\_2Ewellorder\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a. nonempty A\_27a \Rightarrow c\_2Ewellorder\_2Ewellorder\_ABS \\ & A\_27a \in ((ty\_2Ewellorder\_2Ewellorder A\_27a)^{(2^{(ty\_2Epair\_2Eprod A\_27a A\_27a)})}) \end{aligned} \quad (13)$$

**Definition 29** We define  $c\_2Ewellorder\_2Ewobound$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. \lambda V1w \in (ty\_2Ewellorder$

**Definition 30** We define  $c\_2Ewellorder\_2Eorderlt$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0w1 \in (ty\_2Ewellorder\_2E$

**Definition 31** We define  $c\_2Eordinal\_2Eordlt$  to be  $\lambda A\_27a : \iota. \lambda V0T1 \in (ty\_2Eordinal\_2Eordinal A\_27a). \lambda$

**Definition 32** We define  $c\_2Ecardinal\_2Ecardleq$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0s1 \in (2^{A\_27a}). \lambda V1s2 \in (2^{A$

**Definition 33** We define  $c\_2Eordinal\_2Epreds$  to be  $\lambda A\_27a : \iota. \lambda V0w \in (ty\_2Eordinal\_2Eordinal A\_27a). ($

**Definition 34** We define  $c\_2Epred\_set\_2EUNIV$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2ET)$ .

**Definition 35** We define  $c\_2Eordinal\_2Edownward\_closed$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{(ty\_2Eordinal\_2Eordinal$

**Definition 36** We define  $c\_2Epred\_set\_2ESUBSET$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap$

**Definition 37** We define  $c\_2Epred\_set\_2EPSUBSET$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap$

**Definition 38** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2EF)$ .

**Definition 39** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap$

**Definition 40** We define  $c\_2Epred\_set\_2EFINITE$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).(ap$

**Definition 41** We define  $c\_2Ecombin\_2EK$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0x \in A\_27a.(\lambda V1y \in A\_27b.V0x$

**Definition 42** We define  $c\_2Ecombin\_2ES$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.(\lambda V0f \in ((A\_27c^{A\_27b})^{A\_27a})$

**Definition 43** We define  $c\_2Ecombin\_2EI$  to be  $\lambda A\_27a : \iota.(ap$

**Definition 44** We define  $c\_2Equotient\_2E\_2D\_2D\_3E$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda A\_27d : \iota.\lambda V0f$

**Definition 45** We define  $c\_2Equotient\_2E\_3D\_3D\_3D\_3E$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R1 \in ((2^{A\_27a})^{A\_27b})^{A\_27a}$

**Definition 46** We define  $c\_2Equotient\_2EQUOTIENT$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27b})^{A\_27a}$

**Definition 47** We define  $c\_2Ecombin\_2EW$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0f \in ((A\_27b^{A\_27a})^{A\_27a}).(\lambda V1x$

**Definition 48** We define  $c\_2Equotient\_2Erespects$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(c\_2Ecombin\_2EW$

**Definition 49** We define  $c\_2Ebool\_2ERES\_FORALL$  to be  $\lambda A\_27a : \iota.(\lambda V0p \in (2^{A\_27a}).(\lambda V1m \in (2^{A\_27a}).$

**Definition 50** We define  $c\_2Equotient\_2EEQUIV$  to be  $\lambda A\_27a : \iota.\lambda V0E \in ((2^{A\_27a})^{A\_27a}).(ap$

Assume the following.

$$True \tag{14}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \tag{15}$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \tag{16}$$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee \neg(p V0t))) \tag{17}$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (20)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (21)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.(V0x = V0x)) \quad (22)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (23)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow \forall A\_27b.nonempty \ A\_27b \Rightarrow (\forall V0f \in (A\_27b^{A\_27a}).(\forall V1g \in (A\_27b^{A\_27a}).((V0f = V1g) \Leftrightarrow (\forall V2x \in A\_27a.((ap \ V0f \ V2x) = (ap \ V1g \ V2x)))))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (25)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).((\neg(\forall V1x \in A\_27a.(p \ (ap \ V0P \ V1x)))) \Leftrightarrow (\exists V2x \in A\_27a.(\neg(p \ (ap \ V0P \ V2x)))))) \quad (26)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p \ V0A) \vee ((p \ V1B) \wedge (p \ V2C))) \Leftrightarrow (((p \ V0A) \vee (p \ V1B)) \wedge ((p \ V0A) \vee (p \ V2C)))))) \quad (27)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V1B) \wedge (p V2C)) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A)))))) \quad (28)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (29)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Leftrightarrow (p V1t2)) \Leftrightarrow (((p V0t1) \Rightarrow (p V1t2)) \wedge ((p V1t2) \Rightarrow (p V0t1)))))) \quad (30)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (31)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0s \in (2^{A_{.27a}}). (p (ap (c_{.2}Ecardinal_{.2}Ecardeq\ A_{.27a}\ A_{.27a})\ V0s)\ V0s)) \quad (32)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.(\forall V1s \in (2^{A_{.27a}}).((p (ap (ap (c_{.2}Ecardinal_{.2}Ecardeq\ A_{.27a}\ A_{.27a}) (ap (ap (c_{.2}Epred_{.set}_{.2}EINSERT\ A_{.27a})\ V0x)\ V1s))\ V1s)) \Leftrightarrow ((p (ap (ap (c_{.2}Ebool_{.2}EIN\ A_{.27a})\ V0x)\ V1s)) \vee (\neg (p (ap (c_{.2}Epred_{.set}_{.2}EFINITE\ A_{.27a})\ V1s))))))) \quad (33)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow (\forall V0s \in (2^{A_{.27a}}).(\forall V1t \in (2^{A_{.27b}}).(((p (ap (c_{.2}Epred_{.set}_{.2}EFINITE\ A_{.27a})\ V0s)) \wedge (\neg (p (ap (c_{.2}Epred_{.set}_{.2}EFINITE\ A_{.27b})\ V1t)))))) \Rightarrow (p (ap (ap (c_{.2}Ecardinal_{.2}Ecardleq\ A_{.27a}\ A_{.27b})\ V0s)\ V1t)))) \quad (34)$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow \forall A_{.27c}.nonempty\ A_{.27c} \Rightarrow \forall A_{.27d}.nonempty\ A_{.27d} \Rightarrow (\forall V0s1 \in (2^{A_{.27a}}).(\forall V1s2 \in (2^{A_{.27b}}).(\forall V2t1 \in (2^{A_{.27c}}).(\forall V3t2 \in (2^{A_{.27d}}).(((p (ap (ap (c_{.2}Ecardinal_{.2}Ecardeq\ A_{.27a}\ A_{.27b})\ V0s1)\ V1s2)) \wedge (p (ap (ap (c_{.2}Ecardinal_{.2}Ecardeq\ A_{.27c}\ A_{.27d})\ V2t1)\ V3t2)))))) \Rightarrow ((p (ap (ap (c_{.2}Ecardinal_{.2}Ecardleq\ A_{.27a}\ A_{.27c})\ V0s1)\ V2t1)) \Leftrightarrow (p (ap (ap (c_{.2}Ecardinal_{.2}Ecardleq\ A_{.27b}\ A_{.27d})\ V1s2)\ V3t2)))))) \quad (35)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\neg(p (ap (c\_2Epred\_set\_2EFINITE (ty\_2Esum\_2Esum ty\_2Enum\_2Enum A_{27a})) (c\_2Epred\_set\_2EUNIV (ty\_2Esum\_2Esum ty\_2Enum\_2Enum A_{27a})))))) \quad (36)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0x \in A_{27a}. ((ap (c\_2Ecombin\_2EI A_{27a}) V0x) = V0x)) \quad (37)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (p (ap (ap (ap (c\_2Equotient\_2EQUOTIENT (ty\_2Ewellorder\_2Ewellorder (ty\_2Esum\_2Esum ty\_2Enum\_2Enum A_{27a})) (ty\_2Eordinal\_2Eordinal A_{27a})) (c\_2Ewellorder\_2Eorderiso (ty\_2Esum\_2Esum ty\_2Enum\_2Enum A_{27a}) (ty\_2Esum\_2Esum ty\_2Enum\_2Enum A_{27a}))) (c\_2Eordinal\_2Eordinal\_ABS A_{27a})) (c\_2Eordinal\_2Eordinal\_REP A_{27a}))) \quad (38)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0w \in (ty\_2Eordinal\_2Eordinal A_{27a}). (\neg(p (ap (ap (c\_2Eordinal\_2Eordlt A_{27a}) V0w) V0w)))) \quad (39)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0x \in (ty\_2Eordinal\_2Eordinal A_{27a}). (\forall V1w \in (ty\_2Eordinal\_2Eordinal A_{27a}). ((p (ap (ap (c\_2Ebool\_2EIN (ty\_2Eordinal\_2Eordinal A_{27a}) V0x) (ap (c\_2Eordinal\_2Epreps A_{27a}) V1w))) \Leftrightarrow (p (ap (ap (c\_2Eordinal\_2Eordlt A_{27a}) V0x) V1w)))))) \quad (40)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0w1 \in (ty\_2Eordinal\_2Eordinal A_{27a}). (\forall V1w2 \in (ty\_2Eordinal\_2Eordinal A_{27a}). ((p (ap (ap (c\_2Eordinal\_2Eordlt A_{27a}) V0w1) V1w2))) \Leftrightarrow (p (ap (ap (c\_2Epred\_set\_2EPSUBSET (ty\_2Eordinal\_2Eordinal A_{27a}) (ap (c\_2Eordinal\_2Epreps A_{27a}) V0w1)) (ap (c\_2Eordinal\_2Epreps A_{27a}) V1w2)))))) \quad (41)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0ord \in (ty\_2Eordinal\_2Eordinal A_{27a}). (p (ap (ap (c\_2Ecardinal\_2Ecardleq (ty\_2Eordinal\_2Eordinal A_{27a}) (ty\_2Esum\_2Esum ty\_2Enum\_2Enum A_{27a})) (ap (c\_2Eordinal\_2Epreps A_{27a}) V0ord)) (c\_2Epred\_set\_2EUNIV (ty\_2Esum\_2Esum ty\_2Enum\_2Enum A_{27a})))))) \quad (42)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow & (\neg(p\ (ap\ (ap\ (c\_2Ecardinal\_2Ecardleq \\ & (ty\_2Eordinal\_2Eordinal\ A\_27a)\ (ty\_2Esum\_2Esum\ ty\_2Enum\_2Enum \\ & A\_27a))\ (c\_2Epred\_set\_2EUNIV\ (ty\_2Eordinal\_2Eordinal\ A\_27a))) \\ & (c\_2Epred\_set\_2EUNIV\ (ty\_2Esum\_2Esum\ ty\_2Enum\_2Enum\ A\_27a)))))) \end{aligned} \quad (43)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow & (\forall V0x \in (2^{(ty\_2Eordinal\_2Eordinal\ A\_27a)}). \\ & (((p\ (ap\ (c\_2Eordinal\_2Edownward\_closed\ A\_27a)\ V0x)) \wedge (\neg(V0x = \\ & (c\_2Epred\_set\_2EUNIV\ (ty\_2Eordinal\_2Eordinal\ A\_27a)))))) \Rightarrow \\ & (\exists V1y \in (ty\_2Eordinal\_2Eordinal\ A\_27a).((ap\ (c\_2Eordinal\_2Eprede \\ & A\_27a)\ V1y) = V0x)))) \end{aligned} \quad (44)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow & (\forall V0s \in (2^{A\_27a}).(\forall V1t \in \\ & (2^{A\_27a}).((V0s = V1t) \Leftrightarrow (\forall V2x \in A\_27a.((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\ & A\_27a)\ V2x)\ V0s)) \Leftrightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V2x)\ V1t))))))) \end{aligned} \quad (45)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow & (\forall V0x \in A\_27a.(\neg(p\ (ap\ (ap \\ & (c\_2Ebool\_2EIN\ A\_27a)\ V0x)\ (c\_2Epred\_set\_2EEMPTY\ A\_27a)))))) \end{aligned} \quad (46)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow & (\forall V0s \in (2^{A\_27a}).(\forall V1t \in \\ & (2^{A\_27a}).(\forall V2x \in A\_27a.((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a) \\ & V2x)\ (ap\ (ap\ (c\_2Epred\_set\_2EUNION\ A\_27a)\ V0s)\ V1t))) \Leftrightarrow ((p\ (ap \\ & (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V2x)\ V0s)) \vee (p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\ & A\_27a)\ V2x)\ V1t))))))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow & (\forall V0s \in (2^{A\_27a}).(\forall V1t \in \\ & (2^{A\_27a}).((ap\ (ap\ (c\_2Epred\_set\_2EUNION\ A\_27a)\ V0s)\ V1t) = ( \\ & ap\ (ap\ (c\_2Epred\_set\_2EUNION\ A\_27a)\ V1t)\ V0s)))) \end{aligned} \quad (48)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow & ((\forall V0s \in (2^{A\_27a}).(\forall V1t \in \\ & (2^{A\_27a}).(p\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET\ A\_27a)\ V0s)\ (ap\ ( \\ & ap\ (c\_2Epred\_set\_2EUNION\ A\_27a)\ V0s)\ V1t)))))) \wedge (\forall V2s \in \\ & (2^{A\_27a}).(\forall V3t \in (2^{A\_27a}).(p\ (ap\ (ap\ (c\_2Epred\_set\_2ESUBSET \\ & A\_27a)\ V2s)\ (ap\ (ap\ (c\_2Epred\_set\_2EUNION\ A\_27a)\ V3t)\ V2s)))))) \end{aligned} \quad (49)$$



Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in \\ & A\_27a. (\forall V2s \in (2^{A\_27a}). ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a) \\ & V0x)\ (ap\ (ap\ (c\_2Epred\_set\_2EINSERT\ A\_27a)\ V1y)\ V2s))) \Leftrightarrow ((V0x = \\ & V1y) \vee (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V0x)\ V2s)))))) \end{aligned} \quad (50)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}). (\forall V1x \in \\ & A\_27a. ((ap\ (ap\ (c\_2Epred\_set\_2EINSERT\ A\_27a)\ V1x)\ V0s) = (ap\ ( \\ & ap\ (c\_2Epred\_set\_2EUNION\ A\_27a)\ (ap\ (ap\ (c\_2Epred\_set\_2EINSERT \\ & A\_27a)\ V1x)\ (c\_2Epred\_set\_2EEMPTY\ A\_27a)))\ V0s)))) \end{aligned} \quad (51)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1s \in \\ & (2^{A\_27a}). ((p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A\_27a)\ (ap\ (ap\ (c\_2Epred\_set\_2EINSERT \\ & A\_27a)\ V0x)\ V1s))) \Leftrightarrow (p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A\_27a)\ V1s)))) \end{aligned} \quad (52)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\ & A\_27a\ A\_27a)\ (c\_2Emin\_2E\_3D\ A\_27a))\ (c\_2Ecombin\_2EI\ A\_27a))\ ( \\ & c\_2Ecombin\_2EI\ A\_27a))) \end{aligned} \quad (53)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\ & nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0R1 \in ( \\ & (2^{A\_27a})^{A\_27a}). (\forall V1abs1 \in (A\_27c^{A\_27a}). (\forall V2rep1 \in \\ & (A\_27a^{A\_27c}). ((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ A\_27a\ A\_27c) \\ & V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A\_27b})^{A\_27b}). (\forall V4abs2 \in \\ & (A\_27d^{A\_27b}). (\forall V5rep2 \in (A\_27b^{A\_27d}). ((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\ & A\_27b\ A\_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\ & (A\_27b^{A\_27a})\ (A\_27d^{A\_27c}))\ (ap\ (ap\ (c\_2Equotient\_2E\_3D\_3D\_3D\_3E \\ & A\_27a\ A\_27b)\ V0R1)\ V3R2))\ (ap\ (ap\ (c\_2Equotient\_2E\_2D\_2D\_3E\ A\_27c \\ & A\_27b\ A\_27a\ A\_27d)\ V2rep1)\ V4abs2))\ (ap\ (ap\ (c\_2Equotient\_2E\_2D\_2D\_3E \\ & A\_27a\ A\_27d\ A\_27c\ A\_27b)\ V1abs1)\ V5rep2)))))))))) \end{aligned} \quad (54)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\
& \quad nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0R1 \in ( \\
& \quad (2^{A\_27a})^{A\_27a}).(\forall V1abs1 \in (A\_27c^{A\_27a}).(\forall V2rep1 \in \\
& \quad (A\_27a^{A\_27c}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ A\_27a\ A\_27c) \\
& \quad V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A\_27b})^{A\_27b}).(\forall V4abs2 \in \\
& \quad (A\_27d^{A\_27b}).(\forall V5rep2 \in (A\_27b^{A\_27d}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27b\ A\_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (\forall V6f \in (A\_27d^{A\_27c}). \\
& \quad ((\lambda V7x \in A\_27c.(ap\ V6f\ V7x)) = (ap\ (ap\ (ap\ (c\_2Equotient\_2E\_2D\_2D\_3E \\
& \quad A\_27c\ A\_27b\ A\_27a\ A\_27d)\ V2rep1)\ V4abs2)\ (\lambda V8x \in A\_27a.(ap\ V5rep2 \\
& \quad (ap\ V6f\ (ap\ V1abs1\ V8x))))))))))))))
\end{aligned} \tag{55}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0REL \in ((2^{A\_27a})^{A\_27a}).(\forall V1abs \in (A\_27b^{A\_27a}). \\
& \quad (\forall V2rep \in (A\_27a^{A\_27b}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27a\ A\_27b)\ V0REL)\ V1abs)\ V2rep)) \Rightarrow (\forall V3x1 \in A\_27a.(\forall V4x2 \in \\
& \quad A\_27a.((p\ (ap\ (ap\ V0REL\ V3x1)\ V4x2)) \Rightarrow (p\ (ap\ (ap\ V0REL\ V3x1)\ (ap\ V2rep \\
& \quad (ap\ V1abs\ V4x2))))))))))
\end{aligned} \tag{56}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0R \in ((2^{A\_27a})^{A\_27a}).(\forall V1abs \in (A\_27b^{A\_27a}). \\
& \quad (\forall V2rep \in (A\_27a^{A\_27b}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27a\ A\_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3f \in (2^{A\_27b}).((p\ ( \\
& \quad ap\ (c\_2Ebool\_2E\_21\ A\_27b)\ V3f)) \Leftrightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2ERES\_FORALL \\
& \quad A\_27a)\ (ap\ (c\_2Equotient\_2Erespects\ A\_27a\ 2)\ V0R))\ (ap\ (ap\ (ap \\
& \quad (c\_2Equotient\_2E\_2D\_2D\_3E\ A\_27a\ 2\ A\_27b\ 2)\ V1abs)\ (c\_2Ecombin\_2EI \\
& \quad 2))\ V3f))))))))))
\end{aligned} \tag{57}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0R \in ((2^{A\_27a})^{A\_27a}).(\forall V1abs \in (A\_27b^{A\_27a}). \\
& \quad (\forall V2rep \in (A\_27a^{A\_27b}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27a\ A\_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3f \in (2^{A\_27a}).(\forall V4g \in \\
& \quad (2^{A\_27a}).((p\ (ap\ (ap\ (ap\ (ap\ (c\_2Equotient\_2E\_3D\_3D\_3D\_3E\ A\_27a \\
& \quad 2)\ V0R)\ (c\_2Emin\_2E\_3D\ 2))\ V3f)\ V4g)) \Rightarrow ((p\ (ap\ (ap\ (c\_2Ebool\_2ERES\_FORALL \\
& \quad A\_27a)\ (ap\ (c\_2Equotient\_2Erespects\ A\_27a\ 2)\ V0R))\ V3f)) \Leftrightarrow (p\ ( \\
& \quad ap\ (ap\ (c\_2Ebool\_2ERES\_FORALL\ A\_27a)\ (ap\ (c\_2Equotient\_2Erespects \\
& \quad A\_27a\ 2)\ V0R))\ V4g))))))))))
\end{aligned} \tag{58}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\
& \quad nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0R1 \in ( \\
& \quad (2^{A\_27a})^{A\_27a}).(\forall V1abs1 \in (A\_27c^{A\_27a}).(\forall V2rep1 \in \\
& \quad (A\_27a^{A\_27c}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ A\_27a\ A\_27c) \\
& \quad V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A\_27b})^{A\_27b}).(\forall V4abs2 \in \\
& \quad (A\_27d^{A\_27b}).(\forall V5rep2 \in (A\_27b^{A\_27d}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27b\ A\_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (\forall V6f \in (A\_27b^{A\_27a}). \\
& \quad (\forall V7g \in (A\_27b^{A\_27a}).(\forall V8x \in A\_27a.(\forall V9y \in \\
& \quad A\_27a.(((p\ (ap\ (ap\ (ap\ (ap\ (c\_2Equotient\_2E\_3D\_3D\_3D\_3E\ A\_27a \\
& \quad A\_27b)\ V0R1)\ V3R2)\ V6f)\ V7g)) \wedge (p\ (ap\ (ap\ V0R1\ V8x)\ V9y))) \Rightarrow (p\ (ap\ ( \\
& \quad ap\ V3R2\ (ap\ V6f\ V8x))\ (ap\ V7g\ V9y)))))))))))))
\end{aligned} \tag{59}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0E \in ((2^{A\_27a})^{A\_27a}). \\
& \quad (\forall V1P \in (2^{A\_27a}).((p\ (ap\ (c\_2Equotient\_2EEQUIV\ A\_27a) \\
& \quad V0E)) \Rightarrow ((p\ (ap\ (ap\ (c\_2Ebool\_2ERES\_FORALL\ A\_27a)\ (ap\ (c\_2Equotient\_2Erespects \\
& \quad A\_27a\ 2)\ V0E))\ V1P)) \Leftrightarrow (p\ (ap\ (c\_2Ebool\_2E\_21\ A\_27a)\ V1P))))))
\end{aligned} \tag{60}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{61}$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{62}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))))
\end{aligned} \tag{63}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))))
\end{aligned} \tag{64}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \tag{65}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow ( \\
& \quad (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\
& \quad p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\
& \quad ((\neg(p\ V1q)) \vee (\neg(p\ V0p))))))))))
\end{aligned} \tag{66}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \wedge (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (\neg(p \ V1q)) \vee \neg(p \ V2r)))) \wedge (((p \ V1q) \vee \\
& (\neg(p \ V0p))) \wedge ((p \ V2r) \vee \neg(p \ V0p))))))
\end{aligned} \tag{67}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \vee (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee \neg(p \ V1q)) \wedge ((p \ V0p) \vee \neg(p \ V2r))) \wedge \\
& ((p \ V1q) \vee ((p \ V2r) \vee \neg(p \ V0p))))))
\end{aligned} \tag{68}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \Rightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge ((p \ V0p) \vee \neg(p \ V2r))) \wedge ( \\
& \neg(p \ V1q) \vee ((p \ V2r) \vee \neg(p \ V0p))))))
\end{aligned} \tag{69}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow \neg(p \ V1q)) \Leftrightarrow (((p \ V0p) \vee \\
& (p \ V1q)) \wedge (\neg(p \ V1q) \vee \neg(p \ V0p))))))
\end{aligned} \tag{70}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (p \ V0p))) \tag{71}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow \neg(p \ V1q))) \tag{72}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \vee (p \ V1q))) \Rightarrow \neg(p \ V0p))) \tag{73}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \vee (p \ V1q))) \Rightarrow \neg(p \ V1q))) \tag{74}$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p \ V0p))) \Rightarrow (p \ V0p))) \tag{75}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0w \in (ty\_2Ewellorder\_2Ewellorder \\
& A\_27a).(p \ (ap \ (ap \ (c\_2Ewellorder\_2Eorderiso \ A\_27a \ A\_27a) \ V0w) \\
& V0w)))
\end{aligned} \tag{76}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0w1 \in (ty\_2Ewellorder\_2Ewellorder\ A\_27a). (\forall V1w2 \in \\ & (ty\_2Ewellorder\_2Ewellorder\ A\_27b). ((p\ (ap\ (ap\ (c\_2Ewellorder\_2Eorderiso \\ & \quad A\_27a\ A\_27b)\ V0w1)\ V1w2)) \Rightarrow (p\ (ap\ (ap\ (c\_2Ewellorder\_2Eorderiso \\ & \quad A\_27b\ A\_27a)\ V1w2)\ V0w1)))))) \end{aligned} \quad (77)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\ & nonempty\ A\_27c \Rightarrow (\forall V0w1 \in (ty\_2Ewellorder\_2Ewellorder\ A\_27a). \\ & \quad (\forall V1w2 \in (ty\_2Ewellorder\_2Ewellorder\ A\_27b). (\forall V2w3 \in \\ & (ty\_2Ewellorder\_2Ewellorder\ A\_27c). (((p\ (ap\ (ap\ (c\_2Ewellorder\_2Eorderiso \\ & \quad A\_27a\ A\_27b)\ V0w1)\ V1w2)) \wedge (p\ (ap\ (ap\ (c\_2Ewellorder\_2Eorderiso \\ & \quad A\_27b\ A\_27c)\ V1w2)\ V2w3))) \Rightarrow (p\ (ap\ (ap\ (c\_2Ewellorder\_2Eorderiso \\ & \quad A\_27a\ A\_27c)\ V0w1)\ V2w3)))))) \end{aligned} \quad (78)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0w \in (ty\_2Ewellorder\_2Ewellorder \\ & \quad A\_27a). ((p\ (ap\ (ap\ (c\_2Ewellorder\_2Eorderlt\ A\_27a\ A\_27a)\ V0w) \\ & \quad V0w)) \Leftrightarrow False)) \end{aligned} \quad (79)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\ & nonempty\ A\_27c \Rightarrow (\forall V0w1 \in (ty\_2Ewellorder\_2Ewellorder\ A\_27a). \\ & \quad (\forall V1w2 \in (ty\_2Ewellorder\_2Ewellorder\ A\_27b). (\forall V2w3 \in \\ & (ty\_2Ewellorder\_2Ewellorder\ A\_27c). (((p\ (ap\ (ap\ (c\_2Ewellorder\_2Eorderlt \\ & \quad A\_27a\ A\_27b)\ V0w1)\ V1w2)) \wedge (p\ (ap\ (ap\ (c\_2Ewellorder\_2Eorderlt \\ & \quad A\_27b\ A\_27c)\ V1w2)\ V2w3))) \Rightarrow (p\ (ap\ (ap\ (c\_2Ewellorder\_2Eorderlt \\ & \quad A\_27a\ A\_27c)\ V0w1)\ V2w3)))))) \end{aligned} \quad (80)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\ & nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0x0 \in ( \\ & ty\_2Ewellorder\_2Ewellorder\ A\_27a). (\forall V1y0 \in (ty\_2Ewellorder\_2Ewellorder \\ & \quad A\_27b). (\forall V2a0 \in (ty\_2Ewellorder\_2Ewellorder\ A\_27c). ( \\ & \quad \forall V3b0 \in (ty\_2Ewellorder\_2Ewellorder\ A\_27d). (((p\ (ap\ (ap \\ & \quad (c\_2Ewellorder\_2Eorderiso\ A\_27a\ A\_27b)\ V0x0)\ V1y0)) \wedge (p\ (ap\ (ap \\ & \quad (c\_2Ewellorder\_2Eorderiso\ A\_27c\ A\_27d)\ V2a0)\ V3b0))) \Rightarrow ((p\ (ap \\ & \quad (ap\ (c\_2Ewellorder\_2Eorderlt\ A\_27a\ A\_27c)\ V0x0)\ V2a0)) \Leftrightarrow (p\ (ap \\ & \quad (ap\ (c\_2Ewellorder\_2Eorderlt\ A\_27b\ A\_27d)\ V1y0)\ V3b0)))))) \end{aligned} \quad (81)$$

**Theorem 1**

$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0a \in (\text{ty\_2Eordinal\_2Eordinal } A_{27a}). (\exists V1b \in (\text{ty\_2Eordinal\_2Eordinal } A_{27a}). (p (ap (ap (c\_2Eordinal\_2Eordlt } A_{27a}) V0a) V1b))))$