

thm\_2Eordinal\_2Eomax\_\_EMPTY  
(TMH1puytwP8qEH59P9ZLXZmvFzhDQTW5sYd)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

Let  $ty\_2Eenum\_2E\_enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eenum\_2E\_enum \tag{1}$$

Let  $ty\_2Esum\_2E\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2E\_sum\ A0\ A1) \tag{2}$$

Let  $ty\_2Ewellorder\_2E\_wellorder : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ewellorder\_2E\_wellorder\ A0) \tag{3}$$

Let  $ty\_2Eordinal\_2E\_ordinal : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Eordinal\_2E\_ordinal\ A0) \tag{4}$$

Let  $c\_2Eordinal\_2E\_ordinal\_REP\_CLASS : \iota \Rightarrow \iota$  be given. Assume the following.

$$A\_27a \in ((2^{(ty\_2Ewellorder\_2E\_wellorder\ (ty\_2Esum\_2E\_sum\ ty\_2Eenum\_2E\_enum\ A\_27a))}(ty\_2Eordinal\_2E\_ordinal\ A\_27a)) \tag{5}$$

**Definition 5** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A$ .if  $(\exists x \in A.p (ap\ P\ x))$  then  $(the\ (\lambda x.x \in A \wedge p$  of type  $\iota \Rightarrow \iota$ .

**Definition 6** We define  $c\_2Eordinal\_2Eordinal\_REP$  to be  $\lambda A\_27a : \iota.\lambda V0a \in (ty\_2Eordinal\_2Eordinal A\_27a)$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \quad (6)$$

Let  $c\_2Ewellorder\_2Ewellorder\_REP : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Ewellorder\_2Ewellorder\_REP A\_27a \in ((2^{(ty\_2Epair\_2Eprod A\_27a A\_27a)})^{(ty\_2Ewellorder\_2Ewellorder A\_27a)}) \quad (7)$$

**Definition 7** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 8** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_7E))$

**Definition 9** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2)))$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (8)$$

**Definition 10** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2Epair\_2E\_2C))$

**Definition 11** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2ESND A\_27a A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod A\_27a A\_27b)}) \quad (9)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EFST A\_27a A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod A\_27a A\_27b)}) \quad (10)$$

**Definition 12** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c)^{A\_27a})$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC A\_27a A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod A\_27a 2)^{A\_27b}}) \quad (11)$$

**Definition 13** We define  $c\_2Eset\_relation\_2Estrict$  to be  $\lambda A\_27a : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod A\_27a A\_27a)})$



**Definition 28** We define  $c\_2Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota.(ap (c\_2Eoption\_2Eoption\_ABS A\_27a) (c\_2Eoption\_2ENONE))$

**Definition 29** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2EF)$ .

**Definition 30** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(ap (c\_2Epred\_set\_2EINSERT) (V0x) s)$

**Definition 31** We define  $c\_2Eset\_relation\_2Emaximal\_elements$  to be  $\lambda A\_27a : \iota.\lambda V0xs \in (2^{A\_27a}).\lambda V1r \in (2^{A\_27a}).(ap (c\_2Eset\_relation\_2Emaximal\_elements) (xs) r)$

**Definition 32** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27a.(ap (c\_2Esum\_2EABS A\_27a A\_27b) (V0e))$

**Definition 33** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.(ap (c\_2Eoption\_2Eoption\_ABS A\_27a) (V0x))$

**Definition 34** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.(ap (c\_2Ebool\_2ECOND) (V0t) t1 t2))))$

**Definition 35** We define  $c\_2Eoption\_2ESome$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{A\_27a}).(ap (ap (ap (c\_2Ebool\_2ECOND) (V0P) (V0P))) (V0P))$

**Definition 36** We define  $c\_2Eordinal\_2Eomax$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{(ty\_2Eordinal\_2Eordinal A\_27a)}).(ap (c\_2Eordinal\_2Eomax) (s))$

Assume the following.

$$True \tag{17}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \tag{18}$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \tag{19}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p V0t) \Leftrightarrow (p V0t)))) \tag{20}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \tag{21}$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{22}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \tag{23}$$

Assume the following.

$$2.(((\forall V0x \in 2.(\forall V1x_{27} \in 2.(\forall V2y \in 2.(\forall V3y_{27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27})))))) \Rightarrow (24)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0s \in (2^{(ty\_2Eordinal\_2Eordinal A_{27a})}). \\ & (((ap (c\_2Eordinal\_2Eomax A_{27a}) V0s) = (c\_2Eoption\_2ENONE (ty\_2Eordinal\_2Eordinal \\ & A_{27a}))) \Leftrightarrow (\forall V1a \in (ty\_2Eordinal\_2Eordinal A_{27a}).((p ( \\ & ap (ap (c\_2Ebool\_2EIN (ty\_2Eordinal\_2Eordinal A_{27a}) V1a) V0s)) \Rightarrow \\ & (\exists V2b \in (ty\_2Eordinal\_2Eordinal A_{27a}).((p (ap (ap (c\_2Ebool\_2EIN \\ & (ty\_2Eordinal\_2Eordinal A_{27a}) V2b) V0s)) \wedge (p (ap (ap (c\_2Eordinal\_2Eordlt \\ & A_{27a}) V1a) V2b)))))))))) \end{aligned} \quad (25)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0x \in A_{27a}.(\neg (p (ap (ap (c\_2Ebool\_2EIN A_{27a}) V0x) (c\_2Epred\_set\_2EEMPTY A_{27a})))))) \quad (26)$$

**Theorem 1**

$$\begin{aligned} & \forall A_{27a}.nonempty A_{27a} \Rightarrow ((ap (c\_2Eordinal\_2Eomax A_{27a}) \\ & (c\_2Epred\_set\_2EEMPTY (ty\_2Eordinal\_2Eordinal A_{27a}))) = ( \\ & c\_2Eoption\_2ENONE (ty\_2Eordinal\_2Eordinal A_{27a}))) \end{aligned}$$