

thm_2Eordinal_2EordADD__ASSOC
 (TMXVTwRmB-
 WQsG5xtYhsrKfoZVM6cdHz5inz)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \tag{2}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{3}$$

Let $ty_2Ewellorder_2Ewellorder : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ewellorder_2Ewellorder\ A0) \tag{4}$$

Let $c_2Ewellorder_2Ewellorder_REP : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewellorder_2Ewellorder_REP\ A_27a \in ((2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})(ty_2Ewellorder_2Ewellorder\ A_27a)) \tag{5}$$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21\ 2)) (\lambda V0t \in 2.V0t)$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_7E))$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2)))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (6)$$

Definition 8 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Epair_2E_2C))$

Definition 9 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND \\ A_27a A_27b \in (A_27b^{(ty_2Epair_2Eprod A_27a A_27b)}) \end{aligned} \quad (7)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFST \\ A_27a A_27b \in (A_27a^{(ty_2Epair_2Eprod A_27a A_27b)}) \end{aligned} \quad (8)$$

Definition 10 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27a})^{A_27b})$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a 2)^{A_27b}}) \end{aligned} \quad (9)$$

Definition 11 We define $c_2Eset_relation_2Estrict$ to be $\lambda A_27a : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a A_27a)})$

Definition 12 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \text{ then } (the (\lambda x.x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 13 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40))))$

Definition 14 We define $c_2Eset_relation_2Erange$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a A_27b)})$

Definition 15 We define $c_2Eset_relation_2Edomain$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a A_27b)})$

Definition 16 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2)))$

Definition 17 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2Emin_2E_40))$

Definition 18 We define $c_2Ewellorder_2EelsOf$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Ewellorder_2Ewellorder A_27a)$

Definition 19 We define $c_2Ewellorder_2Eorderiso$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0w1 \in (ty_2Ewellorder_2Ewellorder A_27a)$

Let $ty_2Eordinal_2Eordinal : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Eordinal_2Eordinal A0) \quad (10)$$

Let $c_2Eordinal_2Eordinal_ABS_CLASS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow c_2Eordinal_2Eordinal_ABS_CLASS \\ & A_27a \in ((ty_2Eordinal_2Eordinal A_27a)^{2^{(ty_2Ewellorder_2Ewellorder (ty_2Esum_2Esum ty_2Enum_2Enum A_27a))}}) \end{aligned} \quad (11)$$

Definition 20 We define $c_2Eordinal_2Eordinal_ABS$ to be $\lambda A_27a : \iota.\lambda V0r \in (ty_2Ewellorder_2Ewellorder A_27a)$

Let $c_2Eordinal_2Eordinal_REP_CLASS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow c_2Eordinal_2Eordinal_REP_CLASS \\ & A_27a \in ((2^{(ty_2Ewellorder_2Ewellorder (ty_2Esum_2Esum ty_2Enum_2Enum A_27a))})^{(ty_2Eordinal_2Eordinal A_27a)}) \end{aligned} \quad (12)$$

Definition 21 We define $c_2Eordinal_2Eordinal_REP$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Eordinal_2Eordinal A_27a)$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty ty_2Eone_2Eone \quad (13)$$

Definition 22 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone))$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Esum_2EABS_sum \\ & A_27a A_27b \in ((ty_2Esum_2Esum A_27a A_27b)^{((2^{A_27b})^{A_27a})^2}) \end{aligned} \quad (14)$$

Definition 23 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap (c_2Esum_2EABS_sum A_27a))$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Eoption_2Eoption A0) \quad (15)$$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow c_2Eoption_2Eoption_ABS A_27a \in \\ & ((ty_2Eoption_2Eoption A_27a)^{(ty_2Esum_2Esum A_27a ty_2Eone_2Eone)}) \end{aligned} \quad (16)$$

Definition 24 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota.(ap (c_2Eoption_2Eoption_ABS A_27a))$

Definition 25 We define $c_Ewellorder_Eiseg$ to be $\lambda A_27a : \iota. \lambda V0w \in (ty_Ewellorder_Ewellorder A_27a)$

Definition 26 We define $c_Eset_relation_Erestrict$ to be $\lambda A_27a : \iota. \lambda V0r \in (2^{(ty_Epair_Eprod A_27a A_27a)})$

Let $c_Ewellorder_Ewellorder_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty A_27a \Rightarrow c_Ewellorder_Ewellorder_ABS \\ & A_27a \in ((ty_Ewellorder_Ewellorder A_27a)^{(2^{(ty_Epair_Eprod A_27a A_27a)})}) \end{aligned} \quad (17)$$

Definition 27 We define $c_Ewellorder_Ewobound$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1w \in (ty_Ewellorder_Ewellorder A_27a)$

Definition 28 We define $c_Ewellorder_Eorderlt$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0w1 \in (ty_Ewellorder_Ewellorder A_27a)$

Definition 29 We define $c_Eordinal_Eordlt$ to be $\lambda A_27a : \iota. \lambda V0T1 \in (ty_Eordinal_Eordinal A_27a)$

Definition 30 We define $c_Eordinal_Epreds$ to be $\lambda A_27a : \iota. \lambda V0w \in (ty_Eordinal_Eordinal A_27a)$

Definition 31 We define $c_Epred_set_EEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_Ebool_EF)$.

Definition 32 We define $c_Epred_set_EINSERT$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1s \in (2^{A_27a}). (ap (c_Ebool_EF) s)$

Definition 33 We define $c_Eset_relation_Emaximal_elements$ to be $\lambda A_27a : \iota. \lambda V0xs \in (2^{A_27a}). \lambda V1r \in (2^{A_27a})$

Definition 34 We define c_Esum_EINL to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27a. (ap (c_Esum_EABS) e)$

Definition 35 We define $c_Eoption_ESOME$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. (ap (c_Eoption_EOption) x)$

Definition 36 We define c_Ebool_ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. (c_Ebool_EF t2))))$

Definition 37 We define $c_Eoption_ESome$ to be $\lambda A_27a : \iota. \lambda V0P \in (2^{A_27a}). (ap (ap (ap (c_Ebool_ECOND) P)))$

Definition 38 We define $c_Eordinal_Eomax$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{(ty_Eordinal_Eordinal A_27a)})$

Definition 39 We define $c_Eordinal_Eoleast$ to be $\lambda A_27a : \iota. \lambda V0P \in (2^{(ty_Eordinal_Eordinal A_27a)})$

Definition 40 We define $c_Eordinal_EordSUC$ to be $\lambda A_27a : \iota. \lambda V0a \in (ty_Eordinal_Eordinal A_27a)$

Let $c_Eenum_EZERO_REP : \iota$ be given. Assume the following.

$$c_Eenum_EZERO_REP \in \omega \quad (18)$$

Let $c_Eenum_EABS_num : \iota$ be given. Assume the following.

$$c_Eenum_EABS_num \in (ty_Eenum_Eenum^{\omega}) \quad (19)$$

Definition 41 We define c_Eenum_E0 to be $(ap c_Eenum_EABS_num c_Eenum_EZERO_REP)$.

Let $c_Eordinal_EfromNat : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty A_27a \Rightarrow c_Eordinal_EfromNat A_27a \in (\\ & (ty_Eordinal_Eordinal A_27a)^{ty_Eenum_Eenum} \end{aligned} \quad (20)$$

Definition 42 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in$

Definition 43 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^{A_27a})}).(ap (c_2Epred_set_2EIMAGE$

Definition 44 We define $c_2Eordinal_2Esup$ to be $\lambda A_27a : \iota.\lambda V0ordset \in (2^{(ty_2Eordinal_2Eordinal A_27a)}).$

Let $c_2Eordinal_2EordADD : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow c_2Eordinal_2EordADD A_27a \in ((\\ (ty_2Eordinal_2Eordinal A_27a)^{(ty_2Eordinal_2Eordinal A_27a)})^{(ty_2Eordinal_2Eordinal A_27a)}) \end{aligned} \quad (21)$$

Definition 45 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2ET).$

Definition 46 We define $c_2Epred_set_2EINJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27a})$

Definition 47 We define $c_2Ecardinal_2Ecardleq$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0s1 \in (2^{A_27a}).\lambda V1s2 \in (2^{A_27b})$

Definition 48 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$

Definition 49 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

Definition 50 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota.(ap (ap (c_2Ecombin_2ES A_27a (A_27a^{A_27a}) A_27a))$

Definition 51 We define $c_2Equotient_2E_2D_2D_3E$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda A_27d : \iota.\lambda V0f \in$

Definition 52 We define $c_2Equotient_2E_3D_3D_3D_3E$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R1 \in ((2^{A_27a})^{A_27a}).\lambda V0R2 \in$

Definition 53 We define $c_2Equotient_2EQUOTIENT$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V0f \in$

Definition 54 We define $c_2Ecombin_2EW$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0f \in ((A_27b^{A_27a})^{A_27a}).(\lambda V1x \in A_27a.(\lambda V2y \in A_27b.V0f x y)))$

Definition 55 We define $c_2Equotient_2Erespects$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(c_2Ecombin_2EW A_27a A_27b)$

Definition 56 We define $c_2Ebool_2ERES_FORALL$ to be $\lambda A_27a : \iota.(\lambda V0p \in (2^{A_27a}).(\lambda V1m \in (2^{A_27a}).(\lambda V2n \in (2^{A_27a}).V0p m n))))$

Definition 57 We define $c_2Equotient_2EEQUIV$ to be $\lambda A_27a : \iota.\lambda V0E \in ((2^{A_27a})^{A_27a}).(ap (c_2Ebool_2ERES_FORALL$

Assume the following.

$$True \quad (22)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\ V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in \\ A_27a.(p V0t)) \Leftrightarrow (p V0t))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge \\
& (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (25)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge ((\\
& (p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \quad (26)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\
& ((\neg False) \Leftrightarrow True))) \quad (27)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow \\
& True)) \quad (28)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in \\
& A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (29)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow \forall A_27b.nonempty \ A_27b \Rightarrow (\\
& \forall V0f \in (A_27b^{A_27a}).(\forall V1g \in (A_27b^{A_27a}).((V0f = \\
& V1g) \Leftrightarrow (\forall V2x \in A_27a.((ap \ V0f \ V2x) = (ap \ V1g \ V2x)))))) \quad (30)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\
& p \ V0t)))))) \quad (31)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (\\
& 2^{A_27a}).((\exists V2x \in A_27a.((p \ V0P) \wedge (ap \ V1Q \ V2x)))) \Leftrightarrow ((p \\
& V0P) \wedge (\exists V3x \in A_27a.(ap \ V1Q \ V3x)))))) \quad (32)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p \ V0t1) \Rightarrow \\
& (p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3)))))) \quad (33)
\end{aligned}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Leftrightarrow (p V1t2)) \Leftrightarrow (((p V0t1) \Rightarrow (p V1t2)) \wedge ((p V1t2) \Rightarrow (p V0t1)))))) \quad (34)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow 2.(((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (35)$$

Assume the following.

$$(\forall V0P \in 2.(\forall V1P_{.27} \in 2.(\forall V2Q \in 2.(\forall V3Q_{.27} \in 2.(((p V2Q) \Rightarrow ((p V0P) \Leftrightarrow (p V1P_{.27}))) \wedge ((p V1P_{.27}) \Rightarrow ((p V2Q) \Leftrightarrow (p V3Q_{.27})))))) \Rightarrow 2.(((p V0P) \wedge (p V2Q)) \Leftrightarrow ((p V1P_{.27}) \wedge (p V3Q_{.27})))))) \quad (36)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0P \in (2^{A_{.27a}}).(\forall V1a \in A_{.27a}.((\exists V2x \in A_{.27a}.((V2x = V1a) \wedge (ap V0P V2x)))) \Leftrightarrow (p (ap V0P V1a)))))) \quad (37)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow \forall A_{.27c}.nonempty A_{.27c} \Rightarrow (\forall V0f \in (A_{.27c}^{A_{.27a}}).(\forall V1s \in (2^{A_{.27a}}).(\forall V2t \in (2^{A_{.27b}}).((p (ap (ap (c_{.2}Ecardinal_{.2}Ecardleq A_{.27a} A_{.27b}) V1s) V2t)) \Rightarrow (p (ap (ap (c_{.2}Ecardinal_{.2}Ecardleq A_{.27c} A_{.27b}) (ap (ap (c_{.2}Epred_{.set}_{.2}EIMAGE A_{.27a} A_{.27c}) V0f) V1s)) V2t)))))) \quad (38)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.((ap (c_{.2}Ecombin_{.2}EI A_{.27a}) V0x) = V0x)) \quad (39)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (p (ap (ap (ap (c_{.2}Equotient_{.2}EQUOTIENT (ty_{.2}Ewellorder_{.2}Ewellorder (ty_{.2}Esum_{.2}Esum ty_{.2}Enum_{.2}Enum A_{.27a})) (ty_{.2}Eordinal_{.2}Eordinal A_{.27a})) (c_{.2}Ewellorder_{.2}Eorderiso (ty_{.2}Esum_{.2}Esum ty_{.2}Enum_{.2}Enum A_{.27a})) (ty_{.2}Esum_{.2}Esum ty_{.2}Enum_{.2}Enum A_{.27a})) (c_{.2}Eordinal_{.2}Eordinal_{.2}ABS A_{.27a})) (c_{.2}Eordinal_{.2}Eordinal_{.2}REP A_{.27a}))) \quad (40)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0x \in (ty_{.2}Eordinal_{.2}Eordinal A_{.27a}).(\forall V1w \in (ty_{.2}Eordinal_{.2}Eordinal A_{.27a}).((p (ap (ap (c_{.2}Ebool_{.2}EIN (ty_{.2}Eordinal_{.2}Eordinal A_{.27a}) V0x) (ap (c_{.2}Eordinal_{.2}Epreds A_{.27a} V1w))) \Leftrightarrow (p (ap (ap (c_{.2}Eordinal_{.2}Eordlt A_{.27a}) V0x) V1w)))))) \quad (41)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0ord \in (ty_2Eordinal_2Eordinal \\ A_{27a}). (p (ap (ap (c_2Ecardinal_2Ecardleq (ty_2Eordinal_2Eordinal \\ A_{27a}) (ty_2Esum_2Esum ty_2Enum_2Enum A_{27a})) (ap (c_2Eordinal_2Epreds \\ A_{27a}) V0ord)) (c_2Epred_set_2EUNIV (ty_2Esum_2Esum ty_2Enum_2Enum \\ A_{27a})))))) \end{aligned} \quad (42)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0a \in (ty_2Eordinal_2Eordinal \\ A_{27a}). (\forall V1b \in (ty_2Eordinal_2Eordinal A_{27a}). (((ap (\\ c_2Eordinal_2EordSUC A_{27a}) V0a) = (ap (c_2Eordinal_2EordSUC \\ A_{27a}) V1b))) \Leftrightarrow (V0a = V1b)))) \end{aligned} \quad (43)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0x \in (ty_2Eordinal_2Eordinal \\ A_{27a}). (((ap (c_2Eordinal_2Epreds A_{27a}) V0x) = (c_2Epred_set_2EEMPTY \\ (ty_2Eordinal_2Eordinal A_{27a}))) \Leftrightarrow (V0x = (ap (c_2Eordinal_2EfromNat \\ A_{27a}) c_2Enum_2E0)))) \end{aligned} \quad (44)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0P \in (2^{(ty_2Eordinal_2Eordinal A_{27a})}). \\ (((p (ap V0P (ap (c_2Eordinal_2EfromNat A_{27a}) c_2Enum_2E0))) \wedge \\ ((\forall V1a \in (ty_2Eordinal_2Eordinal A_{27a}). ((p (ap V0P V1a)) \Rightarrow \\ (p (ap V0P (ap (c_2Eordinal_2EordSUC A_{27a}) V1a)))))) \wedge (\forall V2a \in \\ (ty_2Eordinal_2Eordinal A_{27a}). (((ap (c_2Eordinal_2Eomax \\ A_{27a}) (ap (c_2Eordinal_2Epreds A_{27a}) V2a)) = (c_2Eoption_2ENONE \\ (ty_2Eordinal_2Eordinal A_{27a}))) \wedge ((p (ap (ap (c_2Eordinal_2Eordlt \\ A_{27a}) (ap (c_2Eordinal_2EfromNat A_{27a}) c_2Enum_2E0)) V2a)) \wedge \\ (\forall V3b \in (ty_2Eordinal_2Eordinal A_{27a}). ((p (ap (ap (c_2Eordinal_2Eordlt \\ A_{27a}) V3b) V2a)) \Rightarrow (p (ap V0P V3b)))))) \Rightarrow (p (ap V0P V2a)))))) \Rightarrow (\forall V4a \in \\ (ty_2Eordinal_2Eordinal A_{27a}). (p (ap V0P V4a)))))) \end{aligned} \quad (45)$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0b \in (ty_2Eordinal_2Eordinal \\
& A_{.27a}). (((ap (ap (c_2Eordinal_2EordADD A_{.27a}) V0b) (ap (c_2Eordinal_2EfromNat \\
& A_{.27a}) c_2Enum_2E0)) = V0b) \wedge ((\forall V1a \in (ty_2Eordinal_2Eordinal \\
& A_{.27a}). ((ap (ap (c_2Eordinal_2EordADD A_{.27a}) V0b) (ap (c_2Eordinal_2EordSUC \\
& A_{.27a}) V1a)) = (ap (c_2Eordinal_2EordSUC A_{.27a}) (ap (ap (c_2Eordinal_2EordADD \\
& A_{.27a}) V0b) V1a)))) \wedge (\forall V2a \in (ty_2Eordinal_2Eordinal A_{.27a}). \\
& (((p (ap (ap (c_2Eordinal_2Eordlt A_{.27a}) (ap (c_2Eordinal_2EfromNat \\
& A_{.27a}) c_2Enum_2E0)) V2a)) \wedge ((ap (c_2Eordinal_2Eomax A_{.27a}) (\\
& ap (c_2Eordinal_2Epreds A_{.27a}) V2a)) = (c_2Eoption_2ENONE (ty_2Eordinal_2Eordinal \\
& A_{.27a})))) \Rightarrow ((ap (ap (c_2Eordinal_2EordADD A_{.27a}) V0b) V2a) = (ap \\
& (c_2Eordinal_2Esup A_{.27a}) (ap (ap (c_2Epred_set_2EIMAGE (ty_2Eordinal_2Eordinal \\
& A_{.27a}) (ty_2Eordinal_2Eordinal A_{.27a})) (ap (c_2Eordinal_2EordADD \\
& A_{.27a}) V0b)) (ap (c_2Eordinal_2Epreds A_{.27a}) V2a)))))))))
\end{aligned} \tag{46}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0b \in (ty_2Eordinal_2Eordinal \\
& A_{.27a}). (\forall V1a \in (ty_2Eordinal_2Eordinal A_{.27a}). (\forall V2c \in \\
& (ty_2Eordinal_2Eordinal A_{.27a}). (((ap (ap (c_2Eordinal_2EordADD \\
& A_{.27a}) V1a) V0b) = (ap (ap (c_2Eordinal_2EordADD A_{.27a}) V1a) V2c)) \Leftrightarrow \\
& (V0b = V2c))))))
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0a \in (ty_2Eordinal_2Eordinal \\
& A_{.27a}). (\forall V1s \in (2^{(ty_2Eordinal_2Eordinal A_{.27a})}). ((\\
& (p (ap (ap (c_2Ecardinal_2Ecardleq (ty_2Eordinal_2Eordinal A_{.27a}) \\
& (ty_2Esum_2Esum ty_2Enum_2Enum A_{.27a})) V1s) (c_2Epred_set_2EUNIV \\
& (ty_2Esum_2Esum ty_2Enum_2Enum A_{.27a})))) \wedge (\neg (V1s = (c_2Epred_set_2EEMPTY \\
& (ty_2Eordinal_2Eordinal A_{.27a})))))) \Rightarrow ((ap (ap (c_2Eordinal_2EordADD \\
& A_{.27a}) V0a) (ap (c_2Eordinal_2Esup A_{.27a}) V1s)) = (ap (c_2Eordinal_2Esup \\
& A_{.27a}) (ap (ap (c_2Epred_set_2EIMAGE (ty_2Eordinal_2Eordinal \\
& A_{.27a}) (ty_2Eordinal_2Eordinal A_{.27a})) (ap (c_2Eordinal_2EordADD \\
& A_{.27a}) V0a)) V1s))))))
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0s \in (2^{A_{.27a}}). (\forall V1t \in \\
& (2^{A_{.27a}}). ((V0s = V1t) \Leftrightarrow (\forall V2x \in A_{.27a}. ((p (ap (ap (c_2Ebool_2EIN \\
& A_{.27a}) V2x) V0s)) \Leftrightarrow (p (ap (ap (c_2Ebool_2EIN A_{.27a}) V2x) V1t))))))
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0y \in A_27b. (\forall V1s \in (2^{A_27a}). (\forall V2f \in (A_27b^{A_27a}). \\
& \quad ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27b)\ V0y)\ (ap\ (ap\ (c_2Epred_set_2EIMAGE \\
& \quad A_27a\ A_27b)\ V2f)\ V1s)))) \Leftrightarrow (\exists V3x \in A_27a. ((V0y = (ap\ V2f\ V3x)) \wedge \\
& \quad (p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27a)\ V3x)\ V1s))))))
\end{aligned} \tag{50}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0s \in (2^{A_27a}). (\forall V1f \in (A_27b^{A_27a}). (((ap\ (ap\ (\\
& \quad c_2Epred_set_2EIMAGE\ A_27a\ A_27b)\ V1f)\ V0s) = (c_2Epred_set_2EEMPTY \\
& \quad A_27b)) \Leftrightarrow (V0s = (c_2Epred_set_2EEMPTY\ A_27a))))
\end{aligned} \tag{51}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27a)\ (c_2Emin_2E_3D\ A_27a))\ (c_2Ecombin_2EI\ A_27a))\ (\\
& \quad c_2Ecombin_2EI\ A_27a)))
\end{aligned} \tag{52}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0R1 \in (\\
& \quad (2^{A_27a})^{A_27a}). (\forall V1abs1 \in (A_27c^{A_27a}). (\forall V2rep1 \in \\
& \quad (A_27a^{A_27c}). ((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT\ A_27a\ A_27c) \\
& \quad V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A_27b})^{A_27b}). (\forall V4abs2 \in \\
& \quad (A_27d^{A_27b}). (\forall V5rep2 \in (A_27b^{A_27d}). ((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27b\ A_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad (A_27b^{A_27a})\ (A_27d^{A_27c}))\ (ap\ (ap\ (c_2Equotient_2E_3D_3D_3D_3E \\
& \quad A_27a\ A_27b)\ V0R1)\ V3R2))\ (ap\ (ap\ (c_2Equotient_2E_2D_2D_3E\ A_27c \\
& \quad A_27b\ A_27a\ A_27d)\ V2rep1)\ V4abs2))\ (ap\ (ap\ (c_2Equotient_2E_2D_2D_3E \\
& \quad A_27a\ A_27d\ A_27c\ A_27b)\ V1abs1)\ V5rep2))))))
\end{aligned} \tag{53}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0R1 \in (\\
& \quad (2^{A_27a})^{A_27a}). (\forall V1abs1 \in (A_27c^{A_27a}). (\forall V2rep1 \in \\
& \quad (A_27a^{A_27c}). ((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT\ A_27a\ A_27c) \\
& \quad V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A_27b})^{A_27b}). (\forall V4abs2 \in \\
& \quad (A_27d^{A_27b}). (\forall V5rep2 \in (A_27b^{A_27d}). ((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27b\ A_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (\forall V6f \in (A_27d^{A_27c}). \\
& \quad ((\lambda V7x \in A_27c. (ap\ V6f\ V7x)) = (ap\ (ap\ (ap\ (c_2Equotient_2E_2D_2D_3E \\
& \quad A_27c\ A_27b\ A_27a\ A_27d)\ V2rep1)\ V4abs2)\ (\lambda V8x \in A_27a. (ap\ V5rep2 \\
& \quad (ap\ V6f\ (ap\ V1abs1\ V8x))))))
\end{aligned} \tag{54}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0REL \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& \quad (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0REL)\ V1abs)\ V2rep)) \Rightarrow (\forall V3x1 \in A_27a.(\forall V4x2 \in \\
& \quad A_27a.((p\ (ap\ (ap\ V0REL\ V3x1)\ V4x2)) \Rightarrow (p\ (ap\ (ap\ V0REL\ V3x1)\ (ap\ V2rep \\
& \quad (ap\ V1abs\ V4x2))))))))))))) \\
& \hspace{15em} (55)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& \quad (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3f \in (2^{A_27b}).((p\ (\\
& \quad ap\ (c_2Ebool_2E_21\ A_27b)\ V3f)) \Leftrightarrow (p\ (ap\ (ap\ (c_2Ebool_2ERES_FORALL \\
& \quad A_27a)\ (ap\ (c_2Equotient_2ERespects\ A_27a\ 2)\ V0R))\ (ap\ (ap\ (ap \\
& \quad (c_2Equotient_2E_2D_2D_3E\ A_27a\ 2\ A_27b\ 2)\ V1abs)\ (c_2Ecombin_2EI \\
& \quad 2))\ V3f)))))))))) \\
& \hspace{15em} (56)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A_27a})^{A_27a}).(\forall V1abs \in (A_27b^{A_27a}). \\
& \quad (\forall V2rep \in (A_27a^{A_27b}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27a\ A_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3f \in (2^{A_27a}).(\forall V4g \in \\
& \quad (2^{A_27a}).((p\ (ap\ (ap\ (ap\ (ap\ (c_2Equotient_2E_3D_3D_3D_3E\ A_27a \\
& \quad 2)\ V0R)\ (c_2Emin_2E_3D\ 2)\ V3f)\ V4g)) \Rightarrow ((p\ (ap\ (ap\ (c_2Ebool_2ERES_FORALL \\
& \quad A_27a)\ (ap\ (c_2Equotient_2ERespects\ A_27a\ 2)\ V0R))\ V3f)) \Leftrightarrow (p\ (\\
& \quad ap\ (ap\ (c_2Ebool_2ERES_FORALL\ A_27a)\ (ap\ (c_2Equotient_2ERespects \\
& \quad A_27a\ 2)\ V0R))\ V4g)))))))))) \\
& \hspace{15em} (57)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0R1 \in (\\
& \quad (2^{A_27a})^{A_27a}).(\forall V1abs1 \in (A_27c^{A_27a}).(\forall V2rep1 \in \\
& \quad (A_27a^{A_27c}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT\ A_27a\ A_27c) \\
& \quad V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A_27b})^{A_27b}).(\forall V4abs2 \in \\
& \quad (A_27d^{A_27b}).(\forall V5rep2 \in (A_27b^{A_27d}).((p\ (ap\ (ap\ (ap\ (c_2Equotient_2EQUOTIENT \\
& \quad A_27b\ A_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (\forall V6f \in (A_27b^{A_27a}). \\
& \quad (\forall V7g \in (A_27b^{A_27a}).(\forall V8x \in A_27a.(\forall V9y \in \\
& \quad A_27a.(((p\ (ap\ (ap\ (ap\ (c_2Equotient_2E_3D_3D_3D_3E\ A_27a \\
& \quad A_27b)\ V0R1)\ V3R2)\ V6f)\ V7g)) \wedge (p\ (ap\ (ap\ V0R1\ V8x)\ V9y))) \Rightarrow (p\ (ap\ (\\
& \quad ap\ V3R2\ (ap\ V6f\ V8x))\ (ap\ V7g\ V9y)))))))))))))) \\
& \hspace{15em} (58)
\end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0E \in ((2^{A_{27a}})^{A_{27a}}). \\ & (\forall V1P \in (2^{A_{27a}}). ((p \text{ (ap (c_2Equotient_2EEQUIV } A_{27a} \\ & V0E)) \Rightarrow ((p \text{ (ap (ap (c_2Ebool_2ERES_FORALL } A_{27a} \text{ (ap (c_2Equotient_2Erespects} \\ & A_{27a} \text{ 2) } V0E)) \text{ V1P})) \Leftrightarrow (p \text{ (ap (c_2Ebool_2E.21 } A_{27a} \text{ V1P))))))) \end{aligned} \quad (59)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p \text{ V0t}))) \Leftrightarrow (p \text{ V0t}))) \quad (60)$$

Assume the following.

$$(\forall V0A \in 2. ((p \text{ V0A}) \Rightarrow ((\neg(p \text{ V0A})) \Rightarrow \text{False}))) \quad (61)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p \text{ V0A}) \vee (p \text{ V1B}))) \Rightarrow \text{False}) \Leftrightarrow \\ & (((p \text{ V0A}) \Rightarrow \text{False}) \Rightarrow ((\neg(p \text{ V1B})) \Rightarrow \text{False})))))) \end{aligned} \quad (62)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p \text{ V0A}) \vee (p \text{ V1B}))) \Rightarrow \text{False}) \Leftrightarrow \\ & ((p \text{ V0A}) \Rightarrow ((\neg(p \text{ V1B})) \Rightarrow \text{False})))))) \end{aligned} \quad (63)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p \text{ V0A})) \Rightarrow \text{False}) \Rightarrow (((p \text{ V0A}) \Rightarrow \text{False}) \Rightarrow \text{False}))) \quad (64)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \text{ V0p}) \Leftrightarrow (\\ & (p \text{ V1q}) \Leftrightarrow (p \text{ V2r}))) \Leftrightarrow (((p \text{ V0p}) \vee ((p \text{ V1q}) \vee (p \text{ V2r}))) \wedge (((p \text{ V0p}) \vee ((\neg(\\ & p \text{ V2r})) \vee (\neg(p \text{ V1q})))) \wedge (((p \text{ V1q}) \vee ((\neg(p \text{ V2r})) \vee (\neg(p \text{ V0p})))) \wedge ((p \text{ V2r}) \vee \\ & ((\neg(p \text{ V1q})) \vee (\neg(p \text{ V0p})))))))))) \end{aligned} \quad (65)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \text{ V0p}) \Leftrightarrow (\\ & (p \text{ V1q}) \wedge (p \text{ V2r}))) \Leftrightarrow (((p \text{ V0p}) \vee ((\neg(p \text{ V1q})) \vee (\neg(p \text{ V2r})))) \wedge (((p \text{ V1q}) \vee \\ & (\neg(p \text{ V0p}))) \wedge ((p \text{ V2r}) \vee (\neg(p \text{ V0p})))))))) \end{aligned} \quad (66)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \text{ V0p}) \Leftrightarrow (\\ & (p \text{ V1q}) \vee (p \text{ V2r}))) \Leftrightarrow (((p \text{ V0p}) \vee (\neg(p \text{ V1q}))) \wedge (((p \text{ V0p}) \vee (\neg(p \text{ V2r}))) \wedge \\ & ((p \text{ V1q}) \vee ((p \text{ V2r}) \vee (\neg(p \text{ V0p})))))))) \end{aligned} \quad (67)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee \neg(p V2r)) \wedge (\neg(p V1q) \vee ((p V2r) \vee \neg(p V0p)))))))))) \quad (68)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow \neg(p V1q)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (\neg(p V1q) \vee \neg(p V0p)))))) \quad (69)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \Rightarrow (p V1q)) \Rightarrow (p V0p))) \quad (70)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \Rightarrow (p V1q)) \Rightarrow \neg(p V1q)))) \quad (71)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \vee (p V1q)) \Rightarrow \neg(p V0p)))) \quad (72)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \vee (p V1q)) \Rightarrow \neg(p V1q)))) \quad (73)$$

Assume the following.

$$(\forall V0p \in 2. (\neg(\neg(p V0p)) \Rightarrow (p V0p))) \quad (74)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0w \in (ty_2Ewellorder_2Ewellorder\ A.27a). (p\ (ap\ (ap\ (c_2Ewellorder_2Eorderiso\ A.27a\ A.27a)\ V0w)\ V0w))) \quad (75)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\forall V0w1 \in (ty_2Ewellorder_2Ewellorder\ A.27a). (\forall V1w2 \in (ty_2Ewellorder_2Ewellorder\ A.27b). ((p\ (ap\ (ap\ (c_2Ewellorder_2Eorderiso\ A.27a\ A.27b)\ V0w1)\ V1w2)) \Rightarrow (p\ (ap\ (ap\ (c_2Ewellorder_2Eorderiso\ A.27b\ A.27a)\ V1w2)\ V0w1)))))) \quad (76)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c.nonempty\ A.27c \Rightarrow (\forall V0w1 \in (ty_2Ewellorder_2Ewellorder\ A.27a). (\forall V1w2 \in (ty_2Ewellorder_2Ewellorder\ A.27b). (\forall V2w3 \in (ty_2Ewellorder_2Ewellorder\ A.27c). (((p\ (ap\ (ap\ (c_2Ewellorder_2Eorderiso\ A.27a\ A.27b)\ V0w1)\ V1w2)) \wedge (p\ (ap\ (ap\ (c_2Ewellorder_2Eorderiso\ A.27b\ A.27c)\ V1w2)\ V2w3))) \Rightarrow (p\ (ap\ (ap\ (c_2Ewellorder_2Eorderiso\ A.27a\ A.27c)\ V0w1)\ V2w3)))))) \quad (77)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0w \in (ty_2Ewellorder_2Ewellorder\ A_27a).((p\ (ap\ (ap\ (c_2Ewellorder_2Eorderlt\ A_27a\ A_27a)\ V0w)\ V0w)) \Leftrightarrow False)) \quad (78)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ & nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0x0 \in (\\ & ty_2Ewellorder_2Ewellorder\ A_27a).(\forall V1y0 \in (ty_2Ewellorder_2Ewellorder \\ & A_27b).(\forall V2a0 \in (ty_2Ewellorder_2Ewellorder\ A_27c).(\forall V3b0 \in (ty_2Ewellorder_2Ewellorder\ A_27d).(((p\ (ap\ (ap \\ & (c_2Ewellorder_2Eorderiso\ A_27a\ A_27b)\ V0x0)\ V1y0)) \wedge (p\ (ap\ (ap \\ & (c_2Ewellorder_2Eorderiso\ A_27c\ A_27d)\ V2a0)\ V3b0))) \Rightarrow ((p\ (ap \\ & (ap\ (c_2Ewellorder_2Eorderlt\ A_27a\ A_27c)\ V0x0)\ V2a0)) \Leftrightarrow (p\ (ap \\ & (ap\ (c_2Ewellorder_2Eorderlt\ A_27b\ A_27d)\ V1y0)\ V3b0)))))))))) \end{aligned} \quad (79)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0a \in (ty_2Eordinal_2Eordinal \\ & A_27a).(\forall V1b \in (ty_2Eordinal_2Eordinal\ A_27a).(\forall V2c \in \\ & (ty_2Eordinal_2Eordinal\ A_27a).((ap\ (ap\ (c_2Eordinal_2EordADD \\ & A_27a)\ V0a)\ (ap\ (ap\ (c_2Eordinal_2EordADD\ A_27a)\ V1b)\ V2c)) = (ap \\ & (ap\ (c_2Eordinal_2EordADD\ A_27a)\ (ap\ (ap\ (c_2Eordinal_2EordADD \\ & A_27a)\ V0a)\ V1b))\ V2c)))))) \end{aligned}$$