

thm\_2Eordinal\_2EordEXP\_\_EQ\_\_0  
(TMV84HkF1UPQM2Ye2FQttNrK7gQBwn6hYCN)

October 26, 2020

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Let  $c\_2Earithmetic\_2EEVEN : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEVEN \in (2^{ty\_2Enum\_2Enum}) \tag{2}$$

Let  $c\_2Earithmetic\_2EODD : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EODD \in (2^{ty\_2Enum\_2Enum}) \tag{3}$$

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p \Rightarrow q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_27E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))$

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (omega^{ty\_2Enum\_2Enum}) \tag{4}$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (omega^{omega}) \tag{5}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{omega}) \tag{6}$$

**Definition 8** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

**Definition 9** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x))$  **then** (the  $(\lambda x.x \in A \wedge p$   
of type  $\iota \Rightarrow \iota$ ).

**Definition 10** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 11** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 12** We define  $c\_2Earithmetic\_2E\_3E$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 13** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

**Definition 14** We define  $c\_2Earithmetic\_2E\_3E\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

**Definition 15** We define  $c\_2Earithmetic\_2E\_3C\_3D$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{7}$$

**Definition 16** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 17** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

**Definition 18** We define  $c\_2Eprim\_rec\_2EPRE$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ (ap\ (ap\ (c\_2Ebool\_2E$

Let  $c\_2Earithmetic\_2EEXP : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{8}$$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{9}$$

Let  $c\_2Earithmetic\_2E\_2A : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2A \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{10}$$

**Definition 19** We define  $c\_2Enumeral\_2EiZ$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \tag{11}$$

**Definition 20** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic$

Let  $ty\_2Eordinal\_2Eordinal : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Eordinal\_2Eordinal\ A0) \quad (12)$$

Let  $c\_2Eordinal\_2EordEXP : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eordinal\_2EordEXP\ A\_27a \in ((ty\_2Eordinal\_2Eordinal\ A\_27a)^{(ty\_2Eordinal\_2Eordinal\ A\_27a)})^{(ty\_2Eordinal\_2Eordinal\ A\_27a)} \quad (13)$$

**Definition 21** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

**Definition 22** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic\_2EBIT1\ V0n))$ .

**Definition 23** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \quad (14)$$

Let  $ty\_2Ewellorder\_2Ewellorder : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ewellorder\_2Ewellorder\ A0) \quad (15)$$

Let  $c\_2Eordinal\_2Eordinal\_REP\_CLASS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eordinal\_2Eordinal\_REP\_CLASS\ A\_27a \in ((2^{(ty\_2Ewellorder\_2Ewellorder\ (ty\_2Esum\_2Esum\ ty\_2Enum\_2Enum\ A\_27a))})^{(ty\_2Eordinal\_2Eordinal\ A\_27a)}) \quad (16)$$

**Definition 24** We define  $c\_2Eordinal\_2Eordinal\_REP$  to be  $\lambda A\_27a : \iota.\lambda V0a \in (ty\_2Eordinal\_2Eordinal\ A\_27a).V0a$ .

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (17)$$

Let  $c\_2Ewellorder\_2Ewellorder\_REP : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ewellorder\_2Ewellorder\_REP\ A\_27a \in ((2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)})^{(ty\_2Ewellorder\_2Ewellorder\ A\_27a)}) \quad (18)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (19)$$

**Definition 25** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2$

**Definition 26** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2ESND \\ A\_27a A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod A\_27a A\_27b)}) \end{aligned} \quad (20)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EFST \\ A\_27a A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod A\_27a A\_27b)}) \end{aligned} \quad (21)$$

**Definition 27** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c^{A\_27a}$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod A\_27a 2)^{A\_27b}}) \end{aligned} \quad (22)$$

**Definition 28** We define  $c\_2Eset\_relation\_2Estrict$  to be  $\lambda A\_27a : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod A\_27a A\_27a)})$

**Definition 29** We define  $c\_2Ewellorder\_2Eiseg$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2Ewellorder\_2Ewellorder A\_27a)$

**Definition 30** We define  $c\_2Eset\_relation\_2Errestrict$  to be  $\lambda A\_27a : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod A\_27a A\_27a)})$

Let  $c\_2Ewellorder\_2Ewellorder\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow c\_2Ewellorder\_2Ewellorder\_ABS \\ A\_27a \in ((ty\_2Ewellorder\_2Ewellorder A\_27a)^{(2^{(ty\_2Epair\_2Eprod A\_27a A\_27a)})}) \end{aligned} \quad (23)$$

**Definition 31** We define  $c\_2Ewellorder\_2Ewobound$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1w \in (ty\_2Ewellorder A\_27a)$

**Definition 32** We define  $c\_2Eset\_relation\_2Erangle$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod A\_27a A\_27b)})$

**Definition 33** We define  $c\_2Eset\_relation\_2Edomain$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod A\_27a A\_27b)})$

**Definition 34** We define  $c\_2Epred\_set\_2EUNION$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap (c\_2$

**Definition 35** We define  $c\_2Ewellorder\_2EelsOf$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2Ewellorder\_2Ewellorder A\_27a)$

**Definition 36** We define  $c\_2Ewellorder\_2Eorderiso$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0w1 \in (ty\_2Ewellorder\_2Ewellorder A\_27a)$

**Definition 37** We define  $c\_2Ewellorder\_2Eorderlt$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0w1 \in (ty\_2Ewellorder\_2Ewellorder A\_27a)$

**Definition 38** We define  $c\_2Eordinal\_2Eordlt$  to be  $\lambda A\_27a : \iota.\lambda V0T1 \in (ty\_2Eordinal\_2Eordinal A\_27a)$

**Definition 39** We define  $c\_2Eordinal\_2Eoleast$  to be  $\lambda A\_27a : \iota. \lambda V0P \in (2^{(ty\_2Eordinal\_2Eordinal\ A\_27a)}).$  (ap

**Definition 40** We define  $c\_2Eordinal\_2EordSUC$  to be  $\lambda A\_27a : \iota. \lambda V0a \in (ty\_2Eordinal\_2Eordinal\ A\_27a)$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \quad (24)$$

**Definition 41** We define  $c\_2Eone\_2Eone$  to be (ap (c\\_2Emin\\_2E\\_40  $ty\_2Eone\_2Eone$ ) ( $\lambda V0x \in ty\_2Eone\_2Eone$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a. nonempty\ A\_27a \Rightarrow \forall A\_27b. nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum \\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \end{aligned} \quad (25)$$

**Definition 42** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27b. (ap (c\_2Esum\_2EABS$

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty\_2Eoption\_2Eoption\ A0) \quad (26)$$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a. nonempty\ A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS\ A\_27a \in \\ ((ty\_2Eoption\_2Eoption\ A\_27a)^{(ty\_2Esum\_2Esum\ A\_27a\ ty\_2Eone\_2Eone)}) \end{aligned} \quad (27)$$

**Definition 43** We define  $c\_2Eoption\_2EENONE$  to be  $\lambda A\_27a : \iota. (ap (c\_2Eoption\_2Eoption\_ABS\ A\_27a)$  (

**Definition 44** We define  $c\_2Eordinal\_2Epreds$  to be  $\lambda A\_27a : \iota. \lambda V0w \in (ty\_2Eordinal\_2Eordinal\ A\_27a).$  (

**Definition 45** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2Ebool\_2Eef).$

**Definition 46** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. \lambda V1s \in (2^{A\_27a}). (ap (c\_2E$

**Definition 47** We define  $c\_2Eset\_relation\_2Emaximal\_elements$  to be  $\lambda A\_27a : \iota. \lambda V0xs \in (2^{A\_27a}). \lambda V1r \in$

**Definition 48** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27a. (ap (c\_2Esum\_2EABS$

**Definition 49** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. (ap (c\_2Eoption\_2Eoption$

**Definition 50** We define  $c\_2Eoption\_2ESome$  to be  $\lambda A\_27a : \iota. \lambda V0P \in (2^{A\_27a}). (ap (ap (ap (c\_2Ebool\_2Eec$

**Definition 51** We define  $c\_2Eordinal\_2Eomax$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{(ty\_2Eordinal\_2Eordinal\ A\_27a)}).$  (ap (

**Definition 52** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (A\_27b^{A\_27a}). \lambda V1s \in$

**Definition 53** We define  $c\_2Epred\_set\_2EBIGUNION$  to be  $\lambda A\_27a : \iota. \lambda V0P \in (2^{(2^{A\_27a})}). (ap (c\_2Epred\_s$

**Definition 54** We define  $c\_2Eordinal\_2Esup$  to be  $\lambda A\_27a : \iota. \lambda V0ordset \in (2^{(ty\_2Eordinal\_2Eordinal\ A\_27a)}).$  (

**Definition 55** We define  $c\_2Epred\_set\_2EUNIV$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a.c\_2Ebool\_2ET)$ .

**Definition 56** We define  $c\_2Epred\_set\_2EINJ$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (A\_27b^{A\_27a}). \lambda V1s \in (2^A$

**Definition 57** We define  $c\_2Ecardinal\_2Ecardleq$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0s1 \in (2^{A\_27a}). \lambda V1s2 \in (2^A$

Let  $c\_2Eordinal\_2EfromNat : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eordinal\_2EfromNat\ A\_27a \in ( (ty\_2Eordinal\_2Eordinal\ A\_27a)^{ty\_2Enum\_2Enum} ) \quad (28)$$

Let  $c\_2Eordinal\_2EordMULT : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eordinal\_2EordMULT\ A\_27a \in ( ((ty\_2Eordinal\_2Eordinal\ A\_27a)^{(ty\_2Eordinal\_2Eordinal\ A\_27a)})^{(ty\_2Eordinal\_2Eordinal\ A\_27a)} ) \quad (29)$$

Assume the following.

$$True \quad (30)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (31)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p\ V0t))) \quad (32)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (33)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (34)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (35)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \quad (36)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (37)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(V0x = V0x)) \quad (38)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (39)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (40)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (41)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).((\neg(\forall V1x \in A\_27a.(p (ap V0P V1x)))) \Leftrightarrow (\exists V2x \in A\_27a.(\neg(p (ap V0P V2x))))) \quad (42)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).((\neg(\exists V1x \in A\_27a.(p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A\_27a.(\neg(p (ap V0P V2x))))) \quad (43)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.((\neg((p V0A) \Rightarrow (p V1B))) \Leftrightarrow ((p V0A) \wedge (\neg(p V1B))))) \quad (44)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A) \vee (\neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A) \wedge (\neg(p V1B))))) \quad (45)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))) \quad (46)$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in 2. (\forall V1x_{.27} \in 2. (\forall V2y \in 2. (\forall V3y_{.27} \in \\
& 2. (((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow \quad (47) \\
& (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27}))))))
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow \forall A_{.27b}. \text{nonempty } A_{.27b} \Rightarrow \forall A_{.27c}. \\
& \text{nonempty } A_{.27c} \Rightarrow (\forall V0f \in (A_{.27c}^{A_{.27a}}). (\forall V1s \in (2^{A_{.27a}}). \\
& (\forall V2t \in (2^{A_{.27b}}). ((p (ap (ap (c_{.2} \text{Ecardinal}_{.2} \text{Ecardleq } A_{.27a} \\
& A_{.27b}) V1s) V2t)) \Rightarrow (p (ap (ap (c_{.2} \text{Ecardinal}_{.2} \text{Ecardleq } A_{.27c} A_{.27b}) \\
& (ap (ap (c_{.2} \text{Epred}_{.set}_{.2} \text{EIMAGE } A_{.27a} A_{.27c}) V0f) V1s)) V2t)))))) \quad (48)
\end{aligned}$$



Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B \\
& \quad c\_2Enum\_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty\_2Enum\_2Enum.((ap \\
& \quad (ap c\_2Earithmetic\_2E\_2B V1n) c\_2Enum\_2E0) = V1n)) \wedge ((\forall V2n \in \\
& \quad ty\_2Enum\_2Enum.(\forall V3m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V2n)) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V3m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Enumeral\_2EiZ (ap \\
& \quad (ap c\_2Earithmetic\_2E\_2B V2n) V3m)))))) \wedge ((\forall V4n \in ty\_2Enum\_2Enum. \\
& \quad ((ap (ap c\_2Earithmetic\_2E\_2A c\_2Enum\_2E0) V4n) = c\_2Enum\_2E0)) \wedge \\
& \quad ((\forall V5n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A \\
& \quad V5n) c\_2Enum\_2E0) = c\_2Enum\_2E0)) \wedge ((\forall V6n \in ty\_2Enum\_2Enum. \\
& \quad (\forall V7m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A ( \\
& \quad ap c\_2Earithmetic\_2ENUMERAL V6n)) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V7m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2A \\
& \quad V6n) V7m)))))) \wedge ((\forall V8n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D \\
& \quad c\_2Enum\_2E0) V8n) = c\_2Enum\_2E0)) \wedge ((\forall V9n \in ty\_2Enum\_2Enum. \\
& \quad ((ap (ap c\_2Earithmetic\_2E\_2D V9n) c\_2Enum\_2E0) = V9n)) \wedge ((\forall V10n \in \\
& \quad ty\_2Enum\_2Enum.(\forall V11m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V10n)) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V11m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D \\
& \quad V10n) V11m)))))) \wedge ((\forall V12n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEXP \\
& \quad c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
& \quad V12n))) = c\_2Enum\_2E0)) \wedge ((\forall V13n \in ty\_2Enum\_2Enum.((ap \\
& \quad (ap c\_2Earithmetic\_2EEXP c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Earithmetic\_2EBIT2 V13n))) = c\_2Enum\_2E0)) \wedge ((\forall V14n \in \\
& \quad ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEXP V14n) c\_2Enum\_2E0) = \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) \wedge \\
& \quad ((\forall V15n \in ty\_2Enum\_2Enum.(\forall V16m \in ty\_2Enum\_2Enum. \\
& \quad ((ap (ap c\_2Earithmetic\_2EEXP (ap c\_2Earithmetic\_2ENUMERAL V15n)) \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V16m)) = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap (ap c\_2Earithmetic\_2EEXP V15n) V16m)))))) \wedge ((ap c\_2Enum\_2ESUC \\
& \quad c\_2Enum\_2E0) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
& \quad c\_2Earithmetic\_2EZERO))) \wedge ((\forall V17n \in ty\_2Enum\_2Enum. ( \\
& \quad (ap c\_2Enum\_2ESUC (ap c\_2Earithmetic\_2ENUMERAL V17n)) = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Enum\_2ESUC V17n)))) \wedge ((ap c\_2Eprim\_rec\_2EPRE c\_2Enum\_2E0) = \\
& \quad c\_2Enum\_2E0) \wedge ((\forall V18n \in ty\_2Enum\_2Enum.((ap c\_2Eprim\_rec\_2EPRE \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V18n)) = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Eprim\_rec\_2EPRE V18n)))) \wedge ((\forall V19n \in ty\_2Enum\_2Enum. \\
& \quad (((ap c\_2Earithmetic\_2ENUMERAL V19n) = c\_2Enum\_2E0) \Leftrightarrow (V19n = c\_2Earithmetic\_2EZERO))) \wedge \\
& \quad ((\forall V20n \in ty\_2Enum\_2Enum.((c\_2Enum\_2E0 = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V20n)) \Leftrightarrow (V20n = c\_2Earithmetic\_2EZERO))) \wedge ((\forall V21n \in ty\_2Enum\_2Enum. \\
& \quad (\forall V22m \in ty\_2Enum\_2Enum.(((ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V21n) = (ap c\_2Earithmetic\_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))) \wedge \\
& \quad ((\forall V23n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V23n) c\_2Enum\_2E0)) \Leftrightarrow False)) \wedge ((\forall V24n \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V24n))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) \\
& \quad V24n)))) \wedge ((\forall V25n \in ty\_2Enum\_2Enum.(\forall V26m \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Eprim\_rec\_2E\_3C (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V25n)) (ap c\_2Earithmetic\_2ENUMERAL V26m))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V25n) V26m)))))) \wedge ((\forall V27n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3E \\
& \quad c\_2Enum\_2E0) V27n)) \Leftrightarrow False)) \wedge ((\forall V28n \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Earithmetic\_2E\_3E (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V28n)) c\_2Enum\_2E0)) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) \\
& \quad V28n)))) \wedge ((\forall V29n \in ty\_2Enum\_2Enum.(\forall V30m \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Earithmetic\_2E\_3E (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V29n)) (ap c\_2Earithmetic\_2ENUMERAL V30m))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V30m) V29n)))))) \wedge ((\forall V31n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& \quad c\_2Enum\_2E0) V31n)) \Leftrightarrow True)) \wedge ((\forall V32n \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2ENUMERAL
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\
& ((c\_2Earithmetic\_2EZERO = (ap\ c\_2Earithmetic\_2EBIT1\ V0n)) \Leftrightarrow False) \wedge \\
& (((ap\ c\_2Earithmetic\_2EBIT1\ V0n) = c\_2Earithmetic\_2EZERO) \Leftrightarrow \\
& False) \wedge (((c\_2Earithmetic\_2EZERO = (ap\ c\_2Earithmetic\_2EBIT2 \\
& V0n)) \Leftrightarrow False) \wedge (((ap\ c\_2Earithmetic\_2EBIT2\ V0n) = c\_2Earithmetic\_2EZERO) \Leftrightarrow \\
& False) \wedge (((ap\ c\_2Earithmetic\_2EBIT1\ V0n) = (ap\ c\_2Earithmetic\_2EBIT2 \\
& V1m)) \Leftrightarrow False) \wedge (((ap\ c\_2Earithmetic\_2EBIT2\ V0n) = (ap\ c\_2Earithmetic\_2EBIT1 \\
& V1m)) \Leftrightarrow False) \wedge (((ap\ c\_2Earithmetic\_2EBIT1\ V0n) = (ap\ c\_2Earithmetic\_2EBIT1 \\
& V1m)) \Leftrightarrow (V0n = V1m)) \wedge (((ap\ c\_2Earithmetic\_2EBIT2\ V0n) = (ap\ c\_2Earithmetic\_2EBIT2 \\
& V1m)) \Leftrightarrow (V0n = V1m))))))))) \\
\end{aligned} \tag{50}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in (ty\_2Eordinal\_2Eordinal \\
& A\_27a). (\forall V1w \in (ty\_2Eordinal\_2Eordinal\ A\_27a). ((p\ (ap \\
& (ap\ (c\_2Ebool\_2EIN\ (ty\_2Eordinal\_2Eordinal\ A\_27a))\ V0x)\ (ap\ ( \\
& c\_2Eordinal\_2Epreds\ A\_27a)\ V1w))) \Leftrightarrow (p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt \\
& A\_27a)\ V0x)\ V1w)))))) \\
\end{aligned} \tag{51}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0ord \in (ty\_2Eordinal\_2Eordinal \\
& A\_27a). (p\ (ap\ (ap\ (c\_2Ecardinal\_2Ecardleq\ (ty\_2Eordinal\_2Eordinal \\
& A\_27a)\ (ty\_2Esum\_2Esum\ ty\_2Enum\_2Enum\ A\_27a))\ (ap\ (c\_2Eordinal\_2Epreds \\
& A\_27a)\ V0ord))\ (c\_2Epred\_set\_2EUNIV\ (ty\_2Esum\_2Esum\ ty\_2Enum\_2Enum \\
& A\_27a)))))) \\
\end{aligned} \tag{52}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in (ty\_2Eordinal\_2Eordinal \\
& A\_27a). (((ap\ (c\_2Eordinal\_2Epreds\ A\_27a)\ V0x) = (c\_2Epred\_set\_2EEMPTY \\
& (ty\_2Eordinal\_2Eordinal\ A\_27a))) \Leftrightarrow (V0x = (ap\ (c\_2Eordinal\_2EfromNat \\
& A\_27a)\ c\_2Enum\_2E0)))) \\
\end{aligned} \tag{53}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(ty.2Eordinal.2Eordinal\ A.27a)}), \\
& ((p\ (ap\ V0P\ (ap\ (c.2Eordinal.2EfromNat\ A.27a)\ c.2Enum.2E0))) \wedge \\
& ((\forall V1a \in (ty.2Eordinal.2Eordinal\ A.27a).((p\ (ap\ V0P\ V1a)) \Rightarrow \\
& (p\ (ap\ V0P\ (ap\ (c.2Eordinal.2EordSUC\ A.27a)\ V1a)))))) \wedge (\forall V2a \in \\
& (ty.2Eordinal.2Eordinal\ A.27a).(((ap\ (c.2Eordinal.2Eomax \\
& A.27a)\ (ap\ (c.2Eordinal.2Epreds\ A.27a)\ V2a)) = (c.2Eoption.2ENONE \\
& (ty.2Eordinal.2Eordinal\ A.27a))) \wedge ((p\ (ap\ (ap\ (c.2Eordinal.2Eordlt \\
& A.27a)\ (ap\ (c.2Eordinal.2EfromNat\ A.27a)\ c.2Enum.2E0))\ V2a)) \wedge \\
& (\forall V3b \in (ty.2Eordinal.2Eordinal\ A.27a).((p\ (ap\ (ap\ (c.2Eordinal.2Eordlt \\
& A.27a)\ V3b)\ V2a)) \Rightarrow (p\ (ap\ V0P\ V3b)))))) \Rightarrow (p\ (ap\ V0P\ V2a)))))) \Rightarrow (\forall V4a \in \\
& (ty.2Eordinal.2Eordinal\ A.27a).(p\ (ap\ V0P\ V4a))))))
\end{aligned} \tag{54}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in ty.2Enum.2Enum.( \\
& \forall V1y \in ty.2Enum.2Enum.(((ap\ (c.2Eordinal.2EfromNat\ A.27a) \\
& V0x) = (ap\ (c.2Eordinal.2EfromNat\ A.27a)\ V1y)) \Leftrightarrow (V0x = V1y))))
\end{aligned} \tag{55}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0n \in ty.2Enum.2Enum.( \\
& \forall V1m \in ty.2Enum.2Enum.((p\ (ap\ (ap\ (c.2Eordinal.2Eordlt \\
& A.27a)\ (ap\ (c.2Eordinal.2EfromNat\ A.27a)\ V0n))\ (ap\ (c.2Eordinal.2EfromNat \\
& A.27a)\ V1m)))) \Leftrightarrow (p\ (ap\ (ap\ c.2Eprim...rec.2E.3C\ V0n)\ V1m))))))
\end{aligned} \tag{56}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow ((\forall V0a \in (ty.2Eordinal.2Eordinal \\
& A.27a).((ap\ (ap\ (c.2Eordinal.2EordEXP\ A.27a)\ V0a)\ (ap\ (c.2Eordinal.2EfromNat \\
& A.27a)\ c.2Enum.2E0)) = (ap\ (c.2Eordinal.2EfromNat\ A.27a)\ (ap\ c.2Earithmetic.2ENUMERAL \\
& (ap\ c.2Earithmetic.2EBIT1\ c.2Earithmetic.2EZERO)))))) \wedge ((\forall V1a \in \\
& (ty.2Eordinal.2Eordinal\ A.27a).(\forall V2a.27 \in (ty.2Eordinal.2Eordinal \\
& A.27a).((ap\ (ap\ (c.2Eordinal.2EordEXP\ A.27a)\ V1a)\ (ap\ (c.2Eordinal.2EordSUC \\
& A.27a)\ V2a.27)) = (ap\ (ap\ (c.2Eordinal.2EordMULT\ A.27a)\ (ap\ (ap \\
& (c.2Eordinal.2EordEXP\ A.27a)\ V1a)\ V2a.27))\ V1a)))) \wedge (\forall V3a \in \\
& (ty.2Eordinal.2Eordinal\ A.27a).(\forall V4a.27 \in (ty.2Eordinal.2Eordinal \\
& A.27a).(((p\ (ap\ (ap\ (c.2Eordinal.2Eordlt\ A.27a)\ (ap\ (c.2Eordinal.2EfromNat \\
& A.27a)\ c.2Enum.2E0))\ V4a.27)) \wedge ((ap\ (c.2Eordinal.2Eomax\ A.27a) \\
& (ap\ (c.2Eordinal.2Epreds\ A.27a)\ V4a.27)) = (c.2Eoption.2ENONE \\
& (ty.2Eordinal.2Eordinal\ A.27a)))))) \Rightarrow ((ap\ (ap\ (c.2Eordinal.2EordEXP \\
& A.27a)\ V3a)\ V4a.27) = (ap\ (c.2Eordinal.2Esup\ A.27a)\ (ap\ (ap\ (c.2Epred...set.2EIMAGE \\
& (ty.2Eordinal.2Eordinal\ A.27a)\ (ty.2Eordinal.2Eordinal\ A.27a)) \\
& (ap\ (c.2Eordinal.2EordEXP\ A.27a)\ V3a))\ (ap\ (c.2Eordinal.2Epreds \\
& A.27a)\ V4a.27)))))))))
\end{aligned} \tag{57}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in (ty\_2Eordinal\_2Eordinal \\
& A\_27a).(((\neg(V0x = (ap\ (c\_2Eordinal\_2EfromNat\ A\_27a)\ c\_2Enum\_2E0))) \Leftrightarrow \\
& (p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt\ A\_27a)\ (ap\ (c\_2Eordinal\_2EfromNat \\
& A\_27a)\ c\_2Enum\_2E0))\ V0x))) \wedge ((\neg(p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt \\
& A\_27a)\ V0x)\ (ap\ (c\_2Eordinal\_2EfromNat\ A\_27a)\ (ap\ c\_2Earithmetic\_2ENUMERAL \\
& (ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO)))))) \Leftrightarrow (p\ ( \\
& ap\ (ap\ (c\_2Eordinal\_2Eordlt\ A\_27a)\ (ap\ (c\_2Eordinal\_2EfromNat \\
& A\_27a)\ c\_2Enum\_2E0))\ V0x))))))
\end{aligned} \tag{58}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in (ty\_2Eordinal\_2Eordinal \\
& A\_27a).(((ap\ (c\_2Eordinal\_2Eomax\ A\_27a)\ (ap\ (c\_2Eordinal\_2Epreds \\
& A\_27a)\ (ap\ (c\_2Eordinal\_2EordSUC\ A\_27a)\ V0x))) = (c\_2Eoption\_2ENONE \\
& (ty\_2Eordinal\_2Eordinal\ A\_27a))) \Leftrightarrow False))
\end{aligned} \tag{59}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in ty\_2Enum\_2Enum.( \\
& ((ap\ (c\_2Eordinal\_2Eomax\ A\_27a)\ (ap\ (c\_2Eordinal\_2Epreds\ A\_27a) \\
& (ap\ (c\_2Eordinal\_2EfromNat\ A\_27a)\ V0x))) = (c\_2Eoption\_2ENONE \\
& (ty\_2Eordinal\_2Eordinal\ A\_27a))) \Leftrightarrow (V0x = c\_2Enum\_2E0)))
\end{aligned} \tag{60}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{(ty\_2Eordinal\_2Eordinal\ A\_27a)}). \\
& ((p\ (ap\ (ap\ (c\_2Ecardinal\_2Ecardleq\ (ty\_2Eordinal\_2Eordinal \\
& A\_27a)\ (ty\_2Esum\_2Esum\ ty\_2Enum\_2Enum\ A\_27a))\ V0s)\ (c\_2Epred\_set\_2EUNIV \\
& (ty\_2Esum\_2Esum\ ty\_2Enum\_2Enum\ A\_27a)))) \Rightarrow (((ap\ (c\_2Eordinal\_2Esup \\
& A\_27a)\ V0s) = (ap\ (c\_2Eordinal\_2EfromNat\ A\_27a)\ c\_2Enum\_2E0)) \Leftrightarrow \\
& ((V0s = (c\_2Epred\_set\_2EEMPTY\ (ty\_2Eordinal\_2Eordinal\ A\_27a))) \vee \\
& (V0s = (ap\ (ap\ (c\_2Epred\_set\_2EINSERT\ (ty\_2Eordinal\_2Eordinal \\
& A\_27a))\ (ap\ (c\_2Eordinal\_2EfromNat\ A\_27a)\ c\_2Enum\_2E0))\ (c\_2Epred\_set\_2EEMPTY \\
& (ty\_2Eordinal\_2Eordinal\ A\_27a))))))
\end{aligned} \tag{61}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \forall V0f \in (A\_27a^{A\_27b}).(\forall V1s \in (2^{A\_27b}).(\forall V2x \in \\
& A\_27a.(((ap\ (ap\ (c\_2Epred\_set\_2EIMAGE\ A\_27b\ A\_27a)\ V0f)\ V1s) = \\
& (ap\ (ap\ (c\_2Epred\_set\_2EINSERT\ A\_27a)\ V2x)\ (c\_2Epred\_set\_2EEMPTY \\
& A\_27a)))) \Leftrightarrow ((\exists V3y \in A\_27b.(p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27b) \\
& V3y)\ V1s))) \wedge (\forall V4y \in A\_27b.((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27b) \\
& V4y)\ V1s)) \Rightarrow ((ap\ V0f\ V4y) = V2x))))))
\end{aligned} \tag{62}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in (ty\_2Eordinal\_2Eordinal \\ & \quad A\_27a).(\forall V1y \in (ty\_2Eordinal\_2Eordinal\ A\_27a).(((ap\ ( \\ & \quad ap\ (c\_2Eordinal\_2EordMULT\ A\_27a)\ V0x)\ V1y) = (ap\ (c\_2Eordinal\_2EfromNat \\ & \quad A\_27a)\ c\_2Enum\_2E0)) \Leftrightarrow ((V0x = (ap\ (c\_2Eordinal\_2EfromNat\ A\_27a) \\ & \quad c\_2Enum\_2E0)) \vee (V1y = (ap\ (c\_2Eordinal\_2EfromNat\ A\_27a)\ c\_2Enum\_2E0)))))) \end{aligned} \quad (63)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0s \in (2^{A\_27a}).(\forall V1f \in (A\_27b^{A\_27a}).(((ap\ (ap\ ( \\ & \quad c\_2Epred\_set\_2EIMAGE\ A\_27a\ A\_27b)\ V1f)\ V0s) = (c\_2Epred\_set\_2EEMPTY \\ & \quad A\_27b)) \Leftrightarrow (V0s = (c\_2Epred\_set\_2EEMPTY\ A\_27a)))))) \end{aligned} \quad (64)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum.(\neg(p\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C\ V0n)\ c\_2Enum\_2E0)))) \quad (65)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (66)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (67)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & \quad (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \end{aligned} \quad (68)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & \quad ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \end{aligned} \quad (69)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (70)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow ( \\ & \quad (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\ & \quad p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\ & \quad ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \end{aligned} \quad (71)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \quad (72)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge ((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (73)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \quad (74)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (75)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \quad (76)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (77)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \quad (78)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (79)$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (80)$$

### Theorem 1

$$\forall A\_27a. \text{nonempty } A\_27a \Rightarrow (\forall V0y \in (ty\_2Eordinal\_2Eordinal A\_27a). (\forall V1x \in (ty\_2Eordinal\_2Eordinal A\_27a). (((ap (c\_2Eordinal\_2EordEXP A\_27a) V1x) V0y) = (ap (c\_2Eordinal\_2EfromNat A\_27a) c\_2Enum\_2E0)) \Leftrightarrow ((V1x = (ap (c\_2Eordinal\_2EfromNat A\_27a) c\_2Enum\_2E0)) \wedge (\neg((ap (c\_2Eordinal\_2Eomax A\_27a) (ap (c\_2Eordinal\_2Epreds A\_27a) V0y)) = (c\_2Eoption\_2EONE (ty\_2Eordinal\_2Eordinal A\_27a))))))))$$