

thm\_2Eordinal\_2EordEXP\_le\_MONO\_L  
(TMSmJWz7XeidunZL6jVG9G6WEHhr98o3ms3)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Epred\_set\_2EUNIV$  to be  $\lambda A.27a : \iota.(\lambda V0x \in A.27a.c\_2Ebool\_2E\_2ET)$ .

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Esum\_2Esum A0 A1) \tag{1}$$

**Definition 4** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 5** We define  $c\_2Ebool\_2E\_2EIN$  to be  $\lambda A.27a : \iota.(\lambda V0x \in A.27a.(\lambda V1f \in (2^{A-27a}).(ap V1f V0x)))$

**Definition 6** We define  $c\_2Ebool\_2E\_2E21$  to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a})))$

**Definition 7** We define  $c\_2Ebool\_2E\_2E2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_2E21 2) (\lambda V2t \in 2.V2t)))$

**Definition 8** We define  $c\_2Epred\_set\_2EINJ$  to be  $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0f \in (A.27b^{A-27a}).\lambda V1s \in (2^{A-27a}).$

**Definition 9** We define  $c\_2Emin\_2E\_2E40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 10** We define  $c\_2Ebool\_2E\_2E3F$  to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c\_2Emin\_2E\_2E40 (2^{A-27a})))$

**Definition 11** We define  $c\_2Ecardinal\_2Ecardleq$  to be  $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0s1 \in (2^{A-27a}).\lambda V1s2 \in (2^{A-27a}).$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty ty\_2Enum\_2Enum \tag{2}$$

Let  $ty\_2Ewellorder\_2Ewellorder : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ewellorder\_2Ewellorder\ A0) \quad (3)$$

Let  $ty\_2Eordinal\_2Eordinal : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Eordinal\_2Eordinal\ A0) \quad (4)$$

Let  $c\_2Eordinal\_2Eordinal\_REP\_CLASS : \iota \Rightarrow \iota$  be given. Assume the following.

$$A\_27a \in ((2^{(ty\_2Ewellorder\_2Ewellorder\ (ty\_2Esum\_2Esum\ ty\_2Enum\_2Enum\ A\_27a))})^{(ty\_2Eordinal\_2Eordinal\ A\_27a)}) \quad (5)$$

**Definition 12** We define  $c\_2Eordinal\_2Eordinal\_REP$  to be  $\lambda A\_27a : \iota.\lambda V0a \in (ty\_2Eordinal\_2Eordinal\ A\_27a)$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (6)$$

Let  $c\_2Ewellorder\_2Ewellorder\_REP : \iota \Rightarrow \iota$  be given. Assume the following.

$$A\_27a \in ((2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)})^{(ty\_2Ewellorder\_2Ewellorder\ A\_27a)}) \quad (7)$$

**Definition 13** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 14** We define  $c\_2Ebool\_2E7E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E21\ 2))$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (8)$$

**Definition 15** We define  $c\_2Epair\_2E2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Ebool\_2E7E\ (ap\ (c\_2Ebool\_2E21\ 2)\ V0x)\ V1y))$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND\ A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (9)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (10)$$



**Definition 34** We define  $c\_2Eone\_2Eone$  to be  $(ap (c\_2Emin\_2E\_40 ty\_2Eone\_2Eone) (\lambda V0x \in ty\_2Eone\_2Eone))$   
 Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Esum\_2EABS\_sum A\_27a A\_27b \in ((ty\_2Esum\_2Esum A\_27a A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \quad (14)$$

**Definition 35** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27b. (ap (c\_2Esum\_2EABS\_sum A\_27a A\_27b) (ty\_2Eone\_2Eone e))$   
 Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Eoption\_2Eoption A0) \quad (15)$$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS A\_27a \in ((ty\_2Eoption\_2Eoption A\_27a)^{ty\_2Esum\_2Esum A\_27a ty\_2Eone\_2Eone}) \quad (16)$$

**Definition 36** We define  $c\_2Eoption\_2EONE$  to be  $\lambda A\_27a : \iota. (ap (c\_2Eoption\_2Eoption\_ABS A\_27a) (ty\_2Eone\_2Eone))$

**Definition 37** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. c\_2Ebool\_2E2F)$ .

**Definition 38** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. \lambda V1s \in (2^{A\_27a}). (ap (c\_2Ebool\_2E2F) (V1s x))$

**Definition 39** We define  $c\_2Eset\_relation\_2Emaximal\_elements$  to be  $\lambda A\_27a : \iota. \lambda V0xs \in (2^{A\_27a}). \lambda V1r \in (2^{A\_27a}). (ap (c\_2Ebool\_2E2F) (V1r xs))$

**Definition 40** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27a. (ap (c\_2Esum\_2EABS\_sum A\_27a A\_27b) (ty\_2Eone\_2Eone e))$

**Definition 41** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. (ap (c\_2Eoption\_2Eoption\_ABS A\_27a) (ty\_2Eone\_2Eone x))$

**Definition 42** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. (ap (c\_2Ebool\_2E2F) (V2t2 t1))))$

**Definition 43** We define  $c\_2Eoption\_2ESome$  to be  $\lambda A\_27a : \iota. \lambda V0P \in (2^{A\_27a}). (ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) (V0P)) (ty\_2Eone\_2Eone)))$

**Definition 44** We define  $c\_2Eordinal\_2Eomax$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{(ty\_2Eordinal\_2Eordinal A\_27a)}). (ap (c\_2Ebool\_2E2F) (V0s))$

Let  $c\_2Eordinal\_2EordMULT : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Eordinal\_2EordMULT A\_27a \in ((ty\_2Eordinal\_2Eordinal A\_27a)^{ty\_2Eordinal\_2Eordinal A\_27a})^{ty\_2Eordinal\_2Eordinal A\_27a} \quad (17)$$

**Definition 45** We define  $c\_2Eordinal\_2EordSUC$  to be  $\lambda A\_27a : \iota. \lambda V0a \in (ty\_2Eordinal\_2Eordinal A\_27a)$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (18)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (19)$$

**Definition 46** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 47** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (20)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{omega}) \quad (21)$$

**Definition 48** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (22)$$

**Definition 49** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic$

**Definition 50** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Eordinal\_2EfromNat : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eordinal\_2EfromNat\ A\_27a \in ( (ty\_2Eordinal\_2Eordinal\ A\_27a)^{ty\_2Enum\_2Enum} ) \quad (23)$$

Let  $c\_2Eordinal\_2EordEXP : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eordinal\_2EordEXP\ A\_27a \in ( ( (ty\_2Eordinal\_2Eordinal\ A\_27a)^{ty\_2Eordinal\_2Eordinal\ A\_27a} )^{(ty\_2Eordinal\_2Eordinal\ A\_27a)} ) \quad (24)$$

**Definition 51** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

Assume the following.

$$True \quad (25)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (27)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (28)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge \\
& (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (29)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (( \\
& (p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \quad (30)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge \\
& ((\neg False) \Leftrightarrow True))) \quad (31)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow \\
& True)) \quad (32)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in \\
& A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (33)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\
& p \ V0t)))))) \quad (34)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).((\neg(\exists V1x \in \\
& A\_27a.(p \ (ap \ V0P \ V1x)))) \Leftrightarrow (\forall V2x \in A\_27a.(\neg(p \ (ap \ V0P \ V2x)))))) \quad (35)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0Q \in 2.(\forall V1P \in ( \\
& 2^{A\_27a}).((\forall V2x \in A\_27a.((p \ (ap \ V1P \ V2x)) \vee (p \ V0Q))) \Leftrightarrow ((\forall V3x \in \\
& A\_27a.(p \ (ap \ V1P \ V3x)) \vee (p \ V0Q)))))) \quad (36)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p \ V0A) \wedge (p \ V1B))) \Leftrightarrow ((\neg( \\
& p \ V0A)) \vee (\neg(p \ V1B)))) \wedge ((\neg((p \ V0A) \vee (p \ V1B))) \Leftrightarrow ((\neg(p \ V0A)) \wedge (\neg(p \ V1B)))))) \quad (37)
\end{aligned}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (38)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (39)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow \forall A_{.27c}. \\ & nonempty A_{.27c} \Rightarrow (\forall V0f \in (A_{.27c}^{A_{.27a}}).(\forall V1s \in (2^{A_{.27a}}). \\ & (\forall V2t \in (2^{A_{.27b}}).((p (ap (ap (c_{.2}Ecardinal_{.2}Ecardleq A_{.27a} \\ & A_{.27b}) V1s) V2t)) \Rightarrow (p (ap (ap (c_{.2}Ecardinal_{.2}Ecardleq A_{.27c} A_{.27b}) \\ & (ap (ap (c_{.2}Epred_{.set}_{.2}EIMAGE A_{.27a} A_{.27c}) V0f) V1s)) V2t)))))) \end{aligned} \quad (40)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0w \in (ty_{.2}Eordinal_{.2}Eordinal A_{.27a}).(\neg (p (ap (ap (c_{.2}Eordinal_{.2}Eordlt A_{.27a}) V0w) V0w)))) \quad (41)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0x \in (ty_{.2}Eordinal_{.2}Eordinal \\ & A_{.27a}).(\forall V1w \in (ty_{.2}Eordinal_{.2}Eordinal A_{.27a}).((p (ap \\ & (ap (c_{.2}Ebool_{.2}EIN (ty_{.2}Eordinal_{.2}Eordinal A_{.27a}) V0x) (ap ( \\ & c_{.2}Eordinal_{.2}Epreds A_{.27a} V1w)))) \Leftrightarrow (p (ap (ap (c_{.2}Eordinal_{.2}Eordlt \\ & A_{.27a}) V0x) V1w)))))) \end{aligned} \quad (42)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0ord \in (ty_{.2}Eordinal_{.2}Eordinal \\ & A_{.27a}).(p (ap (ap (c_{.2}Ecardinal_{.2}Ecardleq (ty_{.2}Eordinal_{.2}Eordinal \\ & A_{.27a}) (ty_{.2}Esum_{.2}Esum ty_{.2}Enum_{.2}Enum A_{.27a})) (ap (c_{.2}Eordinal_{.2}Epreds \\ & A_{.27a}) V0ord)) (c_{.2}Epred_{.set}_{.2}EUNIV (ty_{.2}Esum_{.2}Esum ty_{.2}Enum_{.2}Enum \\ & A_{.27a})))))) \end{aligned} \quad (43)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0x \in (ty_{.2}Eordinal_{.2}Eordinal \\ & A_{.27a}).(\forall V1y \in (ty_{.2}Eordinal_{.2}Eordinal A_{.27a}).(\forall V2z \in \\ & (ty_{.2}Eordinal_{.2}Eordinal A_{.27a}).(((\neg (p (ap (ap (c_{.2}Eordinal_{.2}Eordlt \\ & A_{.27a}) V1y) V0x))) \wedge (\neg (p (ap (ap (c_{.2}Eordinal_{.2}Eordlt A_{.27a}) V2z) \\ & V1y)))) \Rightarrow (\neg (p (ap (ap (c_{.2}Eordinal_{.2}Eordlt A_{.27a}) V2z) V0x)))))) \end{aligned} \quad (44)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{(ty\_2Eordinal\_2Eordinal\ A.27a)}). \\
& \quad ((p\ (ap\ (ap\ (c\_2Ecardinal\_2Ecardleq\ (ty\_2Eordinal\_2Eordinal \\
& \quad A.27a)\ (ty\_2Esum\_2Esum\ ty\_2Enum\_2Enum\ A.27a))\ V0s)\ (c\_2Epred\_set\_2EUNIV \\
& \quad (ty\_2Esum\_2Esum\ ty\_2Enum\_2Enum\ A.27a)))) \Rightarrow (\forall V1a \in (ty\_2Eordinal\_2Eordinal \\
& \quad A.27a).((p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt\ A.27a)\ V1a)\ (ap\ (c\_2Eordinal\_2Esup \\
& \quad A.27a)\ V0s))) \Leftrightarrow (\exists V2b \in (ty\_2Eordinal\_2Eordinal\ A.27a). \\
& \quad ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Eordinal\_2Eordinal\ A.27a))\ V2b) \\
& \quad V0s)) \wedge (p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt\ A.27a)\ V1a)\ V2b))))))))) \\
& \hspace{15em} (45)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0f \in ((ty\_2Eordinal\_2Eordinal \\
& \quad A.27a)^{(ty\_2Eordinal\_2Eordinal\ A.27a)}).(\forall V1a \in (ty\_2Eordinal\_2Eordinal \\
& \quad A.27a).(\forall V2b \in (ty\_2Eordinal\_2Eordinal\ A.27a).((p\ (ap \\
& \quad (ap\ (c\_2Eordinal\_2Eordlt\ A.27a)\ V2b)\ (ap\ (c\_2Eordinal\_2Esup\ A.27a) \\
& \quad (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE\ (ty\_2Eordinal\_2Eordinal\ A.27a) \\
& \quad (ty\_2Eordinal\_2Eordinal\ A.27a))\ V0f)\ (ap\ (c\_2Eordinal\_2Epreds \\
& \quad A.27a)\ V1a)))))) \Leftrightarrow (\exists V3d \in (ty\_2Eordinal\_2Eordinal\ A.27a). \\
& \quad ((p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt\ A.27a)\ V3d)\ V1a)) \wedge (p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt \\
& \quad A.27a)\ V2b)\ (ap\ V0f\ V3d))))))))) \\
& \hspace{15em} (46)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(ty\_2Eordinal\_2Eordinal\ A.27a)}). \\
& \quad (((p\ (ap\ V0P\ (ap\ (c\_2Eordinal\_2EfromNat\ A.27a)\ c\_2Enum\_2E0))) \wedge \\
& \quad ((\forall V1a \in (ty\_2Eordinal\_2Eordinal\ A.27a).((p\ (ap\ V0P\ V1a)) \Rightarrow \\
& \quad (p\ (ap\ V0P\ (ap\ (c\_2Eordinal\_2EordSUC\ A.27a)\ V1a)))))) \wedge (\forall V2a \in \\
& \quad (ty\_2Eordinal\_2Eordinal\ A.27a).(((ap\ (c\_2Eordinal\_2Eomax \\
& \quad A.27a)\ (ap\ (c\_2Eordinal\_2Epreds\ A.27a)\ V2a)) = (c\_2Eoption\_2ENONE \\
& \quad (ty\_2Eordinal\_2Eordinal\ A.27a))) \wedge ((p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt \\
& \quad A.27a)\ (ap\ (c\_2Eordinal\_2EfromNat\ A.27a)\ c\_2Enum\_2E0))\ V2a)) \wedge \\
& \quad (\forall V3b \in (ty\_2Eordinal\_2Eordinal\ A.27a).((p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt \\
& \quad A.27a)\ V3b)\ V2a)) \Rightarrow (p\ (ap\ V0P\ V3b)))))) \Rightarrow (p\ (ap\ V0P\ V2a)))))) \Rightarrow (\forall V4a \in \\
& \quad (ty\_2Eordinal\_2Eordinal\ A.27a).(p\ (ap\ V0P\ V4a)))))) \\
& \hspace{15em} (47)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0n \in ty\_2Enum\_2Enum.( \\
& \quad \forall V1m \in ty\_2Enum\_2Enum.((p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt \\
& \quad A.27a)\ (ap\ (c\_2Eordinal\_2EfromNat\ A.27a)\ V0n))\ (ap\ (c\_2Eordinal\_2EfromNat \\
& \quad A.27a)\ V1m)))) \Leftrightarrow (p\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C\ V0n)\ V1m)))))) \\
& \hspace{15em} (48)
\end{aligned}$$



Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0a \in (ty\_2Eordinal\_2Eordinal \\ A.27a).(\forall V1b \in (ty\_2Eordinal\_2Eordinal\ A.27a).(\forall V2c \in \\ (ty\_2Eordinal\_2Eordinal\ A.27a).((\neg(p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt \\ A.27a)\ V1b)\ V0a))) \Rightarrow (\neg(p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt\ A.27a)\ (ap \\ (ap\ (c\_2Eordinal\_2EordMULT\ A.27a)\ V2c)\ V1b))\ (ap\ (ap\ (c\_2Eordinal\_2EordMULT \\ A.27a)\ V2c)\ V0a)))))))))) \end{aligned} \quad (49)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0a \in (ty\_2Eordinal\_2Eordinal \\ A.27a).(\forall V1b \in (ty\_2Eordinal\_2Eordinal\ A.27a).(\forall V2c \in \\ (ty\_2Eordinal\_2Eordinal\ A.27a).((\neg(p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt \\ A.27a)\ V1b)\ V0a))) \Rightarrow (\neg(p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt\ A.27a)\ (ap \\ (ap\ (c\_2Eordinal\_2EordMULT\ A.27a)\ V1b)\ V2c))\ (ap\ (ap\ (c\_2Eordinal\_2EordMULT \\ A.27a)\ V0a)\ V2c)))))))))) \end{aligned} \quad (50)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow ((\forall V0a \in (ty\_2Eordinal\_2Eordinal \\ A.27a).((ap\ (ap\ (c\_2Eordinal\_2EordEXP\ A.27a)\ V0a)\ (ap\ (c\_2Eordinal\_2EfromNat \\ A.27a)\ c\_2Enum\_2E0)) = (ap\ (c\_2Eordinal\_2EfromNat\ A.27a)\ (ap\ c\_2Earithmetic\_2ENUMERAL \\ (ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO)))))) \wedge ((\forall V1a \in \\ (ty\_2Eordinal\_2Eordinal\ A.27a).(\forall V2a.27 \in (ty\_2Eordinal\_2Eordinal \\ A.27a).((ap\ (ap\ (c\_2Eordinal\_2EordEXP\ A.27a)\ V1a)\ (ap\ (c\_2Eordinal\_2EordSUC \\ A.27a)\ V2a.27)) = (ap\ (ap\ (c\_2Eordinal\_2EordMULT\ A.27a)\ (ap\ (ap \\ (c\_2Eordinal\_2EordEXP\ A.27a)\ V1a)\ V2a.27))\ V1a)))))) \wedge ((\forall V3a \in \\ (ty\_2Eordinal\_2Eordinal\ A.27a).(\forall V4a.27 \in (ty\_2Eordinal\_2Eordinal \\ A.27a).(((p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt\ A.27a)\ (ap\ (c\_2Eordinal\_2EfromNat \\ A.27a)\ c\_2Enum\_2E0))\ V4a.27)) \wedge ((ap\ (c\_2Eordinal\_2Eomax\ A.27a)\ \\ (ap\ (c\_2Eordinal\_2Epreds\ A.27a)\ V4a.27)) = (c\_2Eoption\_2ENONE \\ (ty\_2Eordinal\_2Eordinal\ A.27a)))))) \Rightarrow ((ap\ (ap\ (c\_2Eordinal\_2EordEXP \\ A.27a)\ V3a)\ V4a.27) = (ap\ (c\_2Eordinal\_2Esup\ A.27a)\ (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE \\ (ty\_2Eordinal\_2Eordinal\ A.27a)\ (ty\_2Eordinal\_2Eordinal\ A.27a)) \\ (ap\ (c\_2Eordinal\_2EordEXP\ A.27a)\ V3a))\ (ap\ (c\_2Eordinal\_2Epreds \\ A.27a)\ V4a.27)))))))))) \end{aligned} \quad (51)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ \forall V0x \in A.27a.(\forall V1s \in (2^{A.27a}).((p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\ A.27a)\ V0x)\ V1s)) \Rightarrow (\forall V2f \in (A.27b^{A.27a}).(p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\ A.27b)\ (ap\ V2f\ V0x))\ (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE\ A.27a\ A.27b)\ \\ V2f)\ V1s)))))) \end{aligned} \quad (52)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum. (\neg(p (ap (ap c\_2Eprim\_rec\_2E\_3C V0n) V0n)))) \quad (53)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (54)$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (55)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (56)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(\neg(p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (57)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (58)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (59)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ((p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))))) \quad (60)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ((p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (61)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ((p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (62)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \quad (63)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (64)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (65)$$

**Theorem 1**

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in (ty\_2Eordinal\_2Eordinal \ A\_27a). (\forall V1a \in (ty\_2Eordinal\_2Eordinal \ A\_27a). (\forall V2b \in (ty\_2Eordinal\_2Eordinal \ A\_27a). ((\neg(p \ (ap \ (ap \ (c\_2Eordinal\_2Eordlt \ A\_27a) \ V2b) \ V1a))) \Rightarrow (\neg(p \ (ap \ (ap \ (c\_2Eordinal\_2Eordlt \ A\_27a) \ (ap \ (ap \ (c\_2Eordinal\_2EordEXP \ A\_27a) \ V2b) \ V0x)) \ (ap \ (ap \ (c\_2Eordinal\_2EordEXP \ A\_27a) \ V1a) \ V0x))))))))))$$