

thm_2Eordinal_2EordMULT__1R
(TMQk5kGk6A8xJQNRyGyD93eDjnSRh8tefYt)

October 26, 2020

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 3 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 4 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 5 We define c_2Ebool_2E21 to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E3D (2^{A-27a}))$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ (c_2Enum_2ESUC_REP\ m))$

Let $c_2Earithmetic_2E2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{6}$$

Definition 7 We define $c_2Earithmic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmic_2EBIT1 V0n))$

Definition 8 We define $c_2Earithmic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 9 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 10 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 11 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2))))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (7)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (8)$$

Definition 12 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2Epair_2EABS_prod V0x V1y))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a 2)^{A_27b}}) \quad (9)$$

Definition 13 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (A_27b)$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Esum_2Esum A0 A1) \quad (10)$$

Let $ty_2Ewellorder_2Ewellorder : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Ewellorder_2Ewellorder A0) \quad (11)$$

Let $ty_2Eordinal_2Eordinal : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Eordinal_2Eordinal A0) \quad (12)$$

Let $c_2Eordinal_2Eordinal_REP_CLASS : \iota \Rightarrow \iota$ be given. Assume the following.

$$A_27a \in ((2^{(ty_2Ewellorder_2Ewellorder (ty_2Esum_2Esum ty_2Enum_2Enum A_27a))})^{(ty_2Eordinal_2Eordinal A_27a)}) \quad (13)$$

Definition 14 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A$. **if** $(\exists x \in A.p (ap P x))$ **then** (the $(\lambda x.x \in A \wedge p x)$ of type $\iota \Rightarrow \iota$).

Definition 15 We define $c_2Eordinal_2Eordinal_REP$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Eordinal_2Eordinal A_27a)$.
Let $c_2Ewellorder_2Ewellorder_REP : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ewellorder_2Ewellorder_REP A_27a \in ((2^{(ty_2Epair_2Eprod A_27a A_27a)})^{(ty_2Ewellorder_2Ewellorder A_27a)}) \quad (14)$$

Definition 16 We define $c_2Ebool_2E_2$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 17 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2))$.

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND A_27a A_27b \in (A_27b^{(ty_2Epair_2Eprod A_27a A_27b)}) \quad (15)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFST A_27a A_27b \in (A_27a^{(ty_2Epair_2Eprod A_27a A_27b)}) \quad (16)$$

Definition 18 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27a})^{A_27b})$.

Definition 19 We define $c_2Eset_relation_2Estrict$ to be $\lambda A_27a : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a A_27a)})$.

Definition 20 We define $c_2Ewellorder_2Eiseg$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Ewellorder_2Ewellorder A_27a)$.

Definition 21 We define $c_2Eset_relation_2Errestrict$ to be $\lambda A_27a : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a A_27a)})$.

Let $c_2Ewellorder_2Ewellorder_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ewellorder_2Ewellorder_ABS A_27a \in ((ty_2Ewellorder_2Ewellorder A_27a)^{(2^{(ty_2Epair_2Eprod A_27a A_27a)})}) \quad (17)$$

Definition 22 We define $c_2Ewellorder_2Ewobound$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1w \in (ty_2Ewellorder A_27a)$.

Definition 23 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A_27a) P)))$.

Definition 24 We define $c_2Eset_relation_2Erange$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a A_27a)})$.

Definition 25 We define $c_2Eset_relation_2Edomain$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod A_27a A_27a)})$.

Definition 26 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$.

Definition 27 We define $c_Epred_set_2EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A-27a}).\lambda V1t \in (2^{A-27a}).(ap (c_Epred_set_2EUNION s) t)$

Definition 28 We define $c_Ewellorder_2EelsOf$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Ewellorder_2Ewellorder A_27a).\lambda V1x \in A_27a.(c_Ewellorder_2Ewellorder A_27a w x)$

Definition 29 We define $c_Ewellorder_2Eorderiso$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0w1 \in (ty_2Ewellorder_2Ewellorder A_27a).\lambda V1w2 \in (ty_2Ewellorder_2Ewellorder A_27b).(c_Ewellorder_2Ewellorder A_27a w1 w2)$

Definition 30 We define $c_Ewellorder_2Eorderlt$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0w1 \in (ty_2Ewellorder_2Ewellorder A_27a).\lambda V1w2 \in (ty_2Ewellorder_2Ewellorder A_27b).(c_Ewellorder_2Ewellorder A_27a w1 w2)$

Definition 31 We define $c_Eordinal_2Eordlt$ to be $\lambda A_27a : \iota.\lambda V0T1 \in (ty_2Eordinal_2Eordinal A_27a).\lambda V1T2 \in (ty_2Eordinal_2Eordinal A_27a).(c_Eordinal_2Eordinal A_27a T1 T2)$

Definition 32 We define $c_Eordinal_2Epreds$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Eordinal_2Eordinal A_27a).(c_Eordinal_2Eordinal A_27a w)$

Definition 33 We define $c_Epred_set_2EBIGUNION$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^{A-27a})}).(ap (c_Epred_set_2EBIGUNION P))$

Definition 34 We define $c_Eordinal_2Eoleast$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(ty_2Eordinal_2Eordinal A_27a)}).\lambda V1x \in A_27a.(c_Eordinal_2Eordinal A_27a P x)$

Definition 35 We define $c_Eordinal_2Esup$ to be $\lambda A_27a : \iota.\lambda V0ordset \in (2^{(ty_2Eordinal_2Eordinal A_27a)}).\lambda V1x \in A_27a.(c_Eordinal_2Eordinal A_27a ordset x)$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (18)$$

Definition 36 We define c_Eone_2Eone to be $(ap (c_Emin_2E40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone. x))$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A-27b})^{A-27a})^2}) \quad (19)$$

Definition 37 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap (c_2Esum_2EABS_sum A_27a A_27b) e)$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (20)$$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \quad (21)$$

Definition 38 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota.(ap (c_2Eoption_2Eoption_ABS\ A_27a) (c_2Eoption_2Eoption\ A_27a))$

Definition 39 We define $c_Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2Eef)$

Definition 40 We define $c_Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A-27a}).(ap (c_Epred_set_2EINSERT s) x)$

Definition 41 We define $c_2Eset_relation_2Emaximal_elements$ to be $\lambda A_27a : \iota.\lambda V0xs \in (2^{A-27a}).\lambda V1r \in A_27a.(c_2Eset_relation_2Emaximal_elements\ A_27a\ xs\ r)$

Definition 42 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap (c_2Esum_2EABS_sum A_27a A_27b) e)$

Definition 43 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. (ap (c_2Eoption_2Eoption_2E0) x)$

Definition 44 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. (ap (c_2Ebool_2Ebool_2E0) t1 t2))))$

Definition 45 We define $c_2Eoption_2Esome$ to be $\lambda A_27a : \iota. \lambda V0P \in (2^{A_27a}). (ap (ap (ap (c_2Ebool_2Ebool_2E0) P) V0))$

Definition 46 We define $c_2Eordinal_2Eomax$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{(ty_2Eordinal_2Eordinal A_27a)}). (ap (ap (c_2Eordinal_2Eordinal A_27a) s))$

Let $c_2Eordinal_2EordADD : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Eordinal_2EordADD A_27a \in ((ty_2Eordinal_2Eordinal A_27a)^{(ty_2Eordinal_2Eordinal A_27a)})^{(ty_2Eordinal_2Eordinal A_27a)} \quad (22)$$

Definition 47 We define $c_2Eordinal_2EordSUC$ to be $\lambda A_27a : \iota. \lambda V0a \in (ty_2Eordinal_2Eordinal A_27a)$

Let $c_2Eordinal_2EfromNat : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Eordinal_2EfromNat A_27a \in ((ty_2Eordinal_2Eordinal A_27a)^{ty_2Enum_2Enum}) \quad (23)$$

Let $c_2Eordinal_2EordMULT : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Eordinal_2EordMULT A_27a \in ((ty_2Eordinal_2Eordinal A_27a)^{(ty_2Eordinal_2Eordinal A_27a)})^{(ty_2Eordinal_2Eordinal A_27a)} \quad (24)$$

Assume the following.

$$True \quad (25)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (26)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (27)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (28)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0a \in (ty_2Eordinal_2Eordinal A_27a). ((ap (ap (c_2Eordinal_2EordADD A_27a) (ap (c_2Eordinal_2EfromNat A_27a) c_2Enum_2E0)) V0a) = V0a)) \quad (29)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow ((ap\ (c_2Eordinal_2EordSUC\ A_27a) \\ & (ap\ (c_2Eordinal_2EfromNat\ A_27a)\ c_2Enum_2E0)) = (ap\ (c_2Eordinal_2EfromNat \\ & A_27a)\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1 \\ & c_2Earithmetic_2EZERO)))) \end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0b \in (ty_2Eordinal_2Eordinal \\ & A_27a).(((ap\ (ap\ (c_2Eordinal_2EordMULT\ A_27a)\ V0b)\ (ap\ (c_2Eordinal_2EfromNat \\ & A_27a)\ c_2Enum_2E0)) = (ap\ (c_2Eordinal_2EfromNat\ A_27a)\ c_2Enum_2E0))) \wedge \\ & ((\forall V1a \in (ty_2Eordinal_2Eordinal\ A_27a).((ap\ (ap\ (c_2Eordinal_2EordMULT \\ & A_27a)\ V0b)\ (ap\ (c_2Eordinal_2EordSUC\ A_27a)\ V1a)) = (ap\ (ap\ (c_2Eordinal_2EordADD \\ & A_27a)\ (ap\ (ap\ (c_2Eordinal_2EordMULT\ A_27a)\ V0b)\ V1a))\ V0b)))) \wedge \\ & (\forall V2a \in (ty_2Eordinal_2Eordinal\ A_27a).(((p\ (ap\ (ap\ (c_2Eordinal_2Eordlt \\ & A_27a)\ (ap\ (c_2Eordinal_2EfromNat\ A_27a)\ c_2Enum_2E0))\ V2a)) \wedge \\ & ((ap\ (c_2Eordinal_2Eomax\ A_27a)\ (ap\ (c_2Eordinal_2Epreds\ A_27a) \\ & V2a)) = (c_2Eoption_2ENONE\ (ty_2Eordinal_2Eordinal\ A_27a)))))) \Rightarrow \\ & ((ap\ (ap\ (c_2Eordinal_2EordMULT\ A_27a)\ V0b)\ V2a) = (ap\ (c_2Eordinal_2Esup \\ & A_27a)\ (ap\ (ap\ (c_2Epred_set_2EIMAGE\ (ty_2Eordinal_2Eordinal \\ & A_27a)\ (ty_2Eordinal_2Eordinal\ A_27a))\ (ap\ (c_2Eordinal_2EordMULT \\ & A_27a)\ V0b))\ (ap\ (c_2Eordinal_2Epreds\ A_27a)\ V2a)))))) \end{aligned} \tag{31}$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0a \in (ty_2Eordinal_2Eordinal \\ & A_27a).(((ap\ (ap\ (c_2Eordinal_2EordMULT\ A_27a)\ V0a)\ (ap\ (c_2Eordinal_2EfromNat \\ & A_27a)\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1 \\ & c_2Earithmetic_2EZERO)))) = V0a)) \end{aligned}$$