

thm_2Eordinal_2EordMULT__EQ__0
(TMFxrBNwUDv45QqZJxrHScWr1cvE3imqpcg)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2EEVEN : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEVEN \in (2^{ty_2Enum_2Enum}) \tag{2}$$

Let $c_2Earithmetic_2EODD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EODD \in (2^{ty_2Enum_2Enum}) \tag{3}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a}))$

Definition 4 We define $c_2Ebool_2E_F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow p \Rightarrow Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_F))$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (omega^{omega}) \tag{5}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \tag{6}$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p\ (ap\ P\ x)) \text{ then } (the\ (\lambda x.x \in A \wedge p$
of type $\iota \Rightarrow \iota$.

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 11 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 12 We define $c_2Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 13 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 14 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Definition 15 We define $c_2Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{7}$$

Definition 16 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 17 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Definition 18 We define $c_2Eprim_rec_2EPRE$ to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ (ap\ (ap\ (c_2Ebool_2E$

Let $c_2Earithmetic_2EEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{8}$$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{9}$$

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{10}$$

Definition 19 We define $c_2Enumeral_2EiZ$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{11}$$

Definition 20 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Definition 21 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Definition 22 We define $c_2Earithmic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmic$

Definition 23 We define $c_2Earithmic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $ty_2Eordinal_2Eordinal : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Eordinal_2Eordinal A0) \quad (12)$$

Let $c_2Eordinal_2EordMULT : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Eordinal_2EordMULT A_27a \in (((ty_2Eordinal_2Eordinal A_27a)^{(ty_2Eordinal_2Eordinal A_27a)})^{(ty_2Eordinal_2Eordinal A_27a)}) \quad (13)$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Esum_2Esum A0 A1) \quad (14)$$

Let $ty_2Ewellorder_2Ewellorder : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Ewellorder_2Ewellorder A0) \quad (15)$$

Let $c_2Eordinal_2Eordinal_2REP_2CLASS : \iota \Rightarrow \iota$ be given. Assume the following.

$$A_27a \in ((2^{(ty_2Ewellorder_2Ewellorder (ty_2Esum_2Esum ty_2Enum_2Enum A_27a))})^{(ty_2Eordinal_2Eordinal A_27a)}) \quad (16)$$

Definition 24 We define $c_2Eordinal_2Eordinal_2REP$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Eordinal_2Eordinal A$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (17)$$

Let $c_2Ewellorder_2Ewellorder_2REP : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ewellorder_2Ewellorder_2REP A_27a \in ((2^{(ty_2Epair_2Eprod A_27a A_27a)})^{(ty_2Ewellorder_2Ewellorder A_27a)}) \quad (18)$$

Let $c_2Epair_2EABS_2prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_2prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (19)$$

Definition 25 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2$

Definition 26 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x))$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND \\ A_27a\ A_27b \in (A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \end{aligned} \quad (20)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST \\ A_27a\ A_27b \in (A_27a)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \end{aligned} \quad (21)$$

Definition 27 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c)^{A_27a})$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \end{aligned} \quad (22)$$

Definition 28 We define $c_2Eset_relation_2Estrict$ to be $\lambda A_27a : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})$

Definition 29 We define $c_2Ewellorder_2Eiseg$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Ewellorder_2Ewellorder\ A_27a)$

Definition 30 We define $c_2Eset_relation_2Errestrict$ to be $\lambda A_27a : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})$

Let $c_2Ewellorder_2Ewellorder_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewellorder_2Ewellorder_ABS \\ A_27a \in ((ty_2Ewellorder_2Ewellorder\ A_27a)^{(2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})}) \end{aligned} \quad (23)$$

Definition 31 We define $c_2Ewellorder_2Ewobound$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1w \in (ty_2Ewellorder\ A_27a)$

Definition 32 We define $c_2Eset_relation_2Erangle$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27b)})$

Definition 33 We define $c_2Eset_relation_2Edomain$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27b)})$

Definition 34 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2Epred_set_2EGSPEC\ s)\ t)$

Definition 35 We define $c_2Ewellorder_2EelsOf$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Ewellorder_2Ewellorder\ A_27a)$

Definition 36 We define $c_2Ewellorder_2Eorderiso$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0w1 \in (ty_2Ewellorder_2Ewellorder\ A_27a)$

Definition 37 We define $c_2Ewellorder_2Eorderlt$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0w1 \in (ty_2Ewellorder_2Ewellorder\ A_27a)$

Definition 38 We define $c_2Eordinal_2Eordlt$ to be $\lambda A_27a : \iota.\lambda V0T1 \in (ty_2Eordinal_2Eordinal\ A_27a)$

Definition 39 We define $c_2Eordinal_2Eoleast$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(ty_2Eordinal_2Eordinal\ A_27a)}).$

Definition 40 We define $c_2Eordinal_2EordSUC$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Eordinal_2Eordinal\ A_27a)$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (24)$$

Definition 41 We define c_2Eone_2Eone to be $(ap\ (c_2Emin_2E_40\ ty_2Eone_2Eone)\ (\lambda V0x \in ty_2Eone_2Eone))$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (25)$$

Definition 42 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap\ (c_2Esum_2EABS_sum\ A_27a\ A_27b)\ e)$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (26)$$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \quad (27)$$

Definition 43 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota.(ap\ (c_2Eoption_2Eoption_ABS\ A_27a)\ 0)$

Definition 44 We define $c_2Eordinal_2Epreds$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Eordinal_2Eordinal\ A_27a).(ap\ (c_2Eoption_2Eoption_ABS\ A_27a)\ w)$

Definition 45 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 46 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1s \in (2^{A_27a}).(ap\ (c_2Epred_set_2EEMPTY\ A_27a)\ (x :: s))$

Definition 47 We define $c_2Eset_relation_2Emaximal_elements$ to be $\lambda A_27a : \iota.\lambda V0xs \in (2^{A_27a}).\lambda V1r \in (2^{A_27a}).(ap\ (c_2Epred_set_2EINSERT\ A_27a)\ (xs :: r))$

Definition 48 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap\ (c_2Esum_2EABS_sum\ A_27a\ A_27b)\ e)$

Definition 49 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.(ap\ (c_2Eoption_2Eoption_ABS\ A_27a)\ x)$

Definition 50 We define $c_2Eoption_2ESome$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{A_27a}).(ap\ (ap\ (ap\ (c_2Ebool_2ECC\ A_27a)\ P)\ 0))$

Definition 51 We define $c_2Eordinal_2Eomax$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{(ty_2Eordinal_2Eordinal\ A_27a)}).(ap\ (c_2Epred_set_2EEMPTY\ A_27a)\ s)$

Definition 52 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27a}).(ap\ (c_2Epred_set_2EEMPTY\ A_27a)\ (f \circ s))$

Definition 53 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^{A_27a})}).(ap\ (c_2Epred_set_2EEMPTY\ A_27a)\ P)$

Definition 54 We define $c_2Eordinal_2Esup$ to be $\lambda A_27a : \iota.\lambda V0ordset \in (2^{(ty_2Eordinal_2Eordinal\ A_27a)}).(ap\ (c_2Epred_set_2EBIGUNION\ A_27a)\ ordset)$

Definition 55 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2ET)$.

Definition 56 We define $c_2Epred_set_2EINJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27a}).(ap\ (c_2Epred_set_2EEMPTY\ A_27a)\ (f \circ s))$

Definition 57 We define $c_2Ecardinal_2Ecardleq$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0s1 \in (2^{A_27a}).\lambda V1s2 \in (2^A$

Let $c_2Eordinal_2EfromNat : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eordinal_2EfromNat\ A_27a \in ((ty_2Eordinal_2Eordinal\ A_27a)^{ty_2Enum_2Enum}) \quad (28)$$

Let $c_2Eordinal_2EordADD : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eordinal_2EordADD\ A_27a \in (((ty_2Eordinal_2Eordinal\ A_27a)^{(ty_2Eordinal_2Eordinal\ A_27a)})^{(ty_2Eordinal_2Eordinal\ A_27a)}) \quad (29)$$

Assume the following.

$$True \quad (30)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (31)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (32)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t) \Leftrightarrow (p\ V0t)))) \quad (33)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (34)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (35)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \quad (36)$$

Assume the following.

$$(\forall V0t \in 2.(((\neg (\neg (p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (37)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \quad (38)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (39)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (40)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p\ V0t)))))) \end{aligned} \quad (41)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \Rightarrow \\ & ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (42)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in \\ & 2.(((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow \\ & (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \end{aligned} \quad (43)$$

Assume the following.

$$\begin{aligned} & (\forall V0P \in 2.(\forall V1P_27 \in 2.(\forall V2Q \in 2.(\forall V3Q_27 \in \\ & 2.(((p\ V2Q) \Rightarrow ((p\ V0P) \Leftrightarrow (p\ V1P_27))) \wedge ((p\ V1P_27) \Rightarrow ((p\ V2Q) \Leftrightarrow (p\ V3Q_27)))) \Rightarrow \\ & (((p\ V0P) \wedge (p\ V2Q)) \Leftrightarrow ((p\ V1P_27) \wedge (p\ V3Q_27)))))) \end{aligned} \quad (44)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ & nonempty\ A_27c \Rightarrow (\forall V0f \in (A_27c^{A_27a}).(\forall V1s \in (2^{A_27a}). \\ & (\forall V2t \in (2^{A_27b}).((p\ (ap\ (ap\ (c_2Ecardinal_2Ecardleq\ A_27a \\ & A_27b)\ V1s)\ V2t)) \Rightarrow (p\ (ap\ (ap\ (c_2Ecardinal_2Ecardleq\ A_27c\ A_27b) \\ & (ap\ (ap\ (c_2Epred_set_2EIMAGE\ A_27a\ A_27c)\ V0f)\ V1s))\ V2t)))))) \end{aligned} \quad (45)$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B \\
& \quad c_2Enum_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty_2Enum_2Enum.((ap \\
& \quad (ap c_2Earithmetic_2E_2B V1n) c_2Enum_2E0) = V1n)) \wedge ((\forall V2n \in \\
& \quad ty_2Enum_2Enum.(\forall V3m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B \\
& \quad (ap c_2Earithmetic_2ENUMERAL V2n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V3m)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Enumeral_2EiZ (ap \\
& \quad (ap c_2Earithmetic_2E_2B V2n) V3m)))))) \wedge ((\forall V4n \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V4n) = c_2Enum_2E0)) \wedge \\
& \quad ((\forall V5n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A \\
& \quad V5n) c_2Enum_2E0) = c_2Enum_2E0)) \wedge ((\forall V6n \in ty_2Enum_2Enum. \\
& \quad (\forall V7m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A (\\
& \quad ap c_2Earithmetic_2ENUMERAL V6n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V7m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2A \\
& \quad V6n) V7m)))))) \wedge ((\forall V8n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D \\
& \quad c_2Enum_2E0) V8n) = c_2Enum_2E0)) \wedge ((\forall V9n \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2E_2D V9n) c_2Enum_2E0) = V9n)) \wedge ((\forall V10n \in \\
& \quad ty_2Enum_2Enum.(\forall V11m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D \\
& \quad (ap c_2Earithmetic_2ENUMERAL V10n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V11m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D \\
& \quad V10n) V11m)))))) \wedge ((\forall V12n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP \\
& \quad c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
& \quad V12n))) = c_2Enum_2E0)) \wedge ((\forall V13n \in ty_2Enum_2Enum.((ap \\
& \quad (ap c_2Earithmetic_2EEXP c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Earithmetic_2EBIT2 V13n))) = c_2Enum_2E0)) \wedge ((\forall V14n \in \\
& \quad ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP V14n) c_2Enum_2E0) = \\
& \quad (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) \wedge \\
& \quad ((\forall V15n \in ty_2Enum_2Enum.(\forall V16m \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2EEXP (ap c_2Earithmetic_2ENUMERAL V15n)) \\
& \quad (ap c_2Earithmetic_2ENUMERAL V16m)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap (ap c_2Earithmetic_2EEXP V15n) V16m)))))) \wedge ((ap c_2Enum_2ESUC \\
& \quad c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
& \quad c_2Earithmetic_2EZERO))) \wedge ((\forall V17n \in ty_2Enum_2Enum.(\\
& \quad (ap c_2Enum_2ESUC (ap c_2Earithmetic_2ENUMERAL V17n)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Enum_2ESUC V17n)))) \wedge ((ap c_2Eprim_rec_2EPRE c_2Enum_2E0) = \\
& \quad c_2Enum_2E0) \wedge ((\forall V18n \in ty_2Enum_2Enum.((ap c_2Eprim_rec_2EPRE \\
& \quad (ap c_2Earithmetic_2ENUMERAL V18n)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Eprim_rec_2EPRE V18n)))) \wedge ((\forall V19n \in ty_2Enum_2Enum. \\
& \quad (((ap c_2Earithmetic_2ENUMERAL V19n) = c_2Enum_2E0) \Leftrightarrow (V19n = c_2Earithmetic_2EZERO))) \wedge \\
& \quad ((\forall V20n \in ty_2Enum_2Enum.((c_2Enum_2E0 = (ap c_2Earithmetic_2ENUMERAL \\
& \quad V20n)) \Leftrightarrow (V20n = c_2Earithmetic_2EZERO))) \wedge ((\forall V21n \in ty_2Enum_2Enum. \\
& \quad (\forall V22m \in ty_2Enum_2Enum.(((ap c_2Earithmetic_2ENUMERAL \\
& \quad V21n) = (ap c_2Earithmetic_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))) \wedge \\
& \quad ((\forall V23n \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V23n) c_2Enum_2E0)) \Leftrightarrow False)) \wedge ((\forall V24n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V24n))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
& \quad V24n)))) \wedge ((\forall V25n \in ty_2Enum_2Enum.(\forall V26m \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Eprim_rec_2E_3C (ap c_2Earithmetic_2ENUMERAL \\
& \quad V25n)) (ap c_2Earithmetic_2ENUMERAL V26m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V25n) V26m)))))) \wedge ((\forall V27n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3E \\
& \quad c_2Enum_2E0) V27n)) \Leftrightarrow False)) \wedge ((\forall V28n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL \\
& \quad V28n)) c_2Enum_2E0)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
& \quad V28n)))) \wedge ((\forall V29n \in ty_2Enum_2Enum.(\forall V30m \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL \\
& \quad V29n)) (ap c_2Earithmetic_2ENUMERAL V30m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V30m) V29n)))))) \wedge ((\forall V31n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& \quad c_2Enum_2E0) V31n)) \Leftrightarrow True)) \wedge ((\forall V32n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2ENUMERAL
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& ((c_2Earithmic_2EZERO = (ap\ c_2Earithmic_2EBIT1\ V0n)) \Leftrightarrow False) \wedge \\
& (((ap\ c_2Earithmic_2EBIT1\ V0n) = c_2Earithmic_2EZERO) \Leftrightarrow \\
& False) \wedge (((c_2Earithmic_2EZERO = (ap\ c_2Earithmic_2EBIT2 \\
& V0n)) \Leftrightarrow False) \wedge (((ap\ c_2Earithmic_2EBIT2\ V0n) = c_2Earithmic_2EZERO) \Leftrightarrow \\
& False) \wedge (((ap\ c_2Earithmic_2EBIT1\ V0n) = (ap\ c_2Earithmic_2EBIT2 \\
& V1m)) \Leftrightarrow False) \wedge (((ap\ c_2Earithmic_2EBIT2\ V0n) = (ap\ c_2Earithmic_2EBIT1 \\
& V1m)) \Leftrightarrow False) \wedge (((ap\ c_2Earithmic_2EBIT1\ V0n) = (ap\ c_2Earithmic_2EBIT1 \\
& V1m)) \Leftrightarrow (V0n = V1m)) \wedge (((ap\ c_2Earithmic_2EBIT2\ V0n) = (ap\ c_2Earithmic_2EBIT2 \\
& V1m)) \Leftrightarrow (V0n = V1m))))))))) \\
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in (ty_2Eordinal_2Eordinal \\
& A_27a). (\forall V1w \in (ty_2Eordinal_2Eordinal\ A_27a). ((p\ (ap \\
& (ap\ (c_2Ebool_2EIN\ (ty_2Eordinal_2Eordinal\ A_27a))\ V0x)\ (ap\ (\\
& c_2Eordinal_2Epreds\ A_27a)\ V1w))) \Leftrightarrow (p\ (ap\ (ap\ (c_2Eordinal_2Eordlt \\
& A_27a)\ V0x)\ V1w)))))) \\
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0ord \in (ty_2Eordinal_2Eordinal \\
& A_27a). (p\ (ap\ (ap\ (c_2Ecardinal_2Ecardleq\ (ty_2Eordinal_2Eordinal \\
& A_27a)\ (ty_2Esum_2Esum\ ty_2Enum_2Enum\ A_27a))\ (ap\ (c_2Eordinal_2Epreds \\
& A_27a)\ V0ord))\ (c_2Epred_set_2EUNIV\ (ty_2Esum_2Esum\ ty_2Enum_2Enum \\
& A_27a)))))) \\
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0a \in (ty_2Eordinal_2Eordinal \\
& A_27a). (\neg((ap\ (c_2Eordinal_2EordSUC\ A_27a)\ V0a) = (ap\ (c_2Eordinal_2EfromNat \\
& A_27a)\ c_2Enum_2E0)))) \\
\end{aligned} \tag{50}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in (ty_2Eordinal_2Eordinal \\
& A_27a). (((ap\ (c_2Eordinal_2Epreds\ A_27a)\ V0x) = (c_2Epred_set_2EEMPTY \\
& (ty_2Eordinal_2Eordinal\ A_27a))) \Leftrightarrow (V0x = (ap\ (c_2Eordinal_2EfromNat \\
& A_27a)\ c_2Enum_2E0)))) \\
\end{aligned} \tag{51}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{(ty_2Eordinal_2Eordinal\ A_27a)}), \\
& ((p\ (ap\ V0P\ (ap\ (c_2Eordinal_2EfromNat\ A_27a)\ c_2Enum_2E0))) \wedge \\
& ((\forall V1a \in (ty_2Eordinal_2Eordinal\ A_27a).((p\ (ap\ V0P\ V1a)) \Rightarrow \\
& (p\ (ap\ V0P\ (ap\ (c_2Eordinal_2EordSUC\ A_27a)\ V1a)))))) \wedge (\forall V2a \in \\
& (ty_2Eordinal_2Eordinal\ A_27a).(((ap\ (c_2Eordinal_2Eomax \\
& A_27a)\ (ap\ (c_2Eordinal_2Epreds\ A_27a)\ V2a)) = (c_2Eoption_2ENONE \\
& (ty_2Eordinal_2Eordinal\ A_27a))) \wedge ((p\ (ap\ (ap\ (c_2Eordinal_2Eordlt \\
& A_27a)\ (ap\ (c_2Eordinal_2EfromNat\ A_27a)\ c_2Enum_2E0))\ V2a)) \wedge \\
& (\forall V3b \in (ty_2Eordinal_2Eordinal\ A_27a).((p\ (ap\ (ap\ (c_2Eordinal_2Eordlt \\
& A_27a)\ V3b)\ V2a)) \Rightarrow (p\ (ap\ V0P\ V3b)))))) \Rightarrow (p\ (ap\ V0P\ V2a)))))) \Rightarrow (\forall V4a \in \\
& (ty_2Eordinal_2Eordinal\ A_27a).(p\ (ap\ V0P\ V4a))))
\end{aligned} \tag{52}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in ty_2Enum_2Enum.(\\
& \forall V1y \in ty_2Enum_2Enum.(((ap\ (c_2Eordinal_2EfromNat\ A_27a) \\
& V0x) = (ap\ (c_2Eordinal_2EfromNat\ A_27a)\ V1y)) \Leftrightarrow (V0x = V1y))))
\end{aligned} \tag{53}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0n \in ty_2Enum_2Enum.(\\
& \forall V1m \in ty_2Enum_2Enum.((p\ (ap\ (ap\ (c_2Eordinal_2Eordlt \\
& A_27a)\ (ap\ (c_2Eordinal_2EfromNat\ A_27a)\ V0n))\ (ap\ (c_2Eordinal_2EfromNat \\
& A_27a)\ V1m)))) \Leftrightarrow (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0n)\ V1m))))
\end{aligned} \tag{54}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow ((ap\ (c_2Eordinal_2EordSUC\ A_27a) \\
& (ap\ (c_2Eordinal_2EfromNat\ A_27a)\ c_2Enum_2E0)) = (ap\ (c_2Eordinal_2EfromNat \\
& A_27a)\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1 \\
& c_2Earithmetic_2EZERO))))
\end{aligned} \tag{55}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0b \in (ty_2Eordinal_2Eordinal \\
& A.27a).(((ap\ (ap\ (c_2Eordinal_2EordMULT\ A.27a)\ V0b)\ (ap\ (c_2Eordinal_2EfromNat \\
& A.27a)\ c_2Enum_2E0)) = (ap\ (c_2Eordinal_2EfromNat\ A.27a)\ c_2Enum_2E0)) \wedge \\
& ((\forall V1a \in (ty_2Eordinal_2Eordinal\ A.27a).((ap\ (ap\ (c_2Eordinal_2EordMULT \\
& A.27a)\ V0b)\ (ap\ (c_2Eordinal_2EordSUC\ A.27a)\ V1a)) = (ap\ (ap\ (c_2Eordinal_2EordADD \\
& A.27a)\ (ap\ (ap\ (c_2Eordinal_2EordMULT\ A.27a)\ V0b)\ V1a))\ V0b))) \wedge \\
& (\forall V2a \in (ty_2Eordinal_2Eordinal\ A.27a).(((p\ (ap\ (ap\ (c_2Eordinal_2Eordlt \\
& A.27a)\ (ap\ (c_2Eordinal_2EfromNat\ A.27a)\ c_2Enum_2E0))\ V2a)) \wedge \\
& ((ap\ (c_2Eordinal_2Eomax\ A.27a)\ (ap\ (c_2Eordinal_2Epreds\ A.27a) \\
& V2a)) = (c_2Eoption_2ENONE\ (ty_2Eordinal_2Eordinal\ A.27a)))) \Rightarrow \\
& ((ap\ (ap\ (c_2Eordinal_2EordMULT\ A.27a)\ V0b)\ V2a) = (ap\ (c_2Eordinal_2Esup \\
& A.27a)\ (ap\ (ap\ (c_2Epred_set_2EIMAGE\ (ty_2Eordinal_2Eordinal \\
& A.27a)\ (ty_2Eordinal_2Eordinal\ A.27a))\ (ap\ (c_2Eordinal_2EordMULT \\
& A.27a)\ V0b))\ (ap\ (c_2Eordinal_2Epreds\ A.27a)\ V2a))))))))) \\
& \hspace{15em} (56)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0b \in (ty_2Eordinal_2Eordinal \\
& A.27a).(\forall V1a \in (ty_2Eordinal_2Eordinal\ A.27a).(((ap \\
& (c_2Eordinal_2Eomax\ A.27a)\ (ap\ (c_2Eordinal_2Epreds\ A.27a)\ V0b)) = \\
& (c_2Eoption_2ENONE\ (ty_2Eordinal_2Eordinal\ A.27a))) \wedge (p\ (ap \\
& (ap\ (c_2Eordinal_2Eordlt\ A.27a)\ V1a)\ V0b))) \Rightarrow (p\ (ap\ (ap\ (c_2Eordinal_2Eordlt \\
& A.27a)\ (ap\ (c_2Eordinal_2EordSUC\ A.27a)\ V1a))\ V0b)))))) \\
& \hspace{15em} (57)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{(ty_2Eordinal_2Eordinal\ A.27a)}). \\
& ((p\ (ap\ (ap\ (c_2Ecardinal_2Ecardleq\ (ty_2Eordinal_2Eordinal \\
& A.27a)\ (ty_2Esum_2Esum\ ty_2Enum_2Enum\ A.27a))\ V0s)\ (c_2Epred_set_2EUNIV \\
& (ty_2Esum_2Esum\ ty_2Enum_2Enum\ A.27a)))) \Rightarrow (((ap\ (c_2Eordinal_2Esup \\
& A.27a)\ V0s) = (ap\ (c_2Eordinal_2EfromNat\ A.27a)\ c_2Enum_2E0)) \Leftrightarrow \\
& ((V0s = (c_2Epred_set_2EEMPTY\ (ty_2Eordinal_2Eordinal\ A.27a))) \vee \\
& (V0s = (ap\ (ap\ (c_2Epred_set_2EINSERT\ (ty_2Eordinal_2Eordinal \\
& A.27a))\ (ap\ (c_2Eordinal_2EfromNat\ A.27a)\ c_2Enum_2E0))\ (c_2Epred_set_2EEMPTY \\
& (ty_2Eordinal_2Eordinal\ A.27a))))))))) \\
& \hspace{15em} (58)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0y \in (ty_2Eordinal_2Eordinal \\
& A.27a).(\forall V1x \in (ty_2Eordinal_2Eordinal\ A.27a).(((ap\ (\\
& ap\ (c_2Eordinal_2EordADD\ A.27a)\ V1x)\ V0y) = (ap\ (c_2Eordinal_2EfromNat \\
& A.27a)\ c_2Enum_2E0)) \Leftrightarrow ((V1x = (ap\ (c_2Eordinal_2EfromNat\ A.27a) \\
& c_2Enum_2E0)) \wedge (V0y = (ap\ (c_2Eordinal_2EfromNat\ A.27a)\ c_2Enum_2E0)))))) \\
& \hspace{15em} (59)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0f \in (A_27a^{A_27b}).(\forall V1s \in (2^{A_27b}).(\forall V2x \in \\
& \quad A_27a.(((ap\ (ap\ (c_2Epred_set_2EIMAGE\ A_27b\ A_27a)\ V0f)\ V1s) = \\
& \quad (ap\ (ap\ (c_2Epred_set_2EINSERT\ A_27a)\ V2x)\ (c_2Epred_set_2EEMPTY \\
& \quad A_27a)))) \Leftrightarrow ((\exists V3y \in A_27b.(p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27b) \\
& \quad V3y)\ V1s))) \wedge (\forall V4y \in A_27b.((p\ (ap\ (ap\ (c_2Ebool_2EIN\ A_27b) \\
& \quad V4y)\ V1s)) \Rightarrow ((ap\ V0f\ V4y) = V2x))))))))) \\
& \hspace{15em} (60)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0s \in (2^{A_27a}).(\forall V1f \in (A_27b^{A_27a}).(((ap\ (ap\ (\\
& \quad c_2Epred_set_2EIMAGE\ A_27a\ A_27b)\ V1f)\ V0s) = (c_2Epred_set_2EEMPTY \\
& \quad A_27b))) \Leftrightarrow (V0s = (c_2Epred_set_2EEMPTY\ A_27a)))))) \\
& \hspace{15em} (61)
\end{aligned}$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(\neg(p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0n)\ c_2Enum_2E0)))) \quad (62)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (63)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (64)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \quad (65)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \quad (66)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (67)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (\\
& \quad (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\
& \quad p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\
& \quad ((\neg(p\ V1q)) \vee (\neg(p\ V0p))))))))))))) \\
& \hspace{15em} (68)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\
& (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{69}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge ((p V0p) \vee (\neg(p V2r)))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{70}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((p V0p) \vee (\neg(p V2r))) \wedge (\\
& \neg(p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))
\end{aligned} \tag{71}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))
\end{aligned} \tag{72}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \tag{73}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{74}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \tag{75}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \tag{76}$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \tag{77}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in (ty_2Eordinal_2Eordinal \\
& A_27a). (\forall V1y \in (ty_2Eordinal_2Eordinal A_27a). (((ap (\\
& ap (c_2Eordinal_2EordMULT A_27a) V0x) V1y) = (ap (c_2Eordinal_2EfromNat \\
& A_27a) c_2Enum_2E0)) \Leftrightarrow ((V0x = (ap (c_2Eordinal_2EfromNat A_27a) \\
& c_2Enum_2E0)) \vee (V1y = (ap (c_2Eordinal_2EfromNat A_27a) c_2Enum_2E0))))))
\end{aligned}$$