

thm_2Eordinal_2EordMULT_le_MONO_L
(TMbTp8Uu1VnMe2Gh8nzzbZJoW4RQ46Lra47)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2ET$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Epred_set_2EUNIV$ to be $\lambda A.27a : \iota.(\lambda V0x \in A.27a.c_2Ebool_2E_2ET)$.

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Esum_2Esum A0 A1) \tag{1}$$

Definition 4 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 5 We define $c_2Ebool_2E_2EIN$ to be $\lambda A.27a : \iota.(\lambda V0x \in A.27a.(\lambda V1f \in (2^{A-27a}).(ap V1f V0x)))$

Definition 6 We define $c_2Ebool_2E_2E21$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})))$

Definition 7 We define $c_2Ebool_2E_2E2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_2E21 2) (\lambda V2t \in 2.V2t)))$

Definition 8 We define $c_2Epred_set_2EINJ$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0f \in (A.27b^{A-27a}).\lambda V1s \in (2^{A-27a}).$

Definition 9 We define $c_2Emin_2E_2E40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 10 We define $c_2Ebool_2E_2E3F$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap V0P (ap (c_2Emin_2E_2E40 (2^{A-27a})))$

Definition 11 We define $c_2Ecardinal_2Ecardleq$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0s1 \in (2^{A-27a}).\lambda V1s2 \in (2^{A-27a}).$

Let $ty_2Eenum_2Eenum : \iota$ be given. Assume the following.

$$nonempty ty_2Eenum_2Eenum \tag{2}$$

Let $ty_2Ewellorder_2Ewellorder : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ewellorder_2Ewellorder\ A0) \quad (3)$$

Let $ty_2Eordinal_2Eordinal : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eordinal_2Eordinal\ A0) \quad (4)$$

Let $c_2Eordinal_2Eordinal_REP_CLASS : \iota \Rightarrow \iota$ be given. Assume the following.

$$A_27a \in ((2^{(ty_2Ewellorder_2Ewellorder\ (ty_2Esum_2Esum\ ty_2Enum_2Enum\ A_27a))})^{(ty_2Eordinal_2Eordinal\ A_27a)}) \quad (5)$$

Definition 12 We define $c_2Eordinal_2Eordinal_REP$ to be $\lambda A_27a : \iota.\lambda V0a \in (ty_2Eordinal_2Eordinal\ A_27a)$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (6)$$

Let $c_2Ewellorder_2Ewellorder_REP : \iota \Rightarrow \iota$ be given. Assume the following.

$$A_27a \in ((2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})^{(ty_2Ewellorder_2Ewellorder\ A_27a)}) \quad (7)$$

Definition 13 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 14 We define c_2Ebool_2E7E to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E3D_3D_3E\ V0t)\ c_2Ebool_2E21))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (8)$$

Definition 15 We define c_2Epair_2E2C to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Ebool_2E7E\ (ap\ (c_2Ebool_2E21\ 2)\ (ap\ (c_2Ebool_2E7E\ V0x)\ (ap\ (c_2Ebool_2E21\ 2)\ V1y))))$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \quad (9)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST\ A_27a\ A_27b \in (A_27a)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \quad (10)$$

Definition 34 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone))$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Esum_2EABS_sum A_27a A_27b \in ((ty_2Esum_2Esum A_27a A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (14)$$

Definition 35 We define c_2Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap (c_2Esum_2EABS_sum A_27a A_27b) V0e)$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Eoption_2Eoption A0) \quad (15)$$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Eoption_2Eoption_ABS A_27a \in (ty_2Eoption_2Eoption A_27a)^{(ty_2Esum_2Esum A_27a ty_2Eone_2Eone)} \quad (16)$$

Definition 36 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota. (ap (c_2Eoption_2Eoption_ABS A_27a) (c_2Eone_2Eone))$

Definition 37 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2Ebool_2Ebool)$.

Definition 38 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1s \in (2^{A_27a}). (ap (c_2Ebool_2Ebool_2Ebool) V1s)$

Definition 39 We define $c_2Eset_relation_2Emaximal_elements$ to be $\lambda A_27a : \iota. \lambda V0xs \in (2^{A_27a}). \lambda V1r \in (2^{A_27a}). (ap (c_2Ebool_2Ebool_2Ebool) V1r)$

Definition 40 We define c_2Esum_2EINL to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27a. (ap (c_2Esum_2EABS_sum A_27a A_27b) V0e)$

Definition 41 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. (ap (c_2Eoption_2Eoption_ABS A_27a) V0x)$

Definition 42 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. (ap (c_2Ebool_2Ebool_2Ebool) V2t2))))$

Definition 43 We define $c_2Eoption_2ESome$ to be $\lambda A_27a : \iota. \lambda V0P \in (2^{A_27a}). (ap (ap (ap (c_2Ebool_2Ebool_2Ebool) V0P) A_27a) A_27a)$

Definition 44 We define $c_2Eordinal_2Eomax$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{(ty_2Eordinal_2Eordinal A_27a)}). (ap (c_2Ebool_2Ebool_2Ebool) V0s)$

Definition 45 We define $c_2Eordinal_2EordSUC$ to be $\lambda A_27a : \iota. \lambda V0a \in (ty_2Eordinal_2Eordinal A_27a). (ap (c_2Ebool_2Ebool_2Ebool) V0a)$

Let $c_2Eordinal_2EfromNat : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Eordinal_2EfromNat A_27a \in (ty_2Eordinal_2Eordinal A_27a)^{ty_2Eenum_2Eenum} \quad (17)$$

Let $c_2Eordinal_2EordMULT : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Eordinal_2EordMULT A_27a \in ((ty_2Eordinal_2Eordinal A_27a)^{(ty_2Eordinal_2Eordinal A_27a)})^{(ty_2Eordinal_2Eordinal A_27a)} \quad (18)$$

Let $c_2Eordinal_2EordADD : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eordinal_2EordADD\ A_27a \in ((ty_2Eordinal_2Eordinal\ A_27a)^{(ty_2Eordinal_2Eordinal\ A_27a)})^{(ty_2Eordinal_2Eordinal\ A_27a)} \quad (19)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (20)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (21)$$

Definition 46 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (22)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (23)$$

Definition 47 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ m)$

Definition 48 We define $c_2Eprim_rec_2E.3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Assume the following.

$$True \quad (24)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (25)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (26)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (27)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (28)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \quad (29)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (30)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (31)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (32)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \quad (33)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).((\neg(\exists V1x \in A_27a.(p(ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A_27a.(\neg(p(ap V0P V2x)))))) \quad (34)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0Q \in 2.(\forall V1P \in (2^{A_27a}).((\forall V2x \in A_27a.((p(ap V1P V2x)) \vee (p V0Q))) \Leftrightarrow ((\forall V3x \in A_27a.(p(ap V1P V3x)) \vee (p V0Q)))))) \quad (35)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B)))))) \quad (36)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (37)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in 2.(((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27)))))) \quad (38)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow (\forall V0f \in (A_27c^{A_27a}). (\forall V1s \in (2^{A_27a}). \\
& \quad (\forall V2t \in (2^{A_27b}). ((p\ (ap\ (ap\ (c_2Ecardinal_2Ecardleq\ A_27a \\
& \quad A_27b)\ V1s)\ V2t))) \Rightarrow (p\ (ap\ (ap\ (c_2Ecardinal_2Ecardleq\ A_27c\ A_27b) \\
& \quad (ap\ (ap\ (c_2Epred_set_2EIMAGE\ A_27a\ A_27c)\ V0f)\ V1s))\ V2t))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0w \in (ty_2Eordinal_2Eordinal\ A_27a). (\neg(p\ (ap\ (ap\ (c_2Eordinal_2Eordlt\ A_27a)\ V0w)\ V0w)))) \tag{40}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in (ty_2Eordinal_2Eordinal \\
& \quad A_27a). (\forall V1w \in (ty_2Eordinal_2Eordinal\ A_27a). ((p\ (ap \\
& \quad (ap\ (c_2Ebool_2EIN\ (ty_2Eordinal_2Eordinal\ A_27a)\ V0x))\ (ap\ (\\
& \quad c_2Eordinal_2Epreds\ A_27a)\ V1w))) \Leftrightarrow (p\ (ap\ (ap\ (c_2Eordinal_2Eordlt \\
& \quad A_27a)\ V0x)\ V1w))))))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0ord \in (ty_2Eordinal_2Eordinal \\
& \quad A_27a). (p\ (ap\ (ap\ (c_2Ecardinal_2Ecardleq\ (ty_2Eordinal_2Eordinal \\
& \quad A_27a)\ (ty_2Esum_2Esum\ ty_2Enum_2Enum\ A_27a))\ (ap\ (c_2Eordinal_2Epreds \\
& \quad A_27a)\ V0ord))\ (c_2Epred_set_2EUNIV\ (ty_2Esum_2Esum\ ty_2Enum_2Enum \\
& \quad A_27a))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in (ty_2Eordinal_2Eordinal \\
& \quad A_27a). (\forall V1y \in (ty_2Eordinal_2Eordinal\ A_27a). (\forall V2z \in \\
& \quad (ty_2Eordinal_2Eordinal\ A_27a). (((\neg(p\ (ap\ (ap\ (c_2Eordinal_2Eordlt \\
& \quad A_27a)\ V1y)\ V0x))) \wedge (\neg(p\ (ap\ (ap\ (c_2Eordinal_2Eordlt\ A_27a)\ V2z) \\
& \quad V1y)))) \Rightarrow (\neg(p\ (ap\ (ap\ (c_2Eordinal_2Eordlt\ A_27a)\ V2z)\ V0x))))))
\end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{(ty_2Eordinal_2Eordinal\ A_27a)}). \\
& \quad ((p\ (ap\ (ap\ (c_2Ecardinal_2Ecardleq\ (ty_2Eordinal_2Eordinal \\
& \quad A_27a)\ (ty_2Esum_2Esum\ ty_2Enum_2Enum\ A_27a))\ V0s)\ (c_2Epred_set_2EUNIV \\
& \quad (ty_2Esum_2Esum\ ty_2Enum_2Enum\ A_27a)))) \Rightarrow (\forall V1a \in (ty_2Eordinal_2Eordinal \\
& \quad A_27a). ((p\ (ap\ (ap\ (c_2Eordinal_2Eordlt\ A_27a)\ V1a)\ (ap\ (c_2Eordinal_2Esup \\
& \quad A_27a)\ V0s))) \Leftrightarrow (\exists V2b \in (ty_2Eordinal_2Eordinal\ A_27a). \\
& \quad ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ (ty_2Eordinal_2Eordinal\ A_27a))\ V2b) \\
& \quad V0s)) \wedge (p\ (ap\ (ap\ (c_2Eordinal_2Eordlt\ A_27a)\ V1a)\ V2b))))))
\end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0f \in ((ty_2Eordinal_2Eordinal \\
& A_27a)(ty_2Eordinal_2Eordinal\ A_27a)).(\forall V1a \in (ty_2Eordinal_2Eordinal \\
& A_27a)).(\forall V2b \in (ty_2Eordinal_2Eordinal\ A_27a)).((p\ (ap \\
& (ap\ (c_2Eordinal_2Eordlt\ A_27a)\ V2b)\ (ap\ (c_2Eordinal_2Esup\ A_27a) \\
& (ap\ (ap\ (c_2Epred_set_2EIMAGE\ (ty_2Eordinal_2Eordinal\ A_27a) \\
& (ty_2Eordinal_2Eordinal\ A_27a))\ V0f)\ (ap\ (c_2Eordinal_2Epreds \\
& A_27a)\ V1a)))))) \Leftrightarrow (\exists V3d \in (ty_2Eordinal_2Eordinal\ A_27a). \\
& ((p\ (ap\ (ap\ (c_2Eordinal_2Eordlt\ A_27a)\ V3d)\ V1a)) \wedge (p\ (ap\ (ap\ (c_2Eordinal_2Eordlt \\
& A_27a)\ V2b)\ (ap\ V0f\ V3d))))))
\end{aligned} \tag{45}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{(ty_2Eordinal_2Eordinal\ A_27a)}). \\
& (((p\ (ap\ V0P\ (ap\ (c_2Eordinal_2EfromNat\ A_27a)\ c_2Enum_2E0))) \wedge \\
& ((\forall V1a \in (ty_2Eordinal_2Eordinal\ A_27a)).((p\ (ap\ V0P\ V1a)) \Rightarrow \\
& (p\ (ap\ V0P\ (ap\ (c_2Eordinal_2EordSUC\ A_27a)\ V1a)))))) \wedge (\forall V2a \in \\
& (ty_2Eordinal_2Eordinal\ A_27a)).(((ap\ (c_2Eordinal_2Eomax \\
& A_27a)\ (ap\ (c_2Eordinal_2Epreds\ A_27a)\ V2a)) = (c_2Eoption_2ENONE \\
& (ty_2Eordinal_2Eordinal\ A_27a))) \wedge ((p\ (ap\ (ap\ (c_2Eordinal_2Eordlt \\
& A_27a)\ (ap\ (c_2Eordinal_2EfromNat\ A_27a)\ c_2Enum_2E0))\ V2a)) \wedge \\
& (\forall V3b \in (ty_2Eordinal_2Eordinal\ A_27a)).((p\ (ap\ (ap\ (c_2Eordinal_2Eordlt \\
& A_27a)\ V3b)\ V2a)) \Rightarrow (p\ (ap\ V0P\ V3b)))))) \Rightarrow (p\ (ap\ V0P\ V2a)))))) \Rightarrow (\forall V4a \in \\
& (ty_2Eordinal_2Eordinal\ A_27a)).(p\ (ap\ V0P\ V4a))))
\end{aligned} \tag{46}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0n \in ty_2Enum_2Enum.(\\
& \forall V1m \in ty_2Enum_2Enum.((p\ (ap\ (ap\ (c_2Eordinal_2Eordlt \\
& A_27a)\ (ap\ (c_2Eordinal_2EfromNat\ A_27a)\ V0n))\ (ap\ (c_2Eordinal_2EfromNat \\
& A_27a)\ V1m)))) \Leftrightarrow (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0n)\ V1m))))
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0b \in (ty_2Eordinal_2Eordinal \\
& A_27a)).(\forall V1a \in (ty_2Eordinal_2Eordinal\ A_27a)).(\forall V2c \in \\
& (ty_2Eordinal_2Eordinal\ A_27a)).((p\ (ap\ (ap\ (c_2Eordinal_2Eordlt \\
& A_27a)\ (ap\ (ap\ (c_2Eordinal_2EordADD\ A_27a)\ V2c)\ V1a))\ (ap\ (ap\ (\\
& c_2Eordinal_2EordADD\ A_27a)\ V2c)\ V0b)))) \Leftrightarrow (p\ (ap\ (ap\ (c_2Eordinal_2Eordlt \\
& A_27a)\ V1a)\ V0b))))
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0b \in (ty_2Eordinal_2Eordinal \\
& A.27a).(((ap\ (ap\ (c_2Eordinal_2EordMULT\ A.27a)\ V0b)\ (ap\ (c_2Eordinal_2EfromNat \\
& A.27a)\ c_2Enum_2E0)) = (ap\ (c_2Eordinal_2EfromNat\ A.27a)\ c_2Enum_2E0))) \wedge \\
& ((\forall V1a \in (ty_2Eordinal_2Eordinal\ A.27a).((ap\ (ap\ (c_2Eordinal_2EordMULT \\
& A.27a)\ V0b)\ (ap\ (c_2Eordinal_2EordSUC\ A.27a)\ V1a)) = (ap\ (ap\ (c_2Eordinal_2EordADD \\
& A.27a)\ (ap\ (ap\ (c_2Eordinal_2EordMULT\ A.27a)\ V0b)\ V1a))\ V0b)))) \wedge \\
& (\forall V2a \in (ty_2Eordinal_2Eordinal\ A.27a).((p\ (ap\ (ap\ (c_2Eordinal_2Eordlt \\
& A.27a)\ (ap\ (c_2Eordinal_2EfromNat\ A.27a)\ c_2Enum_2E0))\ V2a)) \wedge \\
& ((ap\ (c_2Eordinal_2Eomax\ A.27a)\ (ap\ (c_2Eordinal_2Epreds\ A.27a) \\
& V2a)) = (c_2Eoption_2ENONE\ (ty_2Eordinal_2Eordinal\ A.27a)))) \Rightarrow \\
& ((ap\ (ap\ (c_2Eordinal_2EordMULT\ A.27a)\ V0b)\ V2a) = (ap\ (c_2Eordinal_2Esup \\
& A.27a)\ (ap\ (ap\ (c_2Epred_set_2EIMAGE\ (ty_2Eordinal_2Eordinal \\
& A.27a)\ (ty_2Eordinal_2Eordinal\ A.27a))\ (ap\ (c_2Eordinal_2EordMULT \\
& A.27a)\ V0b))\ (ap\ (c_2Eordinal_2Epreds\ A.27a)\ V2a)))))))))
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0y \in (ty_2Eordinal_2Eordinal \\
& A.27a).(\forall V1x \in (ty_2Eordinal_2Eordinal\ A.27a).(\forall V2z \in \\
& (ty_2Eordinal_2Eordinal\ A.27a).(\neg(p\ (ap\ (ap\ (c_2Eordinal_2Eordlt \\
& A.27a)\ V0y)\ V1x)))) \Rightarrow (\neg(p\ (ap\ (ap\ (c_2Eordinal_2Eordlt\ A.27a)\ (ap \\
& (ap\ (c_2Eordinal_2EordADD\ A.27a)\ V0y)\ V2z))\ (ap\ (ap\ (c_2Eordinal_2EordADD \\
& A.27a)\ V1x)\ V2z)))))))))
\end{aligned} \tag{50}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \forall V0x \in A.27a.(\forall V1s \in (2^{A.27a}).((p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& A.27a)\ V0x)\ V1s))) \Rightarrow (\forall V2f \in (A.27b^{A.27a}).(p\ (ap\ (ap\ (c_2Ebool_2EIN \\
& A.27b)\ (ap\ V2f\ V0x))\ (ap\ (ap\ (c_2Epred_set_2EIMAGE\ A.27a\ A.27b) \\
& V2f)\ V1s)))))))))
\end{aligned} \tag{51}$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(\neg(p\ (ap\ (ap\ c_2Eprim_rec_2E_3C \\
V0n)\ c_2Enum_2E0)))) \tag{52}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{53}$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{54}$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
(((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \tag{55}$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow (p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (56)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (57)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q) \vee (p V2r)) \wedge (((p V0p) \vee (\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee (\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (58)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (59)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (\neg(p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (60)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (61)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (62)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (63)$$

Theorem 1

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0a \in (ty_2Eordinal_2Eordinal A_27a).(\forall V1b \in (ty_2Eordinal_2Eordinal A_27a).(\forall V2c \in (ty_2Eordinal_2Eordinal A_27a).((\neg(p (ap (ap (c_2Eordinal_2Eordlt A_27a) V1b) V0a))) \Rightarrow (\neg(p (ap (ap (c_2Eordinal_2Eordlt A_27a) (ap (ap (c_2Eordinal_2EordMULT A_27a) V1b) V2c)) (ap (ap (c_2Eordinal_2EordMULT A_27a) V0a) V2c))))))))))$$