

thm\_2Eordinal\_2EordMULT\_\_lt\_\_MONO\_\_R  
 (TM-  
 Fzj1n7iPN5WB5DKCMnV7kJkQ5qsWgdrS4)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.$  **if**  $(\exists x \in A.p (ap P x))$  **then** (the  $(\lambda x.x \in A \wedge p x)$  of type  $\iota \Rightarrow \iota$ ).

**Definition 2** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{1}$$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \tag{2}$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \tag{3}$$

Let  $ty\_2Ewellorder\_2Ewellorder : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ewellorder\_2Ewellorder\ A0) \tag{4}$$

Let  $c\_2Ewellorder\_2Ewellorder\_REP : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ewellorder\_2Ewellorder\_REP\ A\_27a \in ((2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)})(ty\_2Ewellorder\_2Ewellorder\ A\_27a)) \tag{5}$$

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))))$

**Definition 5** We define  $c\_2Ebool\_2EF$  to be  $(ap (c\_2Ebool\_2E\_21\ 2) (\lambda V0t \in 2.V0t))$ .

**Definition 6** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 7** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2EF))$ .

**Definition 8** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21\ 2) (\lambda V2t \in 2.V2t))))$ .

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \end{aligned} \quad (6)$$

**Definition 9** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap (c\_2Ebool\_2E\_7E))$ .

**Definition 10** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$ .

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND \\ A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (7)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST \\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (8)$$

**Definition 11** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c^{A\_27a})^{A\_27b})$ .

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC \\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}}) \end{aligned} \quad (9)$$

**Definition 12** We define  $c\_2Eset\_relation\_2Estrict$  to be  $\lambda A\_27a : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)})$ .

**Definition 13** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40))))$ .

**Definition 14** We define  $c\_2Eset\_relation\_2Erangle$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)})$ .

**Definition 15** We define  $c\_2Eset\_relation\_2Edomain$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)})$ .

**Definition 16** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21\ 2) (\lambda V2t \in 2.V2t))))$ .

**Definition 17** We define  $c\_2Epred\_set\_2EUNION$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap (c\_2Ebool\_2E\_5C\_2F))$ .

**Definition 18** We define  $c\_2Ewellorder\_2EelsOf$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2Ewellorder\_2Ewellorder A\_27a).$

**Definition 19** We define  $c\_2Ewellorder\_2Eorderiso$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0w1 \in (ty\_2Ewellorder\_2Ewellorder A\_27a).$

Let  $ty\_2Eordinal\_2Eordinal : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Eordinal\_2Eordinal A0) \quad (10)$$

Let  $c\_2Eordinal\_2Eordinal\_ABS\_CLASS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow c\_2Eordinal\_2Eordinal\_ABS\_CLASS \\ & A\_27a \in ((ty\_2Eordinal\_2Eordinal A\_27a)^{(2^{(ty\_2Ewellorder\_2Ewellorder (ty\_2Esum\_2Esum ty\_2Enum\_2Enum A\_27a))})}) \end{aligned} \quad (11)$$

**Definition 20** We define  $c\_2Eordinal\_2Eordinal\_ABS$  to be  $\lambda A\_27a : \iota.\lambda V0r \in (ty\_2Ewellorder\_2Ewellorder A\_27a).$

Let  $c\_2Eordinal\_2Eordinal\_REP\_CLASS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow c\_2Eordinal\_2Eordinal\_REP\_CLASS \\ & A\_27a \in ((2^{(ty\_2Ewellorder\_2Ewellorder (ty\_2Esum\_2Esum ty\_2Enum\_2Enum A\_27a))})^{(ty\_2Eordinal\_2Eordinal A\_27a)}) \end{aligned} \quad (12)$$

**Definition 21** We define  $c\_2Eordinal\_2Eordinal\_REP$  to be  $\lambda A\_27a : \iota.\lambda V0a \in (ty\_2Eordinal\_2Eordinal A\_27a).$

**Definition 22** We define  $c\_2Epred\_set\_2EUNIV$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2ET).$

**Definition 23** We define  $c\_2Epred\_set\_2EINJ$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in (2^{A\_27a}).$

**Definition 24** We define  $c\_2Ecardinal\_2Ecardleq$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0s1 \in (2^{A\_27a}).\lambda V1s2 \in (2^{A\_27a}).$

**Definition 25** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in (2^{A\_27a}).$

**Definition 26** We define  $c\_2Ewellorder\_2Eiseg$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2Ewellorder\_2Ewellorder A\_27a).$

**Definition 27** We define  $c\_2Eset\_relation\_2Errestrict$  to be  $\lambda A\_27a : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod A\_27a A\_27a)}).$

Let  $c\_2Ewellorder\_2Ewellorder\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty A\_27a \Rightarrow c\_2Ewellorder\_2Ewellorder\_ABS \\ & A\_27a \in ((ty\_2Ewellorder\_2Ewellorder A\_27a)^{(2^{(ty\_2Epair\_2Eprod A\_27a A\_27a))})} \end{aligned} \quad (13)$$

**Definition 28** We define  $c\_2Ewellorder\_2Ewobound$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1w \in (ty\_2Ewellorder\_2Ewellorder A\_27a).$

**Definition 29** We define  $c\_2Ewellorder\_2Eorderlt$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0w1 \in (ty\_2Ewellorder\_2Ewellorder A\_27a).$

**Definition 30** We define  $c\_2Eordinal\_2Eordlt$  to be  $\lambda A\_27a : \iota.\lambda V0T1 \in (ty\_2Eordinal\_2Eordinal A\_27a).$

**Definition 31** We define  $c\_2Eordinal\_2Epreds$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2Eordinal\_2Eordinal A\_27a).$

**Definition 32** We define  $c\_2Epred\_set\_2EBIGUNION$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{(2^{A-27a})}).(ap (c\_2Epred\_set\_2EBIGUNION A\_27a) P)$

**Definition 33** We define  $c\_2Eordinal\_2Eoleast$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{(ty\_2Eordinal\_2Eordinal A\_27a)}).$

**Definition 34** We define  $c\_2Eordinal\_2Esup$  to be  $\lambda A\_27a : \iota.\lambda V0ordset \in (2^{(ty\_2Eordinal\_2Eordinal A\_27a)}).$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \quad (14)$$

**Definition 35** We define  $c\_2Eone\_2Eone$  to be  $(ap (c\_2Emin\_2E40 ty\_2Eone\_2Eone) (\lambda V0x \in ty\_2Eone\_2Eone))$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A-27b})^{A-27a})^2}) \quad (15)$$

**Definition 36** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27b.(ap (c\_2Esum\_2EABS\_sum A\_27a A\_27b) e)$

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Eoption\_2Eoption\ A0) \quad (16)$$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS\ A\_27a \in ((ty\_2Eoption\_2Eoption\ A\_27a)^{(ty\_2Esum\_2Esum\ A\_27a\ ty\_2Eone\_2Eone)}) \quad (17)$$

**Definition 37** We define  $c\_2Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota.(ap (c\_2Eoption\_2Eoption\_ABS\ A\_27a) 0)$

**Definition 38** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2EF)$ .

**Definition 39** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A-27a}).(ap (c\_2Epred\_set\_2EINSERT A\_27a x) s)$

**Definition 40** We define  $c\_2Eset\_relation\_2Emaximal\_elements$  to be  $\lambda A\_27a : \iota.\lambda V0xs \in (2^{A-27a}).\lambda V1r \in (2^{A-27a}).(ap (c\_2Eset\_relation\_2Emaximal\_elements A\_27a xs) r)$

**Definition 41** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27a.(ap (c\_2Esum\_2EABS\_sum A\_27a A\_27b) e)$

**Definition 42** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.(ap (c\_2Eoption\_2Eoption\_ABS A\_27a) x)$

**Definition 43** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.(ap (c\_2Ebool\_2ECOND A\_27a t) t1 t2))))$

**Definition 44** We define  $c\_2Eoption\_2ESome$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{A-27a}).(ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) P) 0) 0)$

**Definition 45** We define  $c\_2Eordinal\_2Eomax$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{(ty\_2Eordinal\_2Eordinal A\_27a)}).$

Let  $c\_2Eordinal\_2EordADD : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eordinal\_2EordADD\ A\_27a \in ((ty\_2Eordinal\_2Eordinal\ A\_27a)^{(ty\_2Eordinal\_2Eordinal\ A\_27a)}(ty\_2Eordinal\_2Eordinal\ A\_27a)) \quad (18)$$

**Definition 46** We define  $c\_2Eordinal\_2EordSUC$  to be  $\lambda A\_27a : \iota.\lambda V0a \in (ty\_2Eordinal\_2Eordinal A\_27a)$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{19}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{20}$$

**Definition 47** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

Let  $c\_2Eordinal\_2EfromNat : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eordinal\_2EfromNat\ A\_27a \in ( (ty\_2Eordinal\_2Eordinal\ A\_27a)^{ty\_2Enum\_2Enum} ) \tag{21}$$

Let  $c\_2Eordinal\_2EordMULT : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eordinal\_2EordMULT\ A\_27a \in ( ((ty\_2Eordinal\_2Eordinal\ A\_27a)^{(ty\_2Eordinal\_2Eordinal\ A\_27a)})^{(ty\_2Eordinal\_2Eordinal\ A\_27a)} ) \tag{22}$$

**Definition 48** We define  $c\_2Ecombin\_2EK$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0x \in A\_27a.(\lambda V1y \in A\_27b.V0x))$

**Definition 49** We define  $c\_2Ecombin\_2ES$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.(\lambda V0f \in ((A\_27c^{A\_27b})^{A\_27a}))$

**Definition 50** We define  $c\_2Ecombin\_2EI$  to be  $\lambda A\_27a : \iota.(ap\ (ap\ (c\_2Ecombin\_2ES\ A\_27a\ (A\_27a^{A\_27a}))\ A\_27a))$

**Definition 51** We define  $c\_2Equotient\_2E\_2D\_2D\_3E$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda A\_27d : \iota.\lambda V0f \in ((A\_27d^{A\_27c})^{A\_27b})^{A\_27a}$

**Definition 52** We define  $c\_2Equotient\_2E\_3D\_3D\_3D\_3E$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R1 \in ((2^{A\_27a})^{A\_27a})^{A\_27a}$

**Definition 53** We define  $c\_2Equotient\_2EQUOTIENT$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a})^{A\_27a}$

**Definition 54** We define  $c\_2Ecombin\_2EW$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0f \in ((A\_27b^{A\_27a})^{A\_27a}).(\lambda V1x \in A\_27b.V0f\ x))$

**Definition 55** We define  $c\_2Equotient\_2Erespects$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(c\_2Ecombin\_2EW\ A\_27a\ A\_27b)$

**Definition 56** We define  $c\_2Ebool\_2ERES\_FORALL$  to be  $\lambda A\_27a : \iota.(\lambda V0p \in (2^{A\_27a}).(\lambda V1m \in (2^{A\_27a}).p\ m))$

**Definition 57** We define  $c\_2Equotient\_2EEQUIV$  to be  $\lambda A\_27a : \iota.\lambda V0E \in ((2^{A\_27a})^{A\_27a}).(ap\ (c\_2Ebool\_2ERES\_FORALL\ A\_27a\ E))$

Assume the following.

$$True \tag{23}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \tag{24}$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (25)$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg(p V0t)))) \quad (26)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a. (p V0t)) \Leftrightarrow (p V0t))) \quad (27)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (28)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ & (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (( \\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (31)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a. (V0x = V0x)) \quad (32)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (33)$$

Assume the following.

$$\forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (34)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ \forall V0f \in (A\_27b^{A\_27a}).(\forall V1g \in (A\_27b^{A\_27a}).((V0f = \\ V1g) \Leftrightarrow (\forall V2x \in A\_27a.((ap\ V0f\ V2x) = (ap\ V1g\ V2x)))))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned} (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg( \\ p\ V0t)))))) \end{aligned} \quad (36)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).(\forall V1Q \in \\ 2.(((\forall V2x \in A\_27a.(p\ (ap\ V0P\ V2x)) \wedge (p\ V1Q)) \Leftrightarrow (\forall V3x \in \\ A\_27a.(p\ (ap\ V0P\ V3x)) \wedge (p\ V1Q)))))) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0Q \in 2.(\forall V1P \in ( \\ 2^{A\_27a}).(((\forall V2x \in A\_27a.((p\ (ap\ V1P\ V2x)) \vee (p\ V0Q))) \Leftrightarrow ((\forall V3x \in \\ A\_27a.(p\ (ap\ V1P\ V3x)) \vee (p\ V0Q)))))) \end{aligned} \quad (38)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in ( \\ 2^{A\_27a}).(((\forall V2x \in A\_27a.((p\ V0P) \vee (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((p \\ V0P) \vee (\forall V3x \in A\_27a.(p\ (ap\ V1Q\ V3x)))))) \end{aligned} \quad (39)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p\ V0A) \vee ( \\ (p\ V1B) \wedge (p\ V2C))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \wedge ((p\ V0A) \vee (p\ V2C)))))) \end{aligned} \quad (40)$$

Assume the following.

$$\begin{aligned} (\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p\ V1B) \wedge \\ (p\ V2C)) \vee (p\ V0A)) \Leftrightarrow (((p\ V1B) \vee (p\ V0A)) \wedge ((p\ V2C) \vee (p\ V0A)))))) \end{aligned} \quad (41)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \Rightarrow \\ ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (42)$$

Assume the following.

$$\begin{aligned} (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Leftrightarrow (p\ V1t2)) \Leftrightarrow ((p \\ V0t1) \Rightarrow (p\ V1t2)) \wedge ((p\ V1t2) \Rightarrow (p\ V0t1)))))) \end{aligned} \quad (43)$$

Assume the following.

$$2.(((\forall V0x \in 2.(\forall V1x_{27} \in 2.(\forall V2y \in 2.(\forall V3y_{27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27})))))) \Rightarrow (44)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0x \in A_{27a}.((ap (c_{2E}combin_{2EI} A_{27a}) V0x) = V0x)) \quad (45)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (p (ap (ap (ap (c_{2E}quotient_{2EQUOTIENT} (ty_{2E}wellorder_{2Ewellorder} (ty_{2E}sum_{2Esum} ty_{2E}enum_{2Eenum} A_{27a})) (ty_{2E}ordinal_{2Eordinal} A_{27a})) (c_{2E}wellorder_{2Eorderiso} (ty_{2E}sum_{2Esum} ty_{2E}enum_{2Eenum} A_{27a}) (ty_{2E}sum_{2Esum} ty_{2E}enum_{2Eenum} A_{27a})) (c_{2E}ordinal_{2Eordinal\_ABS} A_{27a})) (c_{2E}ordinal_{2Eordinal\_REP} A_{27a}))) \quad (46)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0w \in (ty_{2E}ordinal_{2Eordinal} A_{27a}).(\neg (p (ap (ap (c_{2E}ordinal_{2Eordlt} A_{27a}) V0w) V0w)))) \quad (47)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0x \in (ty_{2E}ordinal_{2Eordinal} A_{27a}).(\forall V1w \in (ty_{2E}ordinal_{2Eordinal} A_{27a}).((p (ap (ap (c_{2E}bool_{2EIN} (ty_{2E}ordinal_{2Eordinal} A_{27a}) V0x) (ap (c_{2E}ordinal_{2Epreds} A_{27a}) V1w))) \Leftrightarrow (p (ap (ap (c_{2E}ordinal_{2Eordlt} A_{27a}) V0x) V1w)))))) \quad (48)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0ord \in (ty_{2E}ordinal_{2Eordinal} A_{27a}).(p (ap (ap (c_{2E}cardinal_{2Ecardleq} (ty_{2E}ordinal_{2Eordinal} A_{27a}) (ty_{2E}sum_{2Esum} ty_{2E}enum_{2Eenum} A_{27a})) (ap (c_{2E}ordinal_{2Epreds} A_{27a}) V0ord)) (c_{2E}pred\_set_{2EUNIV} (ty_{2E}sum_{2Esum} ty_{2E}enum_{2Eenum} A_{27a})))))) \quad (49)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0a \in (ty_{2E}ordinal_{2Eordinal} A_{27a}).(\neg (p (ap (ap (c_{2E}ordinal_{2Eordlt} A_{27a}) V0a) (ap (c_{2E}ordinal_{2EfromNat} A_{27a}) c_{2E}enum_{2E0})))))) \quad (50)$$



Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0a \in (ty\_2Eordinal\_2Eordinal \\ A\_27a). (\forall V1b \in (ty\_2Eordinal\_2Eordinal\ A\_27a). ((p\ (ap \\ (ap\ (c\_2Eordinal\_2Eordlt\ A\_27a)\ V0a)\ (ap\ (c\_2Eordinal\_2EordSUC \\ A\_27a)\ V1b)))) \Leftrightarrow ((p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt\ A\_27a)\ V0a)\ V1b)) \vee \\ (V0a = V1b)))))) \end{aligned} \quad (51)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{(ty\_2Eordinal\_2Eordinal\ A\_27a)}). \\ ((p\ (ap\ (ap\ (c\_2Ecardinal\_2Ecardleq\ (ty\_2Eordinal\_2Eordinal \\ A\_27a)\ (ty\_2Esum\_2Esum\ ty\_2Enum\_2Enum\ A\_27a))\ V0s)\ (c\_2Epred\_set\_2EUNIV \\ (ty\_2Esum\_2Esum\ ty\_2Enum\_2Enum\ A\_27a)))) \Rightarrow (\forall V1a \in (ty\_2Eordinal\_2Eordinal \\ A\_27a). ((p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt\ A\_27a)\ V1a)\ (ap\ (c\_2Eordinal\_2Esup \\ A\_27a)\ V0s)))) \Leftrightarrow (\exists V2b \in (ty\_2Eordinal\_2Eordinal\ A\_27a). \\ ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Eordinal\_2Eordinal\ A\_27a))\ V2b) \\ V0s)) \wedge (p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt\ A\_27a)\ V1a)\ V2b))))))))) \end{aligned} \quad (52)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0f \in ((ty\_2Eordinal\_2Eordinal \\ A\_27a)^{(ty\_2Eordinal\_2Eordinal\ A\_27a)}). (\forall V1a \in (ty\_2Eordinal\_2Eordinal \\ A\_27a). (\forall V2b \in (ty\_2Eordinal\_2Eordinal\ A\_27a). ((p\ (ap \\ (ap\ (c\_2Eordinal\_2Eordlt\ A\_27a)\ V2b)\ (ap\ (c\_2Eordinal\_2Esup\ A\_27a) \\ (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE\ (ty\_2Eordinal\_2Eordinal\ A\_27a) \\ (ty\_2Eordinal\_2Eordinal\ A\_27a))\ V0f)\ (ap\ (c\_2Eordinal\_2Epreds \\ A\_27a)\ V1a)))))) \Leftrightarrow (\exists V3d \in (ty\_2Eordinal\_2Eordinal\ A\_27a). \\ ((p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt\ A\_27a)\ V3d)\ V1a)) \wedge (p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt \\ A\_27a)\ V2b)\ (ap\ V0f\ V3d))))))))) \end{aligned} \quad (53)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{(ty\_2Eordinal\_2Eordinal\ A\_27a)}). \\ (((p\ (ap\ V0P\ (ap\ (c\_2Eordinal\_2EfromNat\ A\_27a)\ c\_2Enum\_2E0))) \wedge \\ ((\forall V1a \in (ty\_2Eordinal\_2Eordinal\ A\_27a). ((p\ (ap\ V0P\ V1a)) \Rightarrow \\ (p\ (ap\ V0P\ (ap\ (c\_2Eordinal\_2EordSUC\ A\_27a)\ V1a)))))) \wedge (\forall V2a \in \\ (ty\_2Eordinal\_2Eordinal\ A\_27a). (((ap\ (c\_2Eordinal\_2Eomax \\ A\_27a)\ (ap\ (c\_2Eordinal\_2Epreds\ A\_27a)\ V2a)) = (c\_2Eoption\_2ENONE \\ (ty\_2Eordinal\_2Eordinal\ A\_27a))) \wedge ((p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt \\ A\_27a)\ (ap\ (c\_2Eordinal\_2EfromNat\ A\_27a)\ c\_2Enum\_2E0))\ V2a)) \wedge \\ (\forall V3b \in (ty\_2Eordinal\_2Eordinal\ A\_27a). ((p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt \\ A\_27a)\ V3b)\ V2a)) \Rightarrow (p\ (ap\ V0P\ V3b)))))) \Rightarrow (p\ (ap\ V0P\ V2a)))))) \Rightarrow (\forall V4a \in \\ (ty\_2Eordinal\_2Eordinal\ A\_27a). (p\ (ap\ V0P\ V4a)))))) \end{aligned} \quad (54)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0a \in (ty\_2Eordinal\_2Eordinal \\ A.27a).(((ap\ (c\_2Eordinal\_2Eomax\ A.27a)\ (ap\ (c\_2Eordinal\_2Epreds \\ A.27a)\ V0a)) = (c\_2Eoption\_2ENONE\ (ty\_2Eordinal\_2Eordinal\ A.27a))) \Leftrightarrow \\ ((ap\ (c\_2Eordinal\_2Esup\ A.27a)\ (ap\ (c\_2Eordinal\_2Epreds\ A.27a) \\ V0a)) = V0a))) \end{aligned} \quad (55)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0b \in (ty\_2Eordinal\_2Eordinal \\ A.27a).(\forall V1a \in (ty\_2Eordinal\_2Eordinal\ A.27a).((p\ (ap \\ (ap\ (c\_2Eordinal\_2Eordlt\ A.27a)\ V1a)\ (ap\ (ap\ (c\_2Eordinal\_2EordADD \\ A.27a)\ V1a)\ V0b))) \Leftrightarrow (p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt\ A.27a)\ (ap\ ( \\ c\_2Eordinal\_2EfromNat\ A.27a)\ c\_2Enum\_2E0))\ V0b)))))) \end{aligned} \quad (56)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0b \in (ty\_2Eordinal\_2Eordinal \\ A.27a).(((ap\ (ap\ (c\_2Eordinal\_2EordMULT\ A.27a)\ V0b)\ (ap\ (c\_2Eordinal\_2EfromNat \\ A.27a)\ c\_2Enum\_2E0)) = (ap\ (c\_2Eordinal\_2EfromNat\ A.27a)\ c\_2Enum\_2E0)) \wedge \\ ((\forall V1a \in (ty\_2Eordinal\_2Eordinal\ A.27a).((ap\ (ap\ (c\_2Eordinal\_2EordMULT \\ A.27a)\ V0b)\ (ap\ (c\_2Eordinal\_2EordSUC\ A.27a)\ V1a)) = (ap\ (ap\ (c\_2Eordinal\_2EordADD \\ A.27a)\ (ap\ (ap\ (c\_2Eordinal\_2EordMULT\ A.27a)\ V0b)\ V1a))\ V0b)))) \wedge \\ (\forall V2a \in (ty\_2Eordinal\_2Eordinal\ A.27a).(((p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt \\ A.27a)\ (ap\ (c\_2Eordinal\_2EfromNat\ A.27a)\ c\_2Enum\_2E0))\ V2a)) \wedge \\ ((ap\ (c\_2Eordinal\_2Eomax\ A.27a)\ (ap\ (c\_2Eordinal\_2Epreds\ A.27a) \\ V2a)) = (c\_2Eoption\_2ENONE\ (ty\_2Eordinal\_2Eordinal\ A.27a)))) \Rightarrow \\ ((ap\ (ap\ (c\_2Eordinal\_2EordMULT\ A.27a)\ V0b)\ V2a) = (ap\ (c\_2Eordinal\_2Esup \\ A.27a)\ (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE\ (ty\_2Eordinal\_2Eordinal \\ A.27a)\ (ty\_2Eordinal\_2Eordinal\ A.27a))\ (ap\ (c\_2Eordinal\_2EordMULT \\ A.27a)\ V0b))\ (ap\ (c\_2Eordinal\_2Epreds\ A.27a)\ V2a)))))))))) \end{aligned} \quad (57)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow (p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\ A.27a\ A.27a)\ (c\_2Emin\_2E\_3D\ A.27a))\ (c\_2Ecombin\_2EI\ A.27a))\ ( \\ c\_2Ecombin\_2EI\ A.27a))) \end{aligned} \quad (58)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\
& \quad nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0R1 \in ( \\
& \quad (2^{A\_27a})^{A\_27a}).(\forall V1abs1 \in (A\_27c^{A\_27a}).(\forall V2rep1 \in \\
& \quad (A\_27a^{A\_27c}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ A\_27a\ A\_27c) \\
& \quad V0R1)\ V1abs1)\ V2rep1))) \Rightarrow (\forall V3R2 \in ((2^{A\_27b})^{A\_27b}).(\forall V4abs2 \in \\
& \quad (A\_27d^{A\_27b}).(\forall V5rep2 \in (A\_27b^{A\_27d}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27b\ A\_27d)\ V3R2)\ V4abs2)\ V5rep2))) \Rightarrow (p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad (A\_27b^{A\_27a})\ (A\_27d^{A\_27c}))\ (ap\ (ap\ (c\_2Equotient\_2E\_3D\_3D\_3D\_3E \\
& \quad A\_27a\ A\_27b)\ V0R1)\ V3R2))\ (ap\ (ap\ (c\_2Equotient\_2E\_2D\_2D\_3E\ A\_27c \\
& \quad A\_27b\ A\_27a\ A\_27d)\ V2rep1)\ V4abs2))\ (ap\ (ap\ (c\_2Equotient\_2E\_2D\_2D\_3E \\
& \quad A\_27a\ A\_27d\ A\_27c\ A\_27b)\ V1abs1)\ V5rep2))))))))))
\end{aligned} \tag{59}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\
& \quad nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0R1 \in ( \\
& \quad (2^{A\_27a})^{A\_27a}).(\forall V1abs1 \in (A\_27c^{A\_27a}).(\forall V2rep1 \in \\
& \quad (A\_27a^{A\_27c}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ A\_27a\ A\_27c) \\
& \quad V0R1)\ V1abs1)\ V2rep1))) \Rightarrow (\forall V3R2 \in ((2^{A\_27b})^{A\_27b}).(\forall V4abs2 \in \\
& \quad (A\_27d^{A\_27b}).(\forall V5rep2 \in (A\_27b^{A\_27d}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27b\ A\_27d)\ V3R2)\ V4abs2)\ V5rep2))) \Rightarrow (\forall V6f \in (A\_27d^{A\_27c}). \\
& \quad ((\lambda V7x \in A\_27c.(ap\ V6f\ V7x)) = (ap\ (ap\ (ap\ (c\_2Equotient\_2E\_2D\_2D\_3E \\
& \quad A\_27c\ A\_27b\ A\_27a\ A\_27d)\ V2rep1)\ V4abs2)\ (\lambda V8x \in A\_27a.(ap\ V5rep2 \\
& \quad (ap\ V6f\ (ap\ V1abs1\ V8x))))))))))))))
\end{aligned} \tag{60}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0REL \in ((2^{A\_27a})^{A\_27a}).(\forall V1abs \in (A\_27b^{A\_27a}). \\
& \quad (\forall V2rep \in (A\_27a^{A\_27b}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27a\ A\_27b)\ V0REL)\ V1abs)\ V2rep))) \Rightarrow (\forall V3x1 \in A\_27a.(\forall V4x2 \in \\
& \quad A\_27a.((p\ (ap\ (ap\ V0REL\ V3x1)\ V4x2)) \Rightarrow (p\ (ap\ (ap\ V0REL\ V3x1)\ (ap\ V2rep \\
& \quad (ap\ V1abs\ V4x2))))))))))
\end{aligned} \tag{61}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0R \in ((2^{A\_27a})^{A\_27a}).(\forall V1abs \in (A\_27b^{A\_27a}). \\
& \quad (\forall V2rep \in (A\_27a^{A\_27b}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27a\ A\_27b)\ V0R)\ V1abs)\ V2rep))) \Rightarrow (\forall V3f \in (2^{A\_27b}).((p\ ( \\
& \quad ap\ (c\_2Ebool\_2E\_21\ A\_27b)\ V3f)) \Leftrightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2ERES\_FORALL \\
& \quad A\_27a)\ (ap\ (c\_2Equotient\_2ERespects\ A\_27a\ 2)\ V0R))\ (ap\ (ap\ (ap \\
& \quad (c\_2Equotient\_2E\_2D\_2D\_3E\ A\_27a\ 2\ A\_27b\ 2)\ V1abs)\ (c\_2Ecombin\_2EI \\
& \quad 2))\ V3f))))))))))
\end{aligned} \tag{62}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0R \in ((2^{A\_27a})^{A\_27a}).(\forall V1abs \in (A\_27b^{A\_27a}). \\
& \quad (\forall V2rep \in (A\_27a^{A\_27b}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27a\ A\_27b)\ V0R)\ V1abs)\ V2rep)) \Rightarrow (\forall V3f \in (2^{A\_27a}).(\forall V4g \in \\
& \quad (2^{A\_27a}).((p\ (ap\ (ap\ (ap\ (ap\ (c\_2Equotient\_2E\_3D\_3D\_3D\_3E\ A\_27a \\
& \quad 2)\ V0R)\ (c\_2Emin\_2E\_3D\ 2)\ V3f)\ V4g)) \Rightarrow ((p\ (ap\ (ap\ (c\_2Ebool\_2ERES\_FORALL \\
& \quad A\_27a)\ (ap\ (c\_2Equotient\_2Erespects\ A\_27a\ 2)\ V0R))\ V3f)) \Leftrightarrow (p\ ( \\
& \quad ap\ (ap\ (c\_2Ebool\_2ERES\_FORALL\ A\_27a)\ (ap\ (c\_2Equotient\_2Erespects \\
& \quad A\_27a\ 2)\ V0R))\ V4g))))))))) \\
& \hspace{15em} (63)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\
& \quad nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow (\forall V0R1 \in ( \\
& \quad (2^{A\_27a})^{A\_27a}).(\forall V1abs1 \in (A\_27c^{A\_27a}).(\forall V2rep1 \in \\
& \quad (A\_27a^{A\_27c}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT\ A\_27a\ A\_27c) \\
& \quad V0R1)\ V1abs1)\ V2rep1)) \Rightarrow (\forall V3R2 \in ((2^{A\_27b})^{A\_27b}).(\forall V4abs2 \in \\
& \quad (A\_27d^{A\_27b}).(\forall V5rep2 \in (A\_27b^{A\_27d}).((p\ (ap\ (ap\ (ap\ (c\_2Equotient\_2EQUOTIENT \\
& \quad A\_27b\ A\_27d)\ V3R2)\ V4abs2)\ V5rep2)) \Rightarrow (\forall V6f \in (A\_27b^{A\_27a}). \\
& \quad (\forall V7g \in (A\_27b^{A\_27a}).(\forall V8x \in A\_27a.(\forall V9y \in \\
& \quad A\_27a.(((p\ (ap\ (ap\ (ap\ (ap\ (c\_2Equotient\_2E\_3D\_3D\_3D\_3E\ A\_27a \\
& \quad A\_27b)\ V0R1)\ V3R2)\ V6f)\ V7g)) \wedge (p\ (ap\ (ap\ V0R1\ V8x)\ V9y))) \Rightarrow (p\ (ap\ ( \\
& \quad ap\ V3R2\ (ap\ V6f\ V8x))\ (ap\ V7g\ V9y))))))))) \\
& \hspace{15em} (64)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0E \in ((2^{A\_27a})^{A\_27a}). \\
& \quad (\forall V1P \in (2^{A\_27a}).((p\ (ap\ (c\_2Equotient\_2EEQUIV\ A\_27a) \\
& \quad V0E)) \Rightarrow ((p\ (ap\ (ap\ (c\_2Ebool\_2ERES\_FORALL\ A\_27a)\ (ap\ (c\_2Equotient\_2Erespects \\
& \quad A\_27a\ 2)\ V0E))\ V1P)) \Leftrightarrow (p\ (ap\ (c\_2Ebool\_2E\_21\ A\_27a)\ V1P)))))) \\
& \hspace{15em} (65)
\end{aligned}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \hspace{10em} (66)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \hspace{10em} (67)$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \\
& \hspace{15em} (68)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \\
& \hspace{15em} (69)
\end{aligned}$$

Assume the following.

$$(\forall V0A \in 2.((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (70)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg( \\ & p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee (\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (71)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\ & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r))) \wedge (((p V1q) \vee \\ & (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (72)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\ & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\ & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (73)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow ( \\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ( \\ & \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (74)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ & (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \end{aligned} \quad (75)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \quad (76)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (77)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \quad (78)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (79)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p)))\Rightarrow(p V0p))) \quad (80)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a\Rightarrow(\forall V0w \in (ty\_2Ewellorder\_2Ewellorder A\_27a).(p (ap (ap (c\_2Ewellorder\_2Eorderiso A\_27a A\_27a) V0w) V0w))) \quad (81)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a\Rightarrow\forall A\_27b.nonempty A\_27b\Rightarrow(\forall V0w1 \in (ty\_2Ewellorder\_2Ewellorder A\_27a).(\forall V1w2 \in (ty\_2Ewellorder\_2Ewellorder A\_27b).((p (ap (ap (c\_2Ewellorder\_2Eorderiso A\_27a A\_27b) V0w1) V1w2))\Rightarrow(p (ap (ap (c\_2Ewellorder\_2Eorderiso A\_27b A\_27a) V1w2) V0w1)))))) \quad (82)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a\Rightarrow\forall A\_27b.nonempty A\_27b\Rightarrow\forall A\_27c.nonempty A\_27c\Rightarrow(\forall V0w1 \in (ty\_2Ewellorder\_2Ewellorder A\_27a).(\forall V1w2 \in (ty\_2Ewellorder\_2Ewellorder A\_27b).(\forall V2w3 \in (ty\_2Ewellorder\_2Ewellorder A\_27c).(((p (ap (ap (c\_2Ewellorder\_2Eorderiso A\_27a A\_27b) V0w1) V1w2))\wedge(p (ap (ap (c\_2Ewellorder\_2Eorderiso A\_27b A\_27c) V1w2) V2w3)))\Rightarrow(p (ap (ap (c\_2Ewellorder\_2Eorderiso A\_27a A\_27c) V0w1) V2w3)))))) \quad (83)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a\Rightarrow\forall A\_27b.nonempty A\_27b\Rightarrow\forall A\_27c.nonempty A\_27c\Rightarrow(\forall V0w1 \in (ty\_2Ewellorder\_2Ewellorder A\_27a).(\forall V1w2 \in (ty\_2Ewellorder\_2Ewellorder A\_27b).(\forall V2w3 \in (ty\_2Ewellorder\_2Ewellorder A\_27c).(((p (ap (ap (c\_2Ewellorder\_2Eorderlt A\_27a A\_27b) V0w1) V1w2))\wedge(p (ap (ap (c\_2Ewellorder\_2Eorderlt A\_27b A\_27c) V1w2) V2w3)))\Rightarrow(p (ap (ap (c\_2Ewellorder\_2Eorderlt A\_27a A\_27c) V0w1) V2w3)))))) \quad (84)$$

Assume the following.

$$\forall A\_27a.nonempty A\_27a\Rightarrow\forall A\_27b.nonempty A\_27b\Rightarrow\forall A\_27c.nonempty A\_27c\Rightarrow\forall A\_27d.nonempty A\_27d\Rightarrow(\forall V0x0 \in (ty\_2Ewellorder\_2Ewellorder A\_27a).(\forall V1y0 \in (ty\_2Ewellorder\_2Ewellorder A\_27b).(\forall V2a0 \in (ty\_2Ewellorder\_2Ewellorder A\_27c).(\forall V3b0 \in (ty\_2Ewellorder\_2Ewellorder A\_27d).(((p (ap (ap (c\_2Ewellorder\_2Eorderiso A\_27a A\_27b) V0x0) V1y0))\wedge(p (ap (ap (c\_2Ewellorder\_2Eorderiso A\_27c A\_27d) V2a0) V3b0)))\Rightarrow((p (ap (ap (c\_2Ewellorder\_2Eorderlt A\_27a A\_27c) V0x0) V2a0))\Leftrightarrow(p (ap (ap (c\_2Ewellorder\_2Eorderlt A\_27b A\_27d) V1y0) V3b0)))))) \quad (85)$$

**Theorem 1**

$$\begin{aligned} \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0a \in (ty\_2Eordinal\_2Eordinal \\ A\_27a).(\forall V1b \in (ty\_2Eordinal\_2Eordinal\ A\_27a).(\forall V2c \in \\ (ty\_2Eordinal\_2Eordinal\ A\_27a).(((p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt \\ A\_27a)\ V0a)\ V1b)) \wedge (p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt\ A\_27a)\ (ap\ (c\_2Eordinal\_2EfromNat \\ A\_27a)\ c\_2Enum\_2E0))\ V2c))) \Rightarrow (p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt\ A\_27a) \\ (ap\ (ap\ (c\_2Eordinal\_2EordMULT\ A\_27a)\ V2c)\ V0a))\ (ap\ (ap\ (c\_2Eordinal\_2EordMULT \\ A\_27a)\ V2c)\ V1b)))))) \end{aligned}$$