

# thm\_2Eordinal\_2Eordlt\_\_DISCRETE1 (TMdN9endHshT8pKzrFihNycMmDW4FM7v5zc)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$  then (the  $(\lambda x.x \in A \wedge p (ap P x))$ ) of type  $\iota \Rightarrow \iota$ .

**Definition 4** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A.\lambda P \in 2^A.(ap V0P (ap (c\_2Emin\_2E\_40 A P)))$

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda P \in 2^A.(ap (ap (c\_2Emin\_2E\_3D (2^A-27a)) P) P)$

**Definition 6** We define  $c\_2Ebool\_2E\_EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 7** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 8** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_EF))$

Let  $ty\_2Eenum\_2Eenum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eenum\_2Eenum \tag{1}$$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \tag{2}$$

Let  $ty\_2Ewellorder\_2Ewellorder : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ewellorder\_2Ewellorder\ A0) \tag{3}$$

Let  $ty\_2Eordinal\_2Eordinal : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Eordinal\_2Eordinal\ A0) \tag{4}$$

Let  $c\_2Eordinal\_2Eordinal\_REP\_CLASS : \iota \Rightarrow \iota$  be given. Assume the following.

$$A\_27a \in ((2^{(ty\_2Ewellorder\_2Ewellorder (ty\_2Esum\_2Esum ty\_2Enum\_2Enum A\_27a))})^{(ty\_2Eordinal\_2Eordinal A\_27a)})^{\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Eordinal\_2Eordinal\_REP\_CLASS} \quad (5)$$

**Definition 9** We define  $c\_2Eordinal\_2Eordinal\_REP$  to be  $\lambda A\_27a : \iota. \lambda V0a \in (ty\_2Eordinal\_2Eordinal A\_27a)$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \quad (6)$$

Let  $c\_2Ewellorder\_2Ewellorder\_REP : \iota \Rightarrow \iota$  be given. Assume the following.

$$A\_27a \in ((2^{(ty\_2Epair\_2Eprod A\_27a A\_27a)})^{(ty\_2Ewellorder\_2Ewellorder A\_27a)})^{\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Ewellorder\_2Ewellorder\_REP} \quad (7)$$

**Definition 10** We define  $c\_2Ebool\_2E2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E21 2) (\lambda V2t \in 2. (ty\_2Epair\_2Eprod A\_27a A\_27b))))))$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (8)$$

**Definition 11** We define  $c\_2Epair\_2E2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap (c\_2Epair\_2EABS\_prod A\_27a A\_27b) (2^{A\_27b}))$

**Definition 12** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota. (\lambda V0x \in A\_27a. (\lambda V1f \in (2^{A\_27a}). (ap V1f V0x)))$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2ESND A\_27a A\_27b \in (A\_27b)^{(ty\_2Epair\_2Eprod A\_27a A\_27b)} \quad (9)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EFST A\_27a A\_27b \in (A\_27a)^{(ty\_2Epair\_2Eprod A\_27a A\_27b)} \quad (10)$$

**Definition 13** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda A\_27c : \iota. \lambda V0f \in ((A\_27c)^{A\_27b})$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC A\_27a A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod A\_27a 2)^{A\_27b}}) \quad (11)$$

**Definition 14** We define  $c\_2Eset\_relation\_2Estrict$  to be  $\lambda A\_27a : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)})$

**Definition 15** We define  $c\_2Ewellorder\_2Eiseg$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2Ewellorder\_2Ewellorder\ A\_27a)$

**Definition 16** We define  $c\_2Eset\_relation\_2Erestrict$  to be  $\lambda A\_27a : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)})$

Let  $c\_2Ewellorder\_2Ewellorder\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ewellorder\_2Ewellorder\_ABS \\ & A\_27a \in ((ty\_2Ewellorder\_2Ewellorder\ A\_27a)^{(2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)})}) \end{aligned} \quad (12)$$

**Definition 17** We define  $c\_2Ewellorder\_2Ewobound$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1w \in (ty\_2Ewellorder\_2Ewellorder\ A\_27a)$

**Definition 18** We define  $c\_2Eset\_relation\_2Erange$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)})$

**Definition 19** We define  $c\_2Eset\_relation\_2Edomain$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)})$

**Definition 20** We define  $c\_2Ebool\_2E5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E21\ 2)\ (\lambda V2t \in 2.(ap\ (c\_2Ebool\_2E21\ 2)\ V2t))))$

**Definition 21** We define  $c\_2Epred\_set\_2EUNION$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c\_2Epred\_set\_2EUNION\ V1t))$

**Definition 22** We define  $c\_2Ewellorder\_2EelsOf$  to be  $\lambda A\_27a : \iota.\lambda V0w \in (ty\_2Ewellorder\_2Ewellorder\ A\_27a)$

**Definition 23** We define  $c\_2Ewellorder\_2Eorderiso$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0w1 \in (ty\_2Ewellorder\_2Ewellorder\ A\_27a)$

**Definition 24** We define  $c\_2Ewellorder\_2Eorderlt$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0w1 \in (ty\_2Ewellorder\_2Ewellorder\ A\_27a)$

**Definition 25** We define  $c\_2Eordinal\_2Eordlt$  to be  $\lambda A\_27a : \iota.\lambda V0T1 \in (ty\_2Eordinal\_2Eordinal\ A\_27a)$

**Definition 26** We define  $c\_2Eordinal\_2Eoleast$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{(ty\_2Eordinal\_2Eordinal\ A\_27a)})$

**Definition 27** We define  $c\_2Eordinal\_2EordSUC$  to be  $\lambda A\_27a : \iota.\lambda V0a \in (ty\_2Eordinal\_2Eordinal\ A\_27a)$

Assume the following.

$$True \quad (13)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (( \\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \end{aligned} \quad (15)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg (\neg (p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (16)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (17)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A) \vee \neg(p V1B)))) \wedge (((\neg(p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A) \wedge \neg(p V1B)))))) \quad (18)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0Q \in (2^{(ty\_2Eordinal\_2Eordinal A_{27a})}). \\ (\forall V1P \in (2^{(ty\_2Eordinal\_2Eordinal A_{27a})}). ((\exists V2a \in \\ (ty\_2Eordinal\_2Eordinal A_{27a}). (p (ap V1P V2a))) \wedge (\forall V3a \in \\ (ty\_2Eordinal\_2Eordinal A_{27a}). ((\forall V4b \in (ty\_2Eordinal\_2Eordinal \\ A_{27a}). (p (ap (ap (c\_2Eordinal\_2Eordlt A_{27a}) V4b) V3a))) \Rightarrow (\neg \\ p (ap V1P V4b)))))) \wedge (p (ap V1P V3a))) \Rightarrow (p (ap V0Q V3a)))) \Rightarrow (p (ap V0Q \\ (ap (c\_2Eordinal\_2Eoleast A_{27a}) V1P)))))) \quad (19) \end{aligned}$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0a \in (ty\_2Eordinal\_2Eordinal A_{27a}). (p (ap (ap (c\_2Eordinal\_2Eordlt A_{27a}) V0a) (ap (c\_2Eordinal\_2EordSUC A_{27a}) V0a)))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (21)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (22)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow (((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (23)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (24)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (25)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \Leftrightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee ((p \ V1q) \vee (p \ V2r))) \wedge (((p \ V0p) \vee ((\neg( \\
& p \ V2r)) \vee (\neg(p \ V1q)))) \wedge (((p \ V1q) \vee ((\neg(p \ V2r)) \vee (\neg(p \ V0p)))) \wedge ((p \ V2r) \vee \\
& ((\neg(p \ V1q)) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \wedge (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee ((\neg(p \ V1q)) \vee (\neg(p \ V2r)))) \wedge (((p \ V1q) \vee \\
& (\neg(p \ V0p))) \wedge ((p \ V2r) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \vee (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (\neg(p \ V1q))) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge \\
& ((p \ V1q) \vee ((p \ V2r) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \Rightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge (( \\
& \neg(p \ V1q)) \vee ((p \ V2r) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow (\neg(p \ V1q))) \Leftrightarrow (((p \ V0p) \vee \\
& (p \ V1q)) \wedge ((\neg(p \ V1q)) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{30}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (p \ V0p))) \tag{31}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (\neg(p \ V1q)))) \tag{32}$$

**Theorem 1**

$$\begin{aligned}
& \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0a \in (ty\_2Eordinal\_2Eordinal \\
& A.27a). (\forall V1b \in (ty\_2Eordinal\_2Eordinal \ A.27a). (\neg((p \ ( \\
& ap \ (ap \ (c\_2Eordinal\_2Eordlt \ A.27a) \ V0a) \ V1b)) \wedge (ap \ (ap \ (c\_2Eordinal\_2Eordlt \\
& A.27a) \ V1b) \ (ap \ (c\_2Eordinal\_2EordSUC \ A.27a) \ V0a))))))
\end{aligned}$$