

# thm\_2Eordinal\_2Epreds\_suple (TMd9vgQDBipm8FKnDdzdvxdJDVFsmKJUanZ)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Ebool_2E_2T` to be  $(\text{ap } (\text{ap } (\text{c\_2Emin\_2E\_3D } (2^2)) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x))$

**Definition 3** We define `c_2Ebool_2E_2IN` to be  $\lambda A. \lambda a : \iota. (\lambda V0x \in A. \lambda V1f \in (2^{A-27a}). (\text{ap } V1f V0x))$

**Definition 4** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. P x) \text{ then } (\lambda x. x \in A \wedge P x)$  of type  $\iota \Rightarrow \iota$ .

**Definition 5** We define `c_2Ebool_2E_3F` to be  $\lambda A. \lambda a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } V0P (\text{ap } (\text{c\_2Emin\_2E\_40 } A))))$

Let `ty_2Enum_2Enum` :  $\iota$  be given. Assume the following.

$$\text{nonempty } \text{ty\_2Enum\_2Enum} \tag{1}$$

Let `ty_2Esum_2Esum` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \forall A1. \text{nonempty } A1 \Rightarrow \text{nonempty } (\text{ty\_2Esum\_2Esum } A0 A1) \tag{2}$$

Let `ty_2Ewellorder_2Ewellorder` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty\_2Ewellorder\_2Ewellorder } A0) \tag{3}$$

Let `ty_2Eordinal_2Eordinal` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty\_2Eordinal\_2Eordinal } A0) \tag{4}$$

Let `c_2Eordinal_2Eordinal__REP__CLASS` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$A. 27a \in ((\text{ty\_2Ewellorder\_2Ewellorder } (\text{ty\_2Esum\_2Esum } \text{ty\_2Enum\_2Enum } A. 27a)) (\text{ty\_2Eordinal\_2Eordinal } A. 27a)) \tag{5}$$

**Definition 6** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a})))$

**Definition 7** We define  $c\_2Eordinal\_2Eordinal\_REP$  to be  $\lambda A\_27a : \iota. \lambda V0a \in (ty\_2Eordinal\_2Eordinal A\_27a)$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \quad (6)$$

Let  $c\_2Ewellorder\_2Ewellorder\_REP : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Ewellorder\_2Ewellorder\_REP A\_27a \in ((2^{(ty\_2Epair\_2Eprod A\_27a A\_27a)})^{(ty\_2Ewellorder\_2Ewellorder A\_27a)}) \quad (7)$$

**Definition 8** We define  $c\_2Ebool\_2E2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 9** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2. \lambda Q \in 2. inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 10** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_21))$

**Definition 11** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2. (ap (c\_2Emin\_2E\_3D\_3D\_3E V2t) c\_2Ebool\_2E\_21))))$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (8)$$

**Definition 12** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap (c\_2Emin\_2E\_3D\_3D\_3E V0x) (ap (c\_2Emin\_2E\_3D\_3D\_3E V1y) c\_2Ebool\_2E\_21))$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2ESND A\_27a A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod A\_27a A\_27b)}) \quad (9)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epair\_2EFST A\_27a A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod A\_27a A\_27b)}) \quad (10)$$

**Definition 13** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda A\_27c : \iota. \lambda V0f \in ((A\_27c)^{A\_27a})$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC A\_27a A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod A\_27a 2)^{A\_27b}}) \quad (11)$$



Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((\neg(\exists V1x \in A.27a.(p\ (ap\ V0P\ V1x)))) \Leftrightarrow (\forall V2x \in A.27a.(\neg(p\ (ap\ V0P\ V2x)))))) \quad (15)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A)) \vee (\neg(p\ V1B)))) \wedge ((\neg((p\ V0A) \vee (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A)) \wedge (\neg(p\ V1B))))))) \quad (16)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{(ty\_2Eordinal\_2Eordinal\ A.27a)}). \\ & (((p\ (ap\ (c\_2Eordinal\_2Edownward\_closed\ A.27a)\ V0s)) \wedge (\neg(V0s = \\ & (c\_2Epred\_set\_2EUNIV\ (ty\_2Eordinal\_2Eordinal\ A.27a)))) \Rightarrow \\ & (\forall V1b \in (ty\_2Eordinal\_2Eordinal\ A.27a).((p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt \\ & A.27a)\ V1b)\ (ap\ (c\_2Eordinal\_2Esup\ A.27a)\ V0s))) \Leftrightarrow (\exists V2d \in \\ & (ty\_2Eordinal\_2Eordinal\ A.27a).((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Eordinal\_2Eordinal \\ & A.27a)\ V2d)\ V0s)) \wedge (p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt\ A.27a)\ V1b) \\ & V2d))))))) \end{aligned} \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (18)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (19)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \quad (20)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \quad (21)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p\ V0A)) \Rightarrow False) \Rightarrow ((p\ V0A) \Rightarrow False) \Rightarrow False)) \quad (22)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow ( \\ & (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee (\neg( \\ & p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee (\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\ & ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \vee (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee \neg(p \ V1q)) \wedge ((p \ V0p) \vee \neg(p \ V2r))) \wedge \\
& ((p \ V1q) \vee ((p \ V2r) \vee \neg(p \ V0p))))))))))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \Rightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge ((p \ V0p) \vee \neg(p \ V2r))) \wedge ( \\
& \neg(p \ V1q) \vee ((p \ V2r) \vee \neg(p \ V0p))))))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow \neg(p \ V1q))) \Leftrightarrow (((p \ V0p) \vee \\
& (p \ V1q)) \wedge (\neg(p \ V1q) \vee \neg(p \ V0p))))))
\end{aligned} \tag{26}$$

**Theorem 1**

$$\begin{aligned}
& \forall A\_27a. \text{nonempty } A\_27a \Rightarrow (\forall V0s \in (2^{(ty\_2Eordinal\_2Eordinal \ A\_27a)}). \\
& (\forall V1b \in (ty\_2Eordinal\_2Eordinal \ A\_27a). (((p \ (ap \ (c\_2Eordinal\_2Edownward\_closed \\
& A\_27a) \ V0s)) \wedge (\neg(V0s = (c\_2Epred\_set\_2EUNIV \ (ty\_2Eordinal\_2Eordinal \\
& A\_27a)))))) \Rightarrow ((\neg(p \ (ap \ (ap \ (c\_2Eordinal\_2Eordlt \ A\_27a) \ V1b) \ (ap \\
& (c\_2Eordinal\_2Esup \ A\_27a) \ V0s)))) \Leftrightarrow (\forall V2d \in (ty\_2Eordinal\_2Eordinal \\
& A\_27a). ((p \ (ap \ (ap \ (c\_2Ebool\_2EIN \ (ty\_2Eordinal\_2Eordinal \ A\_27a) \\
& V2d) \ V0s)) \Rightarrow (\neg(p \ (ap \ (ap \ (c\_2Eordinal\_2Eordlt \ A\_27a) \ V1b) \ V2d))))))))))
\end{aligned}$$