

# thm\_2Eordinal\_2Estrict\_\_continuity\_\_preserves\_\_islimit (TMGXVd7xKi3NcoWRQjXDQDPc8HojjGpGbKs)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_2EBOUNDED$  to be  $(\lambda V0v \in 2.c\_2Ebool\_2E\_2ET)$ .

**Definition 4** We define  $c\_2Ebool\_2E\_2E21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 5** We define  $c\_2Emarker\_2E\_2ECong$  to be  $\lambda V0x \in 2.V0x$ .

**Definition 6** We define  $c\_2Epred\_set\_2E\_2EUNIV$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2E\_2ET)$ .

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty\_2Esum\_2Esum A0 A1) \tag{1}$$

**Definition 7** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 8** We define  $c\_2Ebool\_2E\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap V1f V0x)))$

**Definition 9** We define  $c\_2Ebool\_2E\_2E2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_2E21 2) (\lambda V2t \in 2.V2t)))$

**Definition 10** We define  $c\_2Epred\_set\_2E\_2EINJ$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1s \in (2^{A\_27b})$

**Definition 11** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \text{ then } (the (\lambda x.x \in A \wedge p (ap P x)))$  of type  $\iota \Rightarrow \iota$ .

**Definition 12** We define  $c\_2Ebool\_2E\_2E3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_2Emin\_2E\_40$

**Definition 13** We define  $c\_2Ecardinal\_2E\_2Ecardleq$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0s1 \in (2^{A\_27a}).\lambda V1s2 \in (2^{A\_27b})$

**Definition 14** We define  $c\_Ebool\_2EF$  to be  $(ap (c\_Ebool\_2E.21\ 2) (\lambda V0t \in 2.V0t))$ .

**Definition 15** We define  $c\_Epred\_set\_2EEMPTY$  to be  $\lambda A.27a : \iota.(\lambda V0x \in A.27a.c\_Ebool\_2EF)$ .

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (2)$$

Let  $ty\_2Ewellorder\_2Ewellorder : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Ewellorder\_2Ewellorder\ A0) \quad (3)$$

Let  $ty\_2Eordinal\_2Eordinal : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Eordinal\_2Eordinal\ A0) \quad (4)$$

Let  $c\_2Eordinal\_2Eordinal\_REP\_CLASS : \iota \Rightarrow \iota$  be given. Assume the following.

$$A.27a \in ((\forall A.27a.nonempty\ A.27a \Rightarrow c\_2Eordinal\_2Eordinal\_REP\_CLASS\ A.27a) (2^{(ty\_2Ewellorder\_2Ewellorder\ (ty\_2Esum\_2Esum\ ty\_2Enum\_2Enum\ A.27a))} (ty\_2Eordinal\_2Eordinal\ A.27a)))) \quad (5)$$

**Definition 16** We define  $c\_2Eordinal\_2Eordinal\_REP$  to be  $\lambda A.27a : \iota.\lambda V0a \in (ty\_2Eordinal\_2Eordinal\ A.27a)$ .

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (6)$$

Let  $c\_2Ewellorder\_2Ewellorder\_REP : \iota \Rightarrow \iota$  be given. Assume the following.

$$A.27a \in ((\forall A.27a.nonempty\ A.27a \Rightarrow c\_2Ewellorder\_2Ewellorder\_REP\ A.27a) (2^{(ty\_2Epair\_2Eprod\ A.27a\ A.27a)} (ty\_2Ewellorder\_2Ewellorder\ A.27a)))) \quad (7)$$

**Definition 17** We define  $c\_Ebool\_2E.7E$  to be  $(\lambda V0t \in 2.(ap (ap\ c\_2Emin\_2E.3D\_3D\_3E\ V0t)\ c\_Ebool\_2E))$ .

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c\_2Epair\_2EABS\_prod\ A.27a\ A.27b \in ((ty\_2Epair\_2Eprod\ A.27a\ A.27b)^{(2^{A.27b})^{A.27a}}) \quad (8)$$

**Definition 18** We define  $c\_2Epair\_2E.2C$  to be  $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0x \in A.27a.\lambda V1y \in A.27b.(ap (c\_2Emin\_2E.3D\_3D\_3E\ V0t)\ c\_Ebool\_2E))$ .

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c\_2Epair\_2ESND\ A.27a\ A.27b \in (A.27b)^{(ty\_2Epair\_2Eprod\ A.27a\ A.27b)} \quad (9)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c\_2Epair\_2EFST\ A.27a\ A.27b \in (A.27a)^{(ty\_2Epair\_2Eprod\ A.27a\ A.27b)} \quad (10)$$

**Definition 19** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda A\_27c : \iota. \lambda V0f \in ((A\_27c)^{A\_27a})$ .  
Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{(ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b}})$$

$$(11)$$

**Definition 20** We define  $c\_2Eset\_relation\_2Estrict$  to be  $\lambda A\_27a : \iota. \lambda V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)})$ .

**Definition 21** We define  $c\_2Ewellorder\_2Eiseg$  to be  $\lambda A\_27a : \iota. \lambda V0w \in (ty\_2Ewellorder\_2Ewellorder\ A\_27a)$ .

**Definition 22** We define  $c\_2Eset\_relation\_2Errestrict$  to be  $\lambda A\_27a : \iota. \lambda V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)})$ .

Let  $c\_2Ewellorder\_2Ewellorder\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ewellorder\_2Ewellorder\_ABS\ A\_27a \in ((ty\_2Ewellorder\_2Ewellorder\ A\_27a)^{(2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27a)})})$$

$$(12)$$

**Definition 23** We define  $c\_2Ewellorder\_2Ewobound$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. \lambda V1w \in (ty\_2Ewellorder\ A\_27a)$ .

**Definition 24** We define  $c\_2Eset\_relation\_2Erangle$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)})$ .

**Definition 25** We define  $c\_2Eset\_relation\_2Edomain$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0r \in (2^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)})$ .

**Definition 26** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2. (c\_2Ebool\_2E\_21\ 2)\ t2))))$ .

**Definition 27** We define  $c\_2Epred\_set\_2EUNION$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{A\_27a}). \lambda V1t \in (2^{A\_27a}). (ap\ (c\_2Epred\_set\_2E\_21\ 2)\ s))$ .

**Definition 28** We define  $c\_2Ewellorder\_2EelsOf$  to be  $\lambda A\_27a : \iota. \lambda V0w \in (ty\_2Ewellorder\_2Ewellorder\ A\_27a)$ .

**Definition 29** We define  $c\_2Ewellorder\_2Eorderiso$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0w1 \in (ty\_2Ewellorder\_2Ewellorder\ A\_27a)$ .

**Definition 30** We define  $c\_2Ewellorder\_2Eorderlt$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0w1 \in (ty\_2Ewellorder\_2Ewellorder\ A\_27a)$ .

**Definition 31** We define  $c\_2Eordinal\_2Eordlt$  to be  $\lambda A\_27a : \iota. \lambda V0T1 \in (ty\_2Eordinal\_2Eordinal\ A\_27a)$ .

**Definition 32** We define  $c\_2Eordinal\_2Eprede$  to be  $\lambda A\_27a : \iota. \lambda V0w \in (ty\_2Eordinal\_2Eordinal\ A\_27a)$ .

**Definition 33** We define  $c\_2Epred\_set\_2EIMAGE$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0f \in (A\_27b)^{A\_27a}. \lambda V1s \in (A\_27b)$ .

**Definition 34** We define  $c\_2Epred\_set\_2EBIGUNION$  to be  $\lambda A\_27a : \iota. \lambda V0P \in (2^{(2^{A\_27a})}). (ap\ (c\_2Epred\_set\_2E\_21\ 2)\ P))$ .

**Definition 35** We define  $c\_2Eordinal\_2Eoleast$  to be  $\lambda A\_27a : \iota. \lambda V0P \in (2^{(ty\_2Eordinal\_2Eordinal\ A\_27a)})$ .

**Definition 36** We define  $c\_2Eordinal\_2Esup$  to be  $\lambda A\_27a : \iota. \lambda V0ordset \in (2^{(ty\_2Eordinal\_2Eordinal\ A\_27a)})$ .

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone$$

$$(13)$$

**Definition 37** We define  $c\_2Eone\_2Eone$  to be  $(ap (c\_2Emin\_2E\_40 ty\_2Eone\_2Eone) (\lambda V0x \in ty\_2Eone\_2Eone))$   
 Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow c\_2Esum\_2EABS\_sum A\_27a A\_27b \in ((ty\_2Esum\_2Esum A\_27a A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \quad (14)$$

**Definition 38** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27b. (ap (c\_2Esum\_2EABS\_sum A\_27a A\_27b) V0e)$   
 Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Eoption\_2Eoption A0) \quad (15)$$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS A\_27a \in ((ty\_2Eoption\_2Eoption A\_27a)^{(ty\_2Esum\_2Esum A\_27a ty\_2Eone\_2Eone)}) \quad (16)$$

**Definition 39** We define  $c\_2Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota. (ap (c\_2Eoption\_2Eoption\_ABS A\_27a) (c\_2Eone\_2Eone))$

**Definition 40** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. \lambda V1s \in (2^{A\_27a}). (ap (c\_2Epred\_set A\_27a) V1s)$

**Definition 41** We define  $c\_2Eset\_relation\_2Emaximal\_elements$  to be  $\lambda A\_27a : \iota. \lambda V0xs \in (2^{A\_27a}). \lambda V1r \in (2^{A\_27a}). (ap (c\_2Eset\_relation A\_27a) V0xs V1r)$

**Definition 42** We define  $c\_2Esum\_2EINL$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27a. (ap (c\_2Esum\_2EABS\_sum A\_27a A\_27b) V0e)$

**Definition 43** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. (ap (c\_2Eoption\_2Eoption\_ABS A\_27a) V0x)$

**Definition 44** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. (ap (c\_2Ebool\_2ECOND A\_27a) V1t1 V2t2))))$

**Definition 45** We define  $c\_2Eoption\_2ESome$  to be  $\lambda A\_27a : \iota. \lambda V0P \in (2^{A\_27a}). (ap (ap (ap (c\_2Ebool\_2ECOND A\_27a) V0P) (c\_2Eone\_2Eone)))$

**Definition 46** We define  $c\_2Eordinal\_2Eomax$  to be  $\lambda A\_27a : \iota. \lambda V0s \in (2^{(ty\_2Eordinal\_2Eordinal A\_27a)}). (ap (c\_2Eordinal\_2Eomax A\_27a) V0s)$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (17)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (18)$$

**Definition 47** We define  $c\_2Enum\_2E0$  to be  $(ap c\_2Enum\_2EABS\_num c\_2Enum\_2EZERO\_REP)$ .

**Definition 48** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (19)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (20)$$

**Definition 49** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (21)$$

**Definition 50** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.(ap\ (ap\ c\_2Earithmetic$

**Definition 51** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum.V0x$ .

Let  $c\_2Eordinal\_2EfromNat : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c\_2Eordinal\_2EfromNat\ A.27a \in ( (ty\_2Eordinal\_2Eordinal\ A.27a)^{ty\_2Enum\_2Enum} ) \quad (22)$$

**Definition 52** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

Assume the following.

$$True \quad (23)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (24)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (25)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (27)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (28)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.((V0x = V0x) \Leftrightarrow True)) \quad (29)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (30)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (31)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). (\neg(\exists V1x \in A\_27a. (p\ (ap\ V0P\ V1x)))) \Leftrightarrow (\forall V2x \in A\_27a. (\neg(p\ (ap\ V0P\ V2x)))))) \quad (32)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). (\forall V1Q \in 2. ((\forall V2x \in A\_27a. ((p\ (ap\ V0P\ V2x)) \Rightarrow (p\ V1Q))) \Leftrightarrow ((\exists V3x \in A\_27a. (p\ (ap\ V0P\ V3x)) \Rightarrow (p\ V1Q)))))) \quad (33)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \vee \neg(p\ V1B)))) \wedge (((\neg(p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((\neg(p\ V0A) \wedge \neg(p\ V1B)))))) \quad (34)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p\ V0A) \Rightarrow (p\ V1B)) \Leftrightarrow ((\neg(p\ V0A) \vee (p\ V1B)))))) \quad (35)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (36)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in 2. (((p\ V0x) \Leftrightarrow (p\ V1x\_27)) \wedge ((p\ V1x\_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y\_27)))) \Rightarrow (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x\_27) \Rightarrow (p\ V3y\_27)))))) \quad (37)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0f \in (2^{A\_27a}). (\forall V1v \in A\_27a. ((\forall V2x \in A\_27a. ((V2x = V1v) \Rightarrow (p\ (ap\ V0f\ V2x)))) \Leftrightarrow (p\ (ap\ V0f\ V1v)))) \quad (38)$$

Assume the following.

$$(\forall V0v \in 2. ((p\ (ap\ c\_2Ebool\_2EBOUNDED\ V0v)) \Leftrightarrow True)) \quad (39)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\
& \quad nonempty\ A\_27c \Rightarrow (\forall V0f \in (A\_27c^{A\_27a}). (\forall V1s \in (2^{A\_27a}). \\
& \quad (\forall V2t \in (2^{A\_27b}). ((p\ (ap\ (ap\ (c\_2Ecardinal\_2Ecardleq\ A\_27a \\
& \quad A\_27b)\ V1s)\ V2t)) \Rightarrow (p\ (ap\ (ap\ (c\_2Ecardinal\_2Ecardleq\ A\_27c\ A\_27b) \\
& \quad (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE\ A\_27a\ A\_27c)\ V0f)\ V1s))\ V2t))))))
\end{aligned} \tag{40}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0w \in (ty\_2Eordinal\_2Eordinal\ A\_27a). (\neg(p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt\ A\_27a)\ V0w)\ V0w)))) \tag{41}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in (ty\_2Eordinal\_2Eordinal \\
& \quad A\_27a). (\forall V1w \in (ty\_2Eordinal\_2Eordinal\ A\_27a). ((p\ (ap \\
& \quad (ap\ (c\_2Ebool\_2EIN\ (ty\_2Eordinal\_2Eordinal\ A\_27a))\ V0x)\ (ap\ ( \\
& \quad c\_2Eordinal\_2Epreds\ A\_27a)\ V1w))) \Leftrightarrow (p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt \\
& \quad A\_27a)\ V0x)\ V1w))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0ord \in (ty\_2Eordinal\_2Eordinal \\
& \quad A\_27a). (p\ (ap\ (ap\ (c\_2Ecardinal\_2Ecardleq\ (ty\_2Eordinal\_2Eordinal \\
& \quad A\_27a)\ (ty\_2Esum\_2Esum\ ty\_2Enum\_2Enum\ A\_27a))\ (ap\ (c\_2Eordinal\_2Epreds \\
& \quad A\_27a)\ V0ord))\ (c\_2Epred\_set\_2EUNIV\ (ty\_2Esum\_2Esum\ ty\_2Enum\_2Enum \\
& \quad A\_27a))))))
\end{aligned} \tag{43}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0b \in (ty\_2Eordinal\_2Eordinal \\
& \quad A\_27a). (\forall V1a \in (ty\_2Eordinal\_2Eordinal\ A\_27a). ((\neg(p\ ( \\
& \quad ap\ (ap\ (c\_2Eordinal\_2Eordlt\ A\_27a)\ V0b)\ V1a))) \Leftrightarrow ((p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt \\
& \quad A\_27a)\ V1a)\ V0b)) \vee (V1a = V0b))))))
\end{aligned} \tag{44}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0b \in (ty\_2Eordinal\_2Eordinal \\
& \quad A\_27a). (\forall V1a \in (ty\_2Eordinal\_2Eordinal\ A\_27a). (((\neg(p \\
& \quad (ap\ (ap\ (c\_2Eordinal\_2Eordlt\ A\_27a)\ V0b)\ V1a))) \wedge (\neg(p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt \\
& \quad A\_27a)\ V1a)\ V0b)))) \Rightarrow (V1a = V0b))))))
\end{aligned} \tag{45}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in (ty\_2Eordinal\_2Eordinal \\
& \quad A\_27a). (\forall V1y \in (ty\_2Eordinal\_2Eordinal\ A\_27a). (\forall V2z \in \\
& \quad (ty\_2Eordinal\_2Eordinal\ A\_27a). (((\neg(p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt \\
& \quad A\_27a)\ V1y)\ V0x))) \wedge (\neg(p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt\ A\_27a)\ V2z) \\
& \quad V1y)))) \Rightarrow (\neg(p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt\ A\_27a)\ V2z)\ V0x))))))
\end{aligned} \tag{46}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0s \in (2^{(ty\_2Eordinal\_2Eordinal\ A.27a)}). \\
& \quad ((p\ (ap\ (ap\ (c\_2Ecardinal\_2Ecardleq\ (ty\_2Eordinal\_2Eordinal \\
& \quad A.27a)\ (ty\_2Esum\_2Esum\ ty\_2Enum\_2Enum\ A.27a))\ V0s)\ (c\_2Epred\_set\_2EUNIV \\
& \quad (ty\_2Esum\_2Esum\ ty\_2Enum\_2Enum\ A.27a)))) \Rightarrow (\forall V1a \in (ty\_2Eordinal\_2Eordinal \\
& \quad A.27a).((p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt\ A.27a)\ V1a)\ (ap\ (c\_2Eordinal\_2Esup \\
& \quad A.27a)\ V0s)))) \Leftrightarrow (\exists V2b \in (ty\_2Eordinal\_2Eordinal\ A.27a). \\
& \quad ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ (ty\_2Eordinal\_2Eordinal\ A.27a))\ V2b) \\
& \quad V0s)) \wedge (p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt\ A.27a)\ V1a)\ V2b))))))
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0b \in (ty\_2Eordinal\_2Eordinal \\
& \quad A.27a).(\forall V1s \in (2^{(ty\_2Eordinal\_2Eordinal\ A.27a)}).(( \\
& \quad (p\ (ap\ (ap\ (c\_2Ecardinal\_2Ecardleq\ (ty\_2Eordinal\_2Eordinal\ A.27a) \\
& \quad (ty\_2Esum\_2Esum\ ty\_2Enum\_2Enum\ A.27a))\ V1s)\ (c\_2Epred\_set\_2EUNIV \\
& \quad (ty\_2Esum\_2Esum\ ty\_2Enum\_2Enum\ A.27a)))) \wedge (p\ (ap\ (ap\ (c\_2Ebool\_2EIN \\
& \quad (ty\_2Eordinal\_2Eordinal\ A.27a))\ V0b)\ V1s))) \Rightarrow (\neg(p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt \\
& \quad A.27a)\ (ap\ (c\_2Eordinal\_2Esup\ A.27a)\ V1s))\ V0b))))))
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in (ty\_2Eordinal\_2Eordinal \\
& \quad A.27a).(((ap\ (c\_2Eordinal\_2Epreds\ A.27a)\ V0x) = (c\_2Epred\_set\_2EEMPTY \\
& \quad (ty\_2Eordinal\_2Eordinal\ A.27a))) \Leftrightarrow (V0x = (ap\ (c\_2Eordinal\_2EfromNat \\
& \quad A.27a)\ c\_2Enum\_2E0))))
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0a \in (ty\_2Eordinal\_2Eordinal \\
& \quad A.27a).(((ap\ (c\_2Eordinal\_2Eomax\ A.27a)\ (ap\ (c\_2Eordinal\_2Epreds \\
& \quad A.27a)\ V0a)) = (c\_2Eoption\_2ENONE\ (ty\_2Eordinal\_2Eordinal\ A.27a))) \Leftrightarrow \\
& \quad ((ap\ (c\_2Eordinal\_2Esup\ A.27a)\ (ap\ (c\_2Eordinal\_2Epreds\ A.27a) \\
& \quad V0a)) = V0a)))
\end{aligned} \tag{50}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in ty\_2Enum\_2Enum.( \\
& \quad \forall V1y \in ty\_2Enum\_2Enum.(((ap\ (c\_2Eordinal\_2EfromNat\ A.27a) \\
& \quad V0x) = (ap\ (c\_2Eordinal\_2EfromNat\ A.27a)\ V1y))) \Leftrightarrow (V0x = V1y))))
\end{aligned} \tag{51}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0n \in ty\_2Enum\_2Enum.( \\
& \quad \forall V1m \in ty\_2Enum\_2Enum.((p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt \\
& \quad A.27a)\ (ap\ (c\_2Eordinal\_2EfromNat\ A.27a)\ V0n))\ (ap\ (c\_2Eordinal\_2EfromNat \\
& \quad A.27a)\ V1m))) \Leftrightarrow (p\ (ap\ (ap\ c\_2Eprim\_rec\_2E.3C\ V0n)\ V1m))))))
\end{aligned} \tag{52}$$



Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in (ty\_2Eordinal\_2Eordinal \\
& A\_27a).(((\neg(V0x = (ap\ (c\_2Eordinal\_2EfromNat\ A\_27a)\ c\_2Enum\_2E0)))) \Leftrightarrow \\
& (p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt\ A\_27a)\ (ap\ (c\_2Eordinal\_2EfromNat \\
& A\_27a)\ c\_2Enum\_2E0))\ V0x))) \wedge ((\neg(p\ (ap\ (ap\ (c\_2Eordinal\_2Eordlt \\
& A\_27a)\ V0x)\ (ap\ (c\_2Eordinal\_2EfromNat\ A\_27a)\ (ap\ c\_2Earithmetic\_2ENUMERAL \\
& (ap\ c\_2Earithmetic\_2EBIT1\ c\_2Earithmetic\_2EZERO)))))) \Leftrightarrow (p\ ( \\
& ap\ (ap\ (c\_2Eordinal\_2Eordlt\ A\_27a)\ (ap\ (c\_2Eordinal\_2EfromNat \\
& A\_27a)\ c\_2Enum\_2E0))\ V0x))))))
\end{aligned} \tag{53}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \forall V0y \in A\_27b.(\forall V1s \in (2^{A\_27a}).(\forall V2f \in (A\_27b^{A\_27a}). \\
& ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27b)\ V0y)\ (ap\ (ap\ (c\_2Epred\_set\_2EIMAGE \\
& A\_27a\ A\_27b)\ V2f)\ V1s)))) \Leftrightarrow (\exists V3x \in A\_27a.((V0y = (ap\ V2f\ V3x)) \wedge \\
& (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V3x)\ V1s)))))))))
\end{aligned} \tag{54}$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum.(\neg(p\ (ap\ (ap\ c\_2Eprim\_rec\_2E\_3C \\
V0n)\ c\_2Enum\_2E0)))) \tag{55}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{56}$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{57}$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \tag{58}$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \tag{59}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \tag{60}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow ( \\
& (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\
& p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\
& ((\neg(p\ V1q)) \vee (\neg(p\ V0p))))))))))
\end{aligned} \tag{61}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee \neg(p V1q)) \wedge ((p V0p) \vee \neg(p V2r))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee \neg(p V0p))))))))))
\end{aligned} \tag{62}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((p V0p) \vee \neg(p V2r))) \wedge ( \\
& \neg(p V1q) \vee ((p V2r) \vee \neg(p V0p))))))))))
\end{aligned} \tag{63}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow \neg(p V1q)) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge (\neg(p V1q) \vee \neg(p V0p))))))
\end{aligned} \tag{64}$$

**Theorem 1**

$$\begin{aligned}
& \forall A\_27a. \text{nonempty } A\_27a \Rightarrow (\forall V0f \in ((\text{ty\_2Eordinal\_2Eordinal} \\
& A\_27a)^{\text{ty\_2Eordinal\_2Eordinal } A\_27a}). (\forall V1a \in (\text{ty\_2Eordinal\_2Eordinal} \\
& A\_27a). ((\forall V2s \in (2^{\text{ty\_2Eordinal\_2Eordinal } A\_27a}). \\
& (((p (ap (ap (c\_2Ecardinal\_2Ecardleq (\text{ty\_2Eordinal\_2Eordinal} \\
& A\_27a) (\text{ty\_2Esum\_2Esum } \text{ty\_2Enum\_2Enum } A\_27a)) V2s) (c\_2Epred\_set\_2EUNIV \\
& (\text{ty\_2Esum\_2Esum } \text{ty\_2Enum\_2Enum } A\_27a)))) \wedge (\neg(V2s = (c\_2Epred\_set\_2EEMPTY \\
& (\text{ty\_2Eordinal\_2Eordinal } A\_27a)))))) \Rightarrow ((ap V0f (ap (c\_2Eordinal\_2Esum \\
& A\_27a) V2s)) = (ap (c\_2Eordinal\_2Esum A\_27a) (ap (ap (c\_2Epred\_set\_2EIMAGE \\
& (\text{ty\_2Eordinal\_2Eordinal } A\_27a) (\text{ty\_2Eordinal\_2Eordinal } A\_27a)) \\
& V0f) V2s)))))) \wedge ((\forall V3x \in (\text{ty\_2Eordinal\_2Eordinal } A\_27a). \\
& (\forall V4y \in (\text{ty\_2Eordinal\_2Eordinal } A\_27a). ((p (ap (ap (c\_2Eordinal\_2Eordlt \\
& A\_27a) V3x) V4y)) \Rightarrow (p (ap (ap (c\_2Eordinal\_2Eordlt A\_27a) (ap V0f \\
& V3x)) (ap V0f V4y)))))) \wedge ((ap (c\_2Eordinal\_2Eomax A\_27a) (ap ( \\
& c\_2Eordinal\_2Epreds A\_27a) V1a)) = (c\_2Eoption\_2ENONE (\text{ty\_2Eordinal\_2Eordinal} \\
& A\_27a))) \wedge (\neg(V1a = (ap (c\_2Eordinal\_2EfromNat A\_27a) c\_2Enum\_2E0)))))) \Rightarrow \\
& ((ap (c\_2Eordinal\_2Eomax A\_27a) (ap (c\_2Eordinal\_2Epreds A\_27a) \\
& (ap V0f V1a))) = (c\_2Eoption\_2ENONE (\text{ty\_2Eordinal\_2Eordinal } A\_27a))))))
\end{aligned}$$