

thm_2Eordinal_2Esup_lt_implies (TMFSYKAd- BLeFH2eH3TYyRm2yubMZ6i3dMX2)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2E_2T` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Definition 3 We define `c_2Ebool_2E_2IN` to be $\lambda A. \lambda a : \iota. (\lambda V0x \in A. \lambda V1f \in (2^{A \cdot 2^{2^a}}). (\text{ap } V1f V0x))$

Definition 4 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. P x) \text{ then } (\lambda x. x \in A \wedge P x)$ of type $\iota \Rightarrow \iota$.

Definition 5 We define `c_2Ebool_2E_3F` to be $\lambda A. \lambda a : \iota. (\lambda V0P \in (2^{A \cdot 2^{2^a}}). (\text{ap } V0P (\text{ap } (\text{c_2Emin_2E_40 } A))))$

Let `ty_2Enum_2Enum` : ι be given. Assume the following.

$$\text{nonempty } \text{ty_2Enum_2Enum} \tag{1}$$

Let `ty_2Esum_2Esum` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \forall A1. \text{nonempty } A1 \Rightarrow \text{nonempty } (\text{ty_2Esum_2Esum } A0 A1) \tag{2}$$

Let `ty_2Ewellorder_2Ewellorder` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty_2Ewellorder_2Ewellorder } A0) \tag{3}$$

Let `ty_2Eordinal_2Eordinal` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty_2Eordinal_2Eordinal } A0) \tag{4}$$

Let `c_2Eordinal_2Eordinal__REP__CLASS` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$A. \lambda a \in ((2^{(\text{ty_2Ewellorder_2Ewellorder } (\text{ty_2Esum_2Esum } \text{ty_2Enum_2Enum } A a))}) (\text{ty_2Eordinal_2Eordinal } A a)) \tag{5}$$

Definition 6 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a})))$

Definition 7 We define $c_2Eordinal_2Eordinal_REP$ to be $\lambda A_27a : \iota. \lambda V0a \in (ty_2Eordinal_2Eordinal A_27a)$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (6)$$

Let $c_2Ewellorder_2Ewellorder_REP : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ewellorder_2Ewellorder_REP A_27a \in ((2^{(ty_2Epair_2Eprod A_27a A_27a)})^{(ty_2Ewellorder_2Ewellorder A_27a)}) \quad (7)$$

Definition 8 We define c_2Ebool_2E2F to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 9 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 10 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_21))$

Definition 11 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2. (ap (c_2Emin_2E_3D_3D_3E V2t) c_2Ebool_2E_21))))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (8)$$

Definition 12 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap (c_2Emin_2E_3D_3D_3E V0x) (ap (c_2Emin_2E_3D_3D_3E V1y) c_2Ebool_2E_21))$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND A_27a A_27b \in (A_27b^{(ty_2Epair_2Eprod A_27a A_27b)}) \quad (9)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFST A_27a A_27b \in (A_27a^{(ty_2Epair_2Eprod A_27a A_27b)}) \quad (10)$$

Definition 13 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in ((A_27c)^{A_27a})$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a 2)^{A_27b}}) \quad (11)$$

Definition 14 We define $c_Eset_relation_Estrict$ to be $\lambda A_27a : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})$,

Definition 15 We define $c_Ewellorder_Eiseg$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Ewellorder_2Ewellorder\ A_27a)$,

Definition 16 We define $c_Eset_relation_Erestrict$ to be $\lambda A_27a : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})$,

Let $c_2Ewellorder_2Ewellorder_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow c_2Ewellorder_2Ewellorder_ABS \\ & A_27a \in ((ty_2Ewellorder_2Ewellorder\ A_27a)^{(2^{(ty_2Epair_2Eprod\ A_27a\ A_27a)})}) \end{aligned} \quad (12)$$

Definition 17 We define $c_2Ewellorder_2Ewobound$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.\lambda V1w \in (ty_2Ewellorder\ A_27a)$,

Definition 18 We define $c_Eset_relation_Erange$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27b)})$,

Definition 19 We define $c_Eset_relation_Edomain$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0r \in (2^{(ty_2Epair_2Eprod\ A_27a\ A_27b)})$,

Definition 20 We define $c_Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2))))$,

Definition 21 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2Epred_set_2E_21\ 2)\ (\lambda V2s \in (2^{A_27a}))))$,

Definition 22 We define $c_2Ewellorder_2EelsOf$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Ewellorder_2Ewellorder\ A_27a)$,

Definition 23 We define $c_2Ewellorder_2Eorderiso$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0w1 \in (ty_2Ewellorder_2Ewellorder\ A_27a)$,

Definition 24 We define $c_2Ewellorder_2Eorderlt$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0w1 \in (ty_2Ewellorder_2Ewellorder\ A_27a)$,

Definition 25 We define $c_2Eordinal_2Eordlt$ to be $\lambda A_27a : \iota.\lambda V0T1 \in (ty_2Eordinal_2Eordinal\ A_27a).$

Definition 26 We define $c_2Eordinal_2Epreds$ to be $\lambda A_27a : \iota.\lambda V0w \in (ty_2Eordinal_2Eordinal\ A_27a).$

Definition 27 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27a})$,

Definition 28 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^{A_27a})}).(ap\ (c_2Epred_set_2E_21\ 2)\ (\lambda V2s \in (2^{A_27a}))))$,

Definition 29 We define $c_2Eordinal_2Eoleast$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(ty_2Eordinal_2Eordinal\ A_27a)}).$

Definition 30 We define $c_2Eordinal_2Esup$ to be $\lambda A_27a : \iota.\lambda V0ordset \in (2^{(ty_2Eordinal_2Eordinal\ A_27a)}).$

Definition 31 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EET)$.

Definition 32 We define $c_2Epred_set_2EINJ$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1s \in (2^{A_27a})$,

Definition 33 We define $c_2Ecardinal_2Ecardleq$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0s1 \in (2^{A_27a}).\lambda V1s2 \in (2^{A_27a})$,

Assume the following.

$$True \quad (13)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p \ V0t1) \Rightarrow (p \ V1t2)) \Rightarrow (((p \ V1t2) \Rightarrow (p \ V0t1)) \Rightarrow ((p \ V0t1) \Leftrightarrow (p \ V1t2)))))) \quad (14)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p \ V0t))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p \ V0t)) \Rightarrow ((p \ V0t) \Rightarrow False))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee False) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (17)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \quad (18)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (19)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (20)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \quad (21)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A.27a}).((\neg(\exists V1x \in A.27a.(p \ (ap \ V0P \ V1x)))) \Leftrightarrow (\forall V2x \in A.27a.(\neg(p \ (ap \ V0P \ V2x)))))) \quad (22)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0Q \in 2.(\forall V1P \in (2^{A.27a}).((\forall V2x \in A.27a.((p \ (ap \ V1P \ V2x)) \vee (p \ V0Q))) \Leftrightarrow ((\forall V3x \in A.27a.(p \ (ap \ V1P \ V3x))) \vee (p \ V0Q)))))) \quad (23)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B)))))))) \quad (24)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (25)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_{27} \in 2. (\forall V2y \in 2. (\forall V3y_{27} \in 2. (((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27})))))) \quad (26)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0w \in (ty_2Eordinal_2Eordinal A_{27a}). (\neg(p (ap (ap (c_2Eordinal_2Eordlt A_{27a}) V0w) V0w)))) \quad (27)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0b \in (ty_2Eordinal_2Eordinal A_{27a}). (\forall V1a \in (ty_2Eordinal_2Eordinal A_{27a}). ((\neg(p (ap (ap (c_2Eordinal_2Eordlt A_{27a}) V0b) V1a))) \Leftrightarrow ((p (ap (ap (c_2Eordinal_2Eordlt A_{27a}) V1a) V0b)) \vee (V1a = V0b)))))) \quad (28)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0s \in (2^{(ty_2Eordinal_2Eordinal A_{27a})}). ((p (ap (ap (c_2Ecardinal_2Ecardleq (ty_2Eordinal_2Eordinal A_{27a}) (ty_2Esum_2Esum ty_2Enum_2Enum A_{27a})) V0s) (c_2Epred_set_2EUNIV (ty_2Esum_2Esum ty_2Enum_2Enum A_{27a})))) \Rightarrow (\forall V1a \in (ty_2Eordinal_2Eordinal A_{27a}). ((p (ap (ap (c_2Eordinal_2Eordlt A_{27a}) V1a) (ap (c_2Eordinal_2Esup A_{27a}) V0s))) \Leftrightarrow (\exists V2b \in (ty_2Eordinal_2Eordinal A_{27a}). ((p (ap (ap (c_2Ebool_2EIN (ty_2Eordinal_2Eordinal A_{27a}) V2b) V0s)) \wedge (p (ap (ap (c_2Eordinal_2Eordlt A_{27a}) V1a) V2b)))))))))) \quad (29)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (30)$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow \text{False}))) \quad (31)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow (((p V0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))) \quad (32)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow (p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (33)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (34)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge ((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (35)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge ((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (36)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (37)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (38)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (39)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (40)$$

Theorem 1

$$\forall A.27a.nonempty A.27a \Rightarrow (\forall V0s \in (2^{(ty.2Eordinal.2Eordinal A.27a)}). (\forall V1a \in (ty.2Eordinal.2Eordinal A.27a). (\forall V2b \in (ty.2Eordinal.2Eordinal A.27a). (((p (ap (ap (c.2Ecardinal.2Ecardleq (ty.2Eordinal.2Eordinal A.27a) (ty.2Esum.2Esum ty.2Enum.2Enum A.27a)) V0s) (c.2Epred_set.2EUNIV (ty.2Esum.2Esum ty.2Enum.2Enum A.27a)))) \wedge ((p (ap (ap (c.2Eordinal.2Eordlt A.27a) (ap (c.2Eordinal.2Esup A.27a) V0s)) V1a) \wedge (p (ap (ap (c.2Ebool.2EIN (ty.2Eordinal.2Eordinal A.27a) V2b) V0s)))) \Rightarrow (p (ap (ap (c.2Eordinal.2Eordlt A.27a) V2b) V1a))))))$$