

thm_2Epair_2EWF__RPROD
(TMK4veJUVgM7gQjnuhi4W2Lyhg8PTWiRW3d)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})) (V0P))))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c_2Epair_2ESND A.27a A.27b \in (A.27b^{(ty_2Epair_2Eprod A.27a A.27b)}) \tag{2}$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c_2Epair_2EFST A.27a A.27b \in (A.27a^{(ty_2Epair_2Eprod A.27a A.27b)}) \tag{3}$$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c_2Epair_2EABS_prod A.27a A.27b \in ((ty_2Epair_2Eprod A.27a A.27b)^{(2^{A-27b})^{A-27a}}) \tag{4}$$

Definition 8 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2E$

Definition 9 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2$

Definition 10 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27a}$

Definition 11 We define c_2Epair_2ELEX to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R1 \in ((2^{A_27a})^{A_27a}).\lambda V1R2 \in (($

Definition 12 We define $c_2Epair_2ERPROD$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R1 \in ((2^{A_27a})^{A_27a}).\lambda V1R2$

Definition 13 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then (the } (\lambda x.x \in A \wedge$
of type $\iota \Rightarrow \iota$.

Definition 14 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 15 We define $c_2Erelation_2EWF$ to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).(ap (c_2Ebool_2E_21$

Assume the following.

$$True \tag{5}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \tag{6}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ & (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \tag{7}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in \\ & A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \end{aligned} \tag{8}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p V0t)))))) \end{aligned} \tag{9}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow (\\ & \forall V0x \in (ty_2Epair_2Eprod A_27a A_27b).((ap (ap (c_2Epair_2E_2C \\ & A_27a A_27b) (ap (c_2Epair_2EFST A_27a A_27b) V0x)) (ap (c_2Epair_2ESND \\ & A_27a A_27b) V0x)) = V0x)) \end{aligned} \tag{10}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow (\forall V0f \in ((A_27c^{A_27b})^{A_27a}). (\forall V1x \in \\
& \quad A_27a. (\forall V2y \in A_27b. ((ap\ (ap\ (c_2Epair_2EUNCURRY\ A_27a \\
& \quad A_27b\ A_27c)\ V0f)\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V1x)\ V2y))) = \\
& \quad (ap\ (ap\ V0f\ V1x)\ V2y))))))
\end{aligned} \tag{11}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A_27a})^{A_27a}). (\forall V1Q \in ((2^{A_27b})^{A_27b}). \\
& \quad (((p\ (ap\ (c_2Erelation_2EWF\ A_27a)\ V0R)) \wedge (p\ (ap\ (c_2Erelation_2EWF \\
& \quad A_27b)\ V1Q))) \Rightarrow (p\ (ap\ (c_2Erelation_2EWF\ (ty_2Epair_2Eprod\ A_27a \\
& \quad A_27b))\ (ap\ (ap\ (c_2Epair_2ELEX\ A_27a\ A_27b)\ V0R)\ V1Q))))))
\end{aligned} \tag{12}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0R \in ((2^{A_27a})^{A_27a}). \\
& \quad (\forall V1P \in ((2^{A_27a})^{A_27a}). (((p\ (ap\ (c_2Erelation_2EWF\ A_27a) \\
& \quad V0R)) \wedge (\forall V2x \in A_27a. (\forall V3y \in A_27a. ((p\ (ap\ (ap\ V1P\ V2x) \\
& \quad V3y)) \Rightarrow (p\ (ap\ (ap\ V0R\ V2x)\ V3y)))))) \Rightarrow (p\ (ap\ (c_2Erelation_2EWF\ A_27a) \\
& \quad V1P))))))
\end{aligned} \tag{13}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R \in ((2^{A_27a})^{A_27a}). (\forall V1Q \in ((2^{A_27b})^{A_27b}). \\
& \quad (((p\ (ap\ (c_2Erelation_2EWF\ A_27a)\ V0R)) \wedge (p\ (ap\ (c_2Erelation_2EWF \\
& \quad A_27b)\ V1Q))) \Rightarrow (p\ (ap\ (c_2Erelation_2EWF\ (ty_2Epair_2Eprod\ A_27a \\
& \quad A_27b))\ (ap\ (ap\ (c_2Epair_2ERPROD\ A_27a\ A_27b)\ V0R)\ V1Q))))))
\end{aligned}$$