

thm_2Epath_2EPL__take
(TMGvkJ4kSi6wT8FpmQWpN6jHhTZexrVBfbw)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow P \Rightarrow Q)$ of type ι .

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2EEVEN : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEVEN \in (2^{ty_2Enum_2Enum}) \tag{2}$$

Let $c_2Earithmetic_2EODD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EODD \in (2^{ty_2Enum_2Enum}) \tag{3}$$

Definition 2 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 3 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 4 We define $c_2Ebool_2E_21$ to be $\lambda A.\lambda \tau a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c_2Emin_2E_3D (2^{A-27a})))$

Definition 5 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap (c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (omega^{omega}) \tag{5}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \tag{6}$$

Definition 22 We define $c_2\text{Earithmetic_2EZERO}$ to be $c_2\text{Enum_2E0}$.

Definition 23 We define $c_2\text{Earithmetic_2E_3C_3D}$ to be $\lambda V0m \in ty_2\text{Enum_2Enum}.\lambda V1n \in ty_2\text{Enum_2}$

Let $ty_2\text{Eone_2Eone} : \iota$ be given. Assume the following.

$$nonempty\ ty_2\text{Eone_2Eone} \quad (12)$$

Definition 24 We define $c_2\text{Eone_2Eone}$ to be $(ap\ (c_2\text{Emin_2E_40}\ ty_2\text{Eone_2Eone})\ (\lambda V0x \in ty_2\text{Eone_2Eone}))$

Let $ty_2\text{Esum_2Esum} : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2\text{Esum_2Esum}\ A0\ A1) \quad (13)$$

Let $c_2\text{Esum_2EABS_sum} : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2\text{Esum_2EABS_sum}\ A_27a\ A_27b \in ((ty_2\text{Esum_2Esum}\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (14)$$

Definition 25 We define $c_2\text{Esum_2EINR}$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap\ (c_2\text{Esum_2EABS_sum}\ A_27a\ A_27b)\ e)$

Let $ty_2\text{Eoption_2Eoption} : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2\text{Eoption_2Eoption}\ A0) \quad (15)$$

Let $c_2\text{Eoption_2Eoption_ABS} : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2\text{Eoption_2Eoption_ABS}\ A_27a \in ((ty_2\text{Eoption_2Eoption}\ A_27a)^{(ty_2\text{Esum_2Esum}\ A_27a\ ty_2\text{Eone_2Eone})}) \quad (16)$$

Definition 26 We define $c_2\text{Eoption_2ENONE}$ to be $\lambda A_27a : \iota.(ap\ (c_2\text{Eoption_2Eoption_ABS}\ A_27a)\ 0)$

Let $ty_2\text{Epair_2Eprod} : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2\text{Epair_2Eprod}\ A0\ A1) \quad (17)$$

Let $ty_2\text{Ellist_2Ellist} : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2\text{Ellist_2Ellist}\ A0) \quad (18)$$

Let $ty_2\text{Epath_2Epath} : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2\text{Epath_2Epath}\ A0\ A1) \quad (19)$$

Let $c_2Epath_2EfromPath : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epath_2EfromPath\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ (ty_2Ellist_2Ellist\ (ty_2Epair_2Eprod\ A_27b\ A_27a)))^{(ty_2Epath_2Epath\ A_27a\ A_27b)}) \quad (20)$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \quad (21)$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (22)$$

Let $c_2Ellist_2Ellist_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_rep\ A_27a \in (((ty_2Eoption_2Eoption\ A_27a)^{ty_2Enum_2Enum})^{(ty_2Ellist_2Ellist\ A_27a)}) \quad (23)$$

Definition 27 We define c_2Esum_2EINL to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27a. (ap\ (c_2Esum_2EABS$

Definition 28 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. (ap\ (c_2Eoption_2Eoption$

Let $c_2Ellist_2Ellist_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_abs\ A_27a \in ((ty_2Ellist_2Ellist\ A_27a)^{(ty_2Eoption_2Eoption\ A_27a)^{ty_2Enum_2Enum}}) \quad (24)$$

Definition 29 We define $c_2Ellist_2ELCONS$ to be $\lambda A_27a : \iota. \lambda V0h \in A_27a. \lambda V1t \in (ty_2Ellist_2Ellist\ A$

Definition 30 We define $c_2Ellist_2ELNIL$ to be $\lambda A_27a : \iota. (ap\ (c_2Ellist_2Ellist_abs\ A_27a)\ (\lambda V0n \in ty$

Definition 31 We define $c_2Ellist_2Ellength_rel$ to be $\lambda A_27a : \iota. (\lambda V0a0 \in (ty_2Ellist_2Ellist\ A_27a). (\lambda V$

Definition 32 We define $c_2Ellist_2ELFINITE$ to be $\lambda A_27a : \iota. (\lambda V0a0 \in (ty_2Ellist_2Ellist\ A_27a). (ap\ (c$

Definition 33 We define $c_2Ellist_2ELLENGTH$ to be $\lambda A_27a : \iota. \lambda V0ll \in (ty_2Ellist_2Ellist\ A_27a). (ap\ (a$

Let $c_2Eoption_2ETHE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2ETHE\ A_27a \in (A_27a)^{(ty_2Eoption_2Eoption\ A_27a)} \quad (25)$$

Let $c_2Ellist_2ELTAKE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2ELTAKE\ A_27a \in (((ty_2Eoption_2Eoption\ (ty_2Elist_2Elist\ A_27a))^{(ty_2Ellist_2Ellist\ A_27a)})^{ty_2Enum_2Enum}) \quad (26)$$

Definition 34 We define $c_2Ellist_2EtoList$ to be $\lambda A_27a : \iota.\lambda V0ll \in (ty_2Ellist_2Ellist A_27a).(ap (ap (ap$
Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ELENGTH A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Ellist A_27a)}) \quad (27)$$

Definition 35 We define $c_2Epath_2Efinite$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0sigma \in (ty_2Epath_2Epath A_27a$

Definition 36 We define $c_2Epath_2Elength$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0p \in (ty_2Epath_2Epath A_27a$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (28)$$

Definition 37 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC A_27a A_27b \in ((2^{A_27a})^{((ty_2Epair_2Eprod A_27a 2)^{A_27b})}) \quad (29)$$

Definition 38 We define c_2Epath_2EPL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0p \in (ty_2Epath_2Epath A_27a A_27b$

Let $c_2Epath_2Etail : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epath_2Etail A_27a A_27b \in ((ty_2Epath_2Epath A_27a A_27b)^{(ty_2Epath_2Epath A_27a A_27b)}) \quad (30)$$

Let $c_2Epath_2Efirst_label : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epath_2Efirst_label A_27a A_27b \in (A_27b^{(ty_2Epath_2Epath A_27a A_27b)}) \quad (31)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFST A_27a A_27b \in (A_27a^{(ty_2Epair_2Eprod A_27a A_27b)}) \quad (32)$$

Definition 39 We define $c_2Epath_2Efirst$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0p \in (ty_2Epath_2Epath A_27a A_27b$

Let $c_2Epath_2EtoPath : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epath_2EtoPath A_27a A_27b \in ((ty_2Epath_2Epath A_27a A_27b)^{(ty_2Epair_2Eprod A_27a (ty_2Ellist_2Ellist (ty_2Epair_2Eprod A_27a A_27b))})} \quad (33)$$

Definition 40 We define c_2Epath_2Epcns to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1r \in A_27b. \lambda V2p$

Definition 41 We define $c_2Epath_2Estopped_at$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. (ap (c_2Epath$

Let $c_2Epath_2Etake : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Epath_2Etake \\ & A_27a A_27b \in (((ty_2Epath_2Epath A_27a A_27b)^{(ty_2Epath_2Epath A_27a A_27b)})^{ty_2Enum_2Enum}) \end{aligned} \quad (34)$$

Definition 42 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap V1f V0x)))$

Definition 43 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (A_27b^{A_27a}). \lambda V1s \in$

Definition 44 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2E2EF)$.

Definition 45 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1s \in (2^{A_27a}). (ap (c_2$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. ((V0m = c_2Enum_2E0) \vee (\exists V1n \in \\ & ty_2Enum_2Enum. (V0m = (ap c_2Enum_2ESUC V1n)))))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\ & (p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Enum_2ESUC V0n)) (ap \\ & c_2Enum_2ESUC V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D V0n) \\ & V1m)))))) \end{aligned} \quad (36)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty_2Enum_2Enum. (p (ap (ap c_2Earithmetic_2E_3C_3D \\ & c_2Enum_2E0) V0n))) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned} & (\forall V0n \in ty_2Enum_2Enum. ((p (ap (ap c_2Earithmetic_2E_3C_3D \\ & V0n) c_2Enum_2E0)) \Leftrightarrow (V0n = c_2Enum_2E0))) \end{aligned} \quad (38)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & ((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V0m) = c_2Enum_2E0) \wedge \\ & (((ap (ap c_2Earithmetic_2E_2A V0m) c_2Enum_2E0) = c_2Enum_2E0) \wedge \\ & (((ap (ap c_2Earithmetic_2E_2A (ap c_2Earithmetic_2ENUMERAL \\ & (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) V0m) = V0m) \wedge \\ & (((ap (ap c_2Earithmetic_2E_2A V0m) (ap c_2Earithmetic_2ENUMERAL \\ & (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) = V0m) \wedge (\\ & ((ap (ap c_2Earithmetic_2E_2A (ap c_2Enum_2ESUC V0m)) V1n) = (ap \\ & (ap c_2Earithmetic_2E_2B (ap (ap c_2Earithmetic_2E_2A V0m) V1n)) \\ & V1n)) \wedge ((ap (ap c_2Earithmetic_2E_2A V0m) (ap c_2Enum_2ESUC V1n)) = \\ & (ap (ap c_2Earithmetic_2E_2B V0m) (ap (ap c_2Earithmetic_2E_2A \\ & V0m) V1n)))))))))) \end{aligned} \quad (39)$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
& \quad \forall V2p \in ty_2Enum_2Enum. (((p (ap (ap (ap c_2Earithmetic_2E_3C_3D \\
& \quad V0m) V1n)) \wedge (p (ap (ap c_2Earithmetic_2E_3C_3D V1n) V2p))) \Rightarrow (p (\\
& \quad \quad ap (ap c_2Earithmetic_2E_3C_3D V0m) V2p))))))
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
& \quad \forall V2p \in ty_2Enum_2Enum. ((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& \quad (ap (ap c_2Earithmetic_2E_2B V0m) V1n)) (ap (ap c_2Earithmetic_2E_2B \\
& \quad V0m) V2p))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D V1n) V2p))))))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
& \quad (\neg (p (ap (ap c_2Earithmetic_2E_3C_3D V0m) V1n))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& \quad \quad (ap c_2Enum_2ESUC V1n)) V0m))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. ((ap c_2Enum_2ESUC V0n) = (ap (ap \\
& \quad c_2Earithmetic_2E_2B (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
& \quad \quad c_2Earithmetic_2EZERO))) V0n)))
\end{aligned} \tag{43}$$

Assume the following.

$$True \tag{44}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\
& \quad V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))))
\end{aligned} \tag{45}$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \tag{46}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in \\
& \quad A_27a. (p V0t)) \Leftrightarrow (p V0t)))
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\exists V1x \in \\
& \quad A_27a. (p V0t)) \Leftrightarrow (p V0t)))
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2. (((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\
& \quad (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\
& \quad \quad (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t))))))
\end{aligned} \tag{49}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \vee (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \vee True) \Leftrightarrow True) \wedge \\
& (((False \vee (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee False) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee \\
& (p \ V0t)) \Leftrightarrow (p \ V0t))))))
\end{aligned} \tag{50}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge ((\\
& (p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t))))))
\end{aligned} \tag{51}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge \\
& ((\neg False) \Leftrightarrow True))
\end{aligned} \tag{52}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow \\
& True))
\end{aligned} \tag{53}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in \\
& A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x))))
\end{aligned} \tag{54}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(\\
& p \ V0t))))))
\end{aligned} \tag{55}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((p \ V0t) \Rightarrow False) \Leftrightarrow ((p \ V0t) \Leftrightarrow False)))
\end{aligned} \tag{56}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p \ V0t1) \Rightarrow \\
& ((p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3))))))
\end{aligned} \tag{57}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p \ V0t1) \Leftrightarrow (p \ V1t2)) \Leftrightarrow (((p \\
& V0t1) \Rightarrow (p \ V1t2)) \wedge ((p \ V1t2) \Rightarrow (p \ V0t1))))))
\end{aligned} \tag{58}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in \\
& 2.(((p \ V0x) \Leftrightarrow (p \ V1x_27)) \wedge ((p \ V1x_27) \Rightarrow ((p \ V2y) \Leftrightarrow (p \ V3y_27)))))) \Rightarrow \\
& (((p \ V0x) \Rightarrow (p \ V2y)) \Leftrightarrow ((p \ V1x_27) \Rightarrow (p \ V3y_27))))))
\end{aligned} \tag{59}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B \\
& \quad c_2Enum_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty_2Enum_2Enum.((ap \\
& \quad (ap c_2Earithmetic_2E_2B V1n) c_2Enum_2E0) = V1n)) \wedge ((\forall V2n \in \\
& \quad ty_2Enum_2Enum.(\forall V3m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B \\
& \quad (ap c_2Earithmetic_2ENUMERAL V2n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V3m)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Enumeral_2EiZ (ap \\
& \quad (ap c_2Earithmetic_2E_2B V2n) V3m)))))) \wedge ((\forall V4n \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V4n) = c_2Enum_2E0)) \wedge \\
& \quad ((\forall V5n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A \\
& \quad V5n) c_2Enum_2E0) = c_2Enum_2E0)) \wedge ((\forall V6n \in ty_2Enum_2Enum. \\
& \quad (\forall V7m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A (\\
& \quad ap c_2Earithmetic_2ENUMERAL V6n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V7m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2A \\
& \quad V6n) V7m)))))) \wedge ((\forall V8n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D \\
& \quad c_2Enum_2E0) V8n) = c_2Enum_2E0)) \wedge ((\forall V9n \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2E_2D V9n) c_2Enum_2E0) = V9n)) \wedge ((\forall V10n \in \\
& \quad ty_2Enum_2Enum.(\forall V11m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D \\
& \quad (ap c_2Earithmetic_2ENUMERAL V10n)) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V11m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D \\
& \quad V10n) V11m)))))) \wedge ((\forall V12n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP \\
& \quad c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
& \quad V12n))) = c_2Enum_2E0)) \wedge ((\forall V13n \in ty_2Enum_2Enum.((ap \\
& \quad (ap c_2Earithmetic_2EEXP c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Earithmetic_2EBIT2 V13n))) = c_2Enum_2E0)) \wedge ((\forall V14n \in \\
& \quad ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP V14n) c_2Enum_2E0) = \\
& \quad (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) \wedge \\
& \quad ((\forall V15n \in ty_2Enum_2Enum.(\forall V16m \in ty_2Enum_2Enum. \\
& \quad ((ap (ap c_2Earithmetic_2EEXP (ap c_2Earithmetic_2ENUMERAL V15n)) \\
& \quad (ap c_2Earithmetic_2ENUMERAL V16m)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap (ap c_2Earithmetic_2EEXP V15n) V16m)))))) \wedge ((ap c_2Enum_2ESUC \\
& \quad c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
& \quad c_2Earithmetic_2EZERO))) \wedge ((\forall V17n \in ty_2Enum_2Enum. (\\
& \quad (ap c_2Enum_2ESUC (ap c_2Earithmetic_2ENUMERAL V17n)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Enum_2ESUC V17n)))))) \wedge ((ap c_2Eprim_rec_2EPRE c_2Enum_2E0) = \\
& \quad c_2Enum_2E0) \wedge ((\forall V18n \in ty_2Enum_2Enum.((ap c_2Eprim_rec_2EPRE \\
& \quad (ap c_2Earithmetic_2ENUMERAL V18n)) = (ap c_2Earithmetic_2ENUMERAL \\
& \quad (ap c_2Eprim_rec_2EPRE V18n)))))) \wedge ((\forall V19n \in ty_2Enum_2Enum. \\
& \quad (((ap c_2Earithmetic_2ENUMERAL V19n) = c_2Enum_2E0) \Leftrightarrow (V19n = c_2Earithmetic_2EZERO))) \wedge \\
& \quad ((\forall V20n \in ty_2Enum_2Enum.((c_2Enum_2E0 = (ap c_2Earithmetic_2ENUMERAL \\
& \quad V20n)) \Leftrightarrow (V20n = c_2Earithmetic_2EZERO))) \wedge ((\forall V21n \in ty_2Enum_2Enum. \\
& \quad (\forall V22m \in ty_2Enum_2Enum.(((ap c_2Earithmetic_2ENUMERAL \\
& \quad V21n) = (ap c_2Earithmetic_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))))) \wedge \\
& \quad ((\forall V23n \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V23n) c_2Enum_2E0)) \Leftrightarrow False)) \wedge ((\forall V24n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL \\
& \quad V24n))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
& \quad V24n)))))) \wedge ((\forall V25n \in ty_2Enum_2Enum.(\forall V26m \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Eprim_rec_2E_3C (ap c_2Earithmetic_2ENUMERAL \\
& \quad V25n)) (ap c_2Earithmetic_2ENUMERAL V26m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V25n) V26m)))))) \wedge ((\forall V27n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3E \\
& \quad c_2Enum_2E0) V27n)) \Leftrightarrow False)) \wedge ((\forall V28n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL \\
& \quad V28n)) c_2Enum_2E0)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
& \quad V28n)))))) \wedge ((\forall V29n \in ty_2Enum_2Enum.(\forall V30m \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL \\
& \quad V29n)) (ap c_2Earithmetic_2ENUMERAL V30m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
& \quad V30m) V29n)))))) \wedge ((\forall V31n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& \quad c_2Enum_2E0) V31n)) \Leftrightarrow True)) \wedge ((\forall V32n \in ty_2Enum_2Enum. \\
& \quad ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2ENUMERAL
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. (\\
& ((p (ap (ap c_2Earithmic_2E_3C_3D c_2Earithmic_2EZERO) V0n)) \Leftrightarrow \\
& True) \wedge (((p (ap (ap c_2Earithmic_2E_3C_3D (ap c_2Earithmic_2EBIT1 \\
& V0n)) c_2Earithmic_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c_2Earithmic_2E_3C_3D \\
& (ap c_2Earithmic_2EBIT2 V0n)) c_2Earithmic_2EZERO)) \Leftrightarrow False) \wedge \\
& (((p (ap (ap c_2Earithmic_2E_3C_3D (ap c_2Earithmic_2EBIT1 \\
& V0n)) (ap c_2Earithmic_2EBIT1 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmic_2E_3C_3D (ap c_2Earithmic_2EBIT1 \\
& V0n)) (ap c_2Earithmic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmic_2E_3C_3D (ap c_2Earithmic_2EBIT2 \\
& V0n)) (ap c_2Earithmic_2EBIT1 V1m))) \Leftrightarrow (\neg (p (ap (ap c_2Earithmic_2E_3C_3D \\
& V1m) V0n)))) \wedge ((p (ap (ap c_2Earithmic_2E_3C_3D (ap c_2Earithmic_2EBIT2 \\
& V0n)) (ap c_2Earithmic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmic_2E_3C_3D \\
& V0n) V1m))))))))))
\end{aligned} \tag{64}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\
& \forall V0x \in A_27a. (\forall V1y \in A_27b. (\forall V2a \in A_27a. (\forall V3b \in \\
& A_27b. (((ap (ap (c_2Epair_2E_2C A_27a A_27b) V0x) V1y) = (ap (ap \\
& (c_2Epair_2E_2C A_27a A_27b) V2a) V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b))))))
\end{aligned} \tag{65}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\
& \forall V0P \in (2^{(ty_2Epath_2Epath A_27a A_27b)}). ((\forall V1p \in \\
& (ty_2Epath_2Epath A_27a A_27b). (p (ap V0P V1p))) \Leftrightarrow ((\forall V2x \in \\
& A_27a. (p (ap V0P (ap (c_2Epath_2Estopped_at A_27a A_27b) V2x)))) \wedge \\
& (\forall V3x \in A_27a. (\forall V4r \in A_27b. (\forall V5p \in (ty_2Epath_2Epath \\
& A_27a A_27b). (p (ap V0P (ap (ap (ap (c_2Epath_2Epcns A_27a A_27b) \\
& V3x) V4r) V5p))))))))))
\end{aligned} \tag{66}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\
& (\forall V0x \in A_27a. ((ap (c_2Epath_2Efirst A_27a A_27b) (ap (c_2Epath_2Estopped_at \\
& A_27a A_27b) V0x)) = V0x) \wedge (\forall V1x \in A_27a. (\forall V2r \in A_27b. \\
& (\forall V3p \in (ty_2Epath_2Epath A_27a A_27b). ((ap (c_2Epath_2Efirst \\
& A_27a A_27b) (ap (ap (ap (c_2Epath_2Epcns A_27a A_27b) V1x) V2r) \\
& V3p)) = V1x))))))
\end{aligned} \tag{67}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \forall V0x \in A.27a. (\forall V1r \in A.27b. (\forall V2p \in (ty.2Epath.2Epath \\ & A.27a\ A.27b). ((ap\ (c.2Epath.2Etail\ A.27a\ A.27b)\ (ap\ (ap\ (ap\ (c.2Epath.2Epcns \\ & A.27a\ A.27b)\ V0x)\ V1r)\ V2p)) = V2p)))) \end{aligned} \quad (68)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \forall V0x \in A.27a. (\forall V1r \in A.27b. (\forall V2p \in (ty.2Epath.2Epath \\ & A.27a\ A.27b). ((ap\ (c.2Epath.2Efirst_label\ A.27a\ A.27b)\ (ap\ (\\ & ap\ (ap\ (c.2Epath.2Epcns\ A.27a\ A.27b)\ V0x)\ V1r)\ V2p)) = V1r)))) \end{aligned} \quad (69)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & (\forall V0x \in A.27a. ((ap\ (c.2Epath.2EPL\ A.27a\ A.27b)\ (ap\ (c.2Epath.2Estopped_at \\ & A.27a\ A.27b)\ V0x)) = (ap\ (ap\ (c.2Epred_set.2EINSERT\ ty.2Enum.2Enum) \\ & c.2Enum.2E0)\ (c.2Epred_set.2EEMPTY\ ty.2Enum.2Enum)))) \wedge (\forall V1x \in \\ & A.27a. (\forall V2r \in A.27b. (\forall V3q \in (ty.2Epath.2Epath\ A.27a \\ & A.27b). ((ap\ (c.2Epath.2EPL\ A.27a\ A.27b)\ (ap\ (ap\ (ap\ (c.2Epath.2Epcns \\ & A.27a\ A.27b)\ V1x)\ V2r)\ V3q)) = (ap\ (ap\ (c.2Epred_set.2EINSERT\ ty.2Enum.2Enum) \\ & c.2Enum.2E0)\ (ap\ (ap\ (c.2Epred_set.2EIMAGE\ ty.2Enum.2Enum\ ty.2Enum.2Enum) \\ & c.2Enum.2ESUC)\ (ap\ (c.2Epath.2EPL\ A.27a\ A.27b)\ V3q)))))) \end{aligned} \quad (70)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & \forall V0p \in (ty.2Epath.2Epath\ A.27a\ A.27b). (p\ (ap\ (ap\ (c.2Ebool.2EIN \\ & ty.2Enum.2Enum)\ c.2Enum.2E0)\ (ap\ (c.2Epath.2EPL\ A.27a\ A.27b) \\ & V0p)))) \end{aligned} \quad (71)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\ & (\forall V0p \in (ty.2Epath.2Epath\ A.27a\ A.27b). ((ap\ (ap\ (c.2Epath.2Etake \\ & A.27a\ A.27b)\ c.2Enum.2E0)\ V0p) = (ap\ (c.2Epath.2Estopped_at\ A.27a \\ & A.27b)\ (ap\ (c.2Epath.2Efirst\ A.27a\ A.27b)\ V0p)))) \wedge (\forall V1n \in \\ & ty.2Enum.2Enum. (\forall V2p \in (ty.2Epath.2Epath\ A.27a\ A.27b). \\ & ((ap\ (ap\ (c.2Epath.2Etake\ A.27a\ A.27b)\ (ap\ c.2Enum.2ESUC\ V1n)) \\ & V2p) = (ap\ (ap\ (ap\ (c.2Epath.2Epcns\ A.27a\ A.27b)\ (ap\ (c.2Epath.2Efirst \\ & A.27a\ A.27b)\ V2p))\ (ap\ (c.2Epath.2Efirst_label\ A.27a\ A.27b)\ V2p)) \\ & (ap\ (ap\ (c.2Epath.2Etake\ A.27a\ A.27b)\ V1n)\ (ap\ (c.2Epath.2Etail \\ & A.27a\ A.27b)\ V2p)))))) \end{aligned} \quad (72)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). (\forall V1t \in \\ & (2^{A_27a}). ((V0s = V1t) \Leftrightarrow (\forall V2x \in A_27a. ((p (ap (ap (c_2Ebool_2EIN \\ & A_27a) V2x) V0s)) \Leftrightarrow (p (ap (ap (c_2Ebool_2EIN\ A_27a) V2x) V1t))))))) \end{aligned} \quad (73)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0f \in ((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}). (\forall V1v \in \\ & A_27a. ((p (ap (ap (c_2Ebool_2EIN\ A_27a) V1v) (ap (c_2Epred_set_2EGSPEC \\ & A_27a\ A_27b) V0f))) \Leftrightarrow (\exists V2x \in A_27b. ((ap (ap (c_2Epair_2E_2C \\ & A_27a\ 2) V1v) c_2Ebool_2ET) = (ap\ V0f\ V2x)))))) \end{aligned} \quad (74)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\neg (p (ap (ap \\ & (c_2Ebool_2EIN\ A_27a) V0x) (c_2Epred_set_2EEMPTY\ A_27a)))))) \end{aligned} \quad (75)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\ & A_27a. (\forall V2s \in (2^{A_27a}). ((p (ap (ap (c_2Ebool_2EIN\ A_27a) \\ & V0x) (ap (ap (c_2Epred_set_2EINSERT\ A_27a) V1y) V2s))) \Leftrightarrow ((V0x = \\ & V1y) \vee (p (ap (ap (c_2Ebool_2EIN\ A_27a) V0x) V2s))))))) \end{aligned} \quad (76)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\ & A_27a. (((ap (ap (c_2Epred_set_2EINSERT\ A_27a) V0x) (c_2Epred_set_2EEMPTY \\ & A_27a)) = (ap (ap (c_2Epred_set_2EINSERT\ A_27a) V1y) (c_2Epred_set_2EEMPTY \\ & A_27a))) \Leftrightarrow (V0x = V1y)))) \end{aligned} \quad (77)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0y \in A_27b. (\forall V1s \in (2^{A_27a}). (\forall V2f \in (A_27b^{A_27a}). \\ & ((p (ap (ap (c_2Ebool_2EIN\ A_27b) V0y) (ap (ap (c_2Epred_set_2EIMAGE \\ & A_27a\ A_27b) V2f) V1s))) \Leftrightarrow (\exists V3x \in A_27a. ((V0y = (ap\ V2f\ V3x)) \wedge \\ & (p (ap (ap (c_2Ebool_2EIN\ A_27a) V3x) V1s))))))) \end{aligned} \quad (78)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0y \in A_27a. ((ap (c_2Epred_set_2EGSPEC \\ & A_27a\ A_27a) (\lambda V1x \in A_27a. (ap (ap (c_2Epair_2E_2C\ A_27a\ 2) \\ & V1x) (ap (ap (c_2Emin_2E_3D\ A_27a) V1x) V0y)))) = (ap (ap (c_2Epred_set_2EINSERT \\ & A_27a) V0y) (c_2Epred_set_2EEMPTY\ A_27a)))) \end{aligned} \quad (79)$$

Assume the following.

$$\begin{aligned}
 & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\
 & ((ap\ c_2Enum_2ESUC\ V0m) = (ap\ c_2Enum_2ESUC\ V1n)) \Leftrightarrow (V0m = V1n)))) \\
 & \hspace{15em} (80)
 \end{aligned}$$

Theorem 1

$$\begin{aligned}
 & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
 & \forall V0p \in (ty_2Epath_2Epath\ A_27a\ A_27b). (\forall V1i \in ty_2Enum_2Enum. \\
 & ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ ty_2Enum_2Enum)\ V1i)\ (ap\ (c_2Epath_2EPL \\
 & A_27a\ A_27b)\ V0p))) \Rightarrow ((ap\ (c_2Epath_2EPL\ A_27a\ A_27b)\ (ap\ (ap\ (c_2Epath_2Etake \\
 & A_27a\ A_27b)\ V1i)\ V0p)) = (ap\ (c_2Epred_set_2EGSPEC\ ty_2Enum_2Enum \\
 & ty_2Enum_2Enum)\ (\lambda V2n \in ty_2Enum_2Enum. (ap\ (ap\ (c_2Epair_2E_2C \\
 & ty_2Enum_2Enum\ 2)\ V2n)\ (ap\ (ap\ c_2Earithmic_2E_3C_3D\ V2n)\ V1i)))))))))
 \end{aligned}$$