

thm_2Epath_2Eevery_el
 (TMc5yLx996mcNNQufNFYSPjidr2Esycb2wf)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a})) (\lambda V0f \in (A_27a).V0f)) (\lambda V1f \in (2^{A_27a}).V1f)))$

Definition 4 We define $c_2Ecombin_2Eo$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. \lambda V0f \in (A_27b^{A_27c}). \lambda V1g \in (A_27c). V0f (V1g)$

Definition 5 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 6 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p \Rightarrow p Q)$ of type ι .

Definition 7 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF))$

Let $ty_2Epath_2Epath : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epath_2Epath A0 A1) \quad (1)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty ty_2Enum_2Enum \quad (2)$$

Let $c_2Epath_2Eel : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epath_2Eel A_27a A_27b \in ((A_27a^{(ty_2Epath_2Epath A_27a A_27b)})^{ty_2Enum_2Enum}) \quad (3)$$

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2. inj_o (V0t1 (V1t2))))))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (omega^{ty_2Enum_2Enum}) \quad (4)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{omega}) \quad (5)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \quad (6)$$

Definition 9 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num ($

Definition 10 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (\lambda x.x \in A \wedge p$ of type $\iota \Rightarrow \iota$.

Definition 11 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 12 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$\text{nonempty } ty_2Eone_2Eone \quad (7)$$

Definition 13 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone.$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A0.\text{nonempty } A0 \Rightarrow \forall A1.\text{nonempty } A1 \Rightarrow \text{nonempty } (ty_2Esum_2Esum \\ & \quad A0 A1) \end{aligned} \quad (8)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow c_2Esum_2EABS_sum \\ & \quad A_27a A_27b \in ((ty_2Esum_2Esum A_27a A_27b)^{((2^{A_27b})^{A_27a})^2}) \end{aligned} \quad (9)$$

Definition 14 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap (c_2Esum_2EABS_sum$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \text{nonempty } (ty_2Eoption_2Eoption A0) \quad (10)$$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Eoption_2Eoption_ABS A_27a \in \\ & \quad ((ty_2Eoption_2Eoption A_27a)^{(ty_2Esum_2Esum A_27a ty_2Eone_2Eone)}) \end{aligned} \quad (11)$$

Definition 15 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota.(ap (c_2Eoption_2Eoption_ABS A_27a) ($

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (12)$$

Definition 16 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 17 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (13)$$

Definition 18 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B\ A0\ A1)\ A0\ A1)$

Definition 19 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (14)$$

Let $ty_2Ellist_2Ellist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ellist_2Ellist\ A0) \quad (15)$$

Let $c_2Epath_2EfromPath : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epath_2EfromPath\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ (ty_2Ellist_2Ellist\ (ty_2Epair_2Eprod\ A_27b\ A_27a))))^{(ty_2Epath_2Epath\ A_27a\ A_27b)} \quad (16)$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \quad (17)$$

Let $ty_2Ellist_2Ellist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ellist_2Ellist\ A0) \quad (18)$$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (19)$$

Let $c_2Ellist_2Ellist_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_rep\ A_27a \in (((ty_2Eoption_2Eoption\ A_27a)^{ty_2Enum_2Enum})^{(ty_2Ellist_2Ellist\ A_27a)}) \quad (20)$$

Definition 20 We define c_2Esum_2EINL to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27a.(ap\ (c_2Esum_2EABS_INL\ A_27a\ A_27b)\ V0e)$

Definition 21 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a.(ap\ (c_2Eoption_2Eoption_SOME\ A_27a)\ V0x)$

Definition 22 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($

Let $c_2Ellist_2Ellist_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty A_27a \Rightarrow c_2Ellist_2Ellist_abs A_27a \in \\ & ((ty_2Ellist_2Ellist A_27a)^{(ty_2Eoption_2Eoption A_27a)^{ty_2Enum_2Enum}}) \end{aligned} \quad (21)$$

Definition 23 We define $c_2Ellist_2ELCONS$ to be $\lambda A_27a : \iota. \lambda V0h \in A_27a. \lambda V1t \in (ty_2Ellist_2Ellist A_27a). (ap (c_2Ellist_2Ellist_abs A_27a) (V0h))$

Definition 24 We define $c_2Ellist_2ELNIL$ to be $\lambda A_27a : \iota. (ap (c_2Ellist_2Ellist_abs A_27a) (\lambda V0n \in ty_2Ellist A_27a. ()))$

Definition 25 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2. ()))$

Definition 26 We define $c_2Ellist_2Ellength_rel$ to be $\lambda A_27a : \iota. (\lambda V0a0 \in (ty_2Ellist_2Ellist A_27a). (\lambda V1a1 \in (ty_2Ellist_2Ellist A_27a). (ap (c_2Ellist_2Ellist_abs A_27a) (V0a0))))$

Definition 27 We define $c_2Ellist_2ELFINITE$ to be $\lambda A_27a : \iota. (\lambda V0a0 \in (ty_2Ellist_2Ellist A_27a). (ap (c_2Ellist_2Ellist_abs A_27a) (V0a0))))$

Definition 28 We define $c_2Ellist_2ELLENGTH$ to be $\lambda A_27a : \iota. \lambda V0ll \in (ty_2Ellist_2Ellist A_27a). (ap (c_2Ellist_2Ellist_abs A_27a) (V0ll)))$

Let $c_2Eoption_2ETHE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty A_27a \Rightarrow c_2Eoption_2ETHE A_27a \in (A_27a^{(ty_2Eoption_2Eoption A_27a)}) \end{aligned} \quad (22)$$

Let $c_2Ellist_2ELTAKE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty A_27a \Rightarrow c_2Ellist_2ELTAKE A_27a \in (((ty_2Eoption_2Eoption (ty_2Ellist_2Ellist A_27a))^{ty_2Enum_2Enum}) \end{aligned} \quad (23)$$

Definition 29 We define $c_2Ellist_2EtoList$ to be $\lambda A_27a : \iota. \lambda V0ll \in (ty_2Ellist_2Ellist A_27a). (ap (ap (c_2Ellist_2Ellist_abs A_27a) (V0ll)))$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty A_27a \Rightarrow c_2Elist_2ELENGTH A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist A_27a)}) \end{aligned} \quad (24)$$

Definition 30 We define $c_2Epath_2Efinite$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0sigma \in (ty_2Epath_2Epath A_27a). (ap (c_2Epath_2Epath_abs A_27b) (V0sigma)))$

Definition 31 We define $c_2Epath_2Elength$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0p \in (ty_2Epath_2Epath A_27a). (ap (c_2Epath_2Epath_abs A_27b) (V0p)))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Epair_2EABS_prod \\ & A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (25)$$

Definition 32 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap (c_2Epair_2Eprod A_27a A_27b) (V0x V1y)))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ & A_27a A_27b \in ((2^{A_27a})^{(ty_2Epred_set A_27a 2)^{A_27b}}) \end{aligned} \quad (26)$$

Definition 33 We define c_2Epath_2EPL to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0p \in (ty_2Epath_2Epath A_27a A_27b)$

Definition 34 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap V1f V0x)))$

Definition 35 We define $c_2Epath_2EfirstP_at$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0P \in (2^{A_27a}). \lambda V1p \in (ty_2Epath_2Epath A_27a A_27b)$

Definition 36 We define $c_2Epath_2Eexists$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0P \in (2^{A_27a}). \lambda V1p \in (ty_2Epath_2Epath A_27a A_27b)$

Definition 37 We define $c_2Epath_2Eevery$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0P \in (2^{A_27a}). \lambda V1p \in (ty_2Epath_2Epath A_27a A_27b)$

Assume the following.

$$True \quad (27)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (28)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \quad (29)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (30)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t))))))) \quad (31)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p V0t)) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True)))) \quad (32)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (33)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))))) \quad (34)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). ((\neg(\forall V1x \in A_27a. (p (ap V0P V1x)))) \Leftrightarrow (\exists V2x \in A_27a. (\neg(p (ap V0P V2x))))))) \quad (35)$$

Assume the following.

$$\forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow (\forall V0P \in (2^{A_{\text{27a}}})). ((\neg(\exists V1x \in A_{\text{27a}}.(p (ap V0P V1x)))) \Leftrightarrow (\forall V2x \in A_{\text{27a}}.(\neg(p (ap V0P V2x))))) \quad (36)$$

Assume the following.

$$\begin{aligned} \forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow & (\forall V0P \in (2^{A_{\text{27a}}})). (\forall V1Q \in (2^{A_{\text{27a}}})). ((\exists V2x \in A_{\text{27a}}.((p (ap V0P V2x)) \vee (p (ap V1Q V2x)))) \Leftrightarrow \\ & ((\exists V3x \in A_{\text{27a}}.((p (ap V0P V3x)) \vee (\exists V4x \in A_{\text{27a}}.((p (ap V1Q V4x))))))) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned} \forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow & (\forall V0P \in (2^{A_{\text{27a}}})). (\forall V1Q \in (2^{A_{\text{27a}}})). ((\exists V2x \in A_{\text{27a}}.((p (ap V0P V2x)) \wedge (p V1Q))) \Leftrightarrow ((\exists V3x \in A_{\text{27a}}.((p (ap V0P V3x)) \wedge (p V1Q)))))) \end{aligned} \quad (38)$$

Assume the following.

$$\begin{aligned} \forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow & (\forall V0P \in 2. (\forall V1Q \in (2^{A_{\text{27a}}})). ((\exists V2x \in A_{\text{27a}}.((p V0P) \wedge (p (ap V1Q V2x)))) \Leftrightarrow ((p V0P) \wedge (\exists V3x \in A_{\text{27a}}.((p (ap V1Q V3x)) \wedge (p V1Q))))) \end{aligned} \quad (39)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \vee (p V1B)) \Leftrightarrow ((p V1B) \vee (p V0A)))) \quad (40)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A)) \vee (\neg(p V1B)))) \wedge ((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A)) \wedge (\neg(p V1B))))))) \quad (41)$$

Assume the following.

$$\begin{aligned} \forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow & \forall A_{\text{27b}}. \text{nonempty } A_{\text{27b}} \Rightarrow \forall A_{\text{27c}}. \\ & \text{nonempty } A_{\text{27c}} \Rightarrow (\forall V0f \in (A_{\text{27b}})^{A_{\text{27a}}}). (\forall V1g \in (A_{\text{27a}})^{A_{\text{27c}}}). \\ & (\forall V2x \in A_{\text{27c}}. ((ap (ap (ap (c_2Epath_2Epath A_{\text{27c}} A_{\text{27b}} A_{\text{27a}}) \\ & V0f) V1g) V2x) = (ap V0f (ap V1g V2x))))) \end{aligned} \quad (42)$$

Assume the following.

$$\begin{aligned} \forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow & \forall A_{\text{27b}}. \text{nonempty } A_{\text{27b}} \Rightarrow (\forall V0P \in (2^{A_{\text{27a}}})). (\forall V1p \in (ty_2Epath_2Epath A_{\text{27a}} \\ & A_{\text{27b}}). ((p (ap (ap (c_2Epath_2Eexists A_{\text{27a}} A_{\text{27b}}) V0P) V1p)) \Leftrightarrow \\ & (\exists V2i \in ty_2Enum_2Enum. ((p (ap (ap (c_2Ebool_2EIN ty_2Enum_2Enum) \\ & V2i) (ap (c_2Epath_2EPL A_{\text{27a}} A_{\text{27b}}) V1p)) \wedge (p (ap V0P (ap (ap (c_2Epath_2Eel \\ & A_{\text{27a}} A_{\text{27b}}) V2i) V1p))))))) \end{aligned} \quad (43)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (44)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow False))) \quad (45)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow False) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))) \quad (46)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow False) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow False)))))) \quad (47)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (48)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q)) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (49)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\ & ((\neg(p V0p)) \wedge ((p V2r) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (50)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \wedge ((p V0p) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (51)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (52)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ & (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \quad (53)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow (\\ & \quad \forall V0P \in (2^{A_27a}).(\forall V1p \in (ty_2Epath_2Epath A_27a \\ & \quad A_27b).((p (ap (ap (c_2Epath_2Eevery A_27a A_27b) V0P) V1p)) \Leftrightarrow (\\ & \quad \forall V2i \in ty_2Enum_2Enum.((p (ap (ap (c_2Ebool_2EIN ty_2Enum_2Enum) \\ & \quad V2i) (ap (c_2Epath_2EPL A_27a A_27b) V1p))) \Rightarrow (p (ap V0P (ap (ap (c_2Epath_2Eel \\ & \quad A_27a A_27b) V2i) V1p))))))) \end{aligned}$$