

thm_2Epath_2Eevery__thm (TMPedAny- fyEfHjBZUaMhL57fqQLmmTLQnpe)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2T$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_2F$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Ecombin_2E_2o$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V1g$

Definition 6 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 7 We define $c_2Ebool_2E_27E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F$

Let $ty_2Epath_2Epath : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epath_2Epath A0 A1) \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty ty_2Enum_2Enum \tag{2}$$

Let $c_2Epath_2Eel : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epath_2Eel A_27a A_27b \in ((A_27a (ty_2Epath_2Epath A_27a A_27b)) ty_2Enum_2Enum) \tag{3}$$

Definition 8 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{omega}) \quad (5)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{omega}) \quad (6)$$

Definition 9 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2EABS_num$

Definition 10 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. P\ x) \text{ then } (the\ (\lambda x. x \in A \wedge P\ x))$ of type $\iota \Rightarrow \iota$.

Definition 11 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 12 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (7)$$

Definition 13 We define c_2Eone_2Eone to be $(ap\ (c_2Emin_2E_40\ ty_2Eone_2Eone))\ (\lambda V0x \in ty_2Eone_2Eone$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow \forall A1. nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (8)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (9)$$

Definition 14 We define c_2Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap\ (c_2Esum_2EABS$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (10)$$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \quad (11)$$

Definition 15 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota. (ap\ (c_2Eoption_2Eoption_ABS\ A_27a))\ (c$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (12)$$

Definition 16 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 17 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (13)$$

Definition 18 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B\ n))$.

Definition 19 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (14)$$

Let $ty_2Ellist_2Ellist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ellist_2Ellist\ A0) \quad (15)$$

Let $c_2Epath_2EfromPath : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epath_2EfromPath\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ (ty_2Ellist_2Ellist\ (ty_2Epair_2Eprod\ A_27b\ A_27a)))^{(ty_2Epath_2EfromPath\ A_27a\ A_27b)}) \quad (16)$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \quad (17)$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (18)$$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (19)$$

Let $c_2Ellist_2Ellist_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_rep\ A_27a \in (((ty_2Eoption_2Eoption\ A_27a)^{ty_2Enum_2Enum})^{(ty_2Ellist_2Ellist\ A_27a)}) \quad (20)$$

Definition 20 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap\ (c_2Esum_2EABS\ A_27a\ A_27b\ e))$.

Definition 21 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.(ap\ (c_2Eoption_2Eoption_rep\ A_27a\ x))$.

Definition 22 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. ($
Let $c_2Ellist_2Ellist_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_abs\ A_27a \in ((ty_2Ellist_2Ellist\ A_27a)^{(ty_2Eoption_2Eoption\ A_27a)^{ty_2Enum_2Enum}}) \quad (21)$$

Definition 23 We define $c_2Ellist_2ELCONS$ to be $\lambda A_27a : \iota. \lambda V0h \in A_27a. \lambda V1t \in (ty_2Ellist_2Ellist\ A_27a.$

Definition 24 We define $c_2Ellist_2ELNIL$ to be $\lambda A_27a : \iota. (ap\ (c_2Ellist_2Ellist_abs\ A_27a)\ (\lambda V0n \in ty.$

Definition 25 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 26 We define $c_2Ellist_2Ellength_rel$ to be $\lambda A_27a : \iota. (\lambda V0a0 \in (ty_2Ellist_2Ellist\ A_27a). (\lambda V$

Definition 27 We define $c_2Ellist_2ELFINITE$ to be $\lambda A_27a : \iota. (\lambda V0a0 \in (ty_2Ellist_2Ellist\ A_27a). (ap\ (c$

Definition 28 We define $c_2Ellist_2ELLENGTH$ to be $\lambda A_27a : \iota. \lambda V0ll \in (ty_2Ellist_2Ellist\ A_27a). (ap\ (a$

Let $c_2Eoption_2ETHE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Eoption_2ETHE\ A_27a \in (A_27a^{(ty_2Eoption_2Eoption\ A_27a)}) \quad (22)$$

Let $c_2Ellist_2ELTAKE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Ellist_2ELTAKE\ A_27a \in (((ty_2Eoption_2Eoption\ (ty_2Elist_2Elist\ A_27a))^{(ty_2Ellist_2Ellist\ A_27a)})^{ty_2Enum_2Enum}) \quad (23)$$

Definition 29 We define $c_2Ellist_2EtoList$ to be $\lambda A_27a : \iota. \lambda V0ll \in (ty_2Ellist_2Ellist\ A_27a). (ap\ (ap\ (ap$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2ELENGTH\ A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ A_27a)}) \quad (24)$$

Definition 30 We define $c_2Epath_2Efinite$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0sigma \in (ty_2Epath_2Epath\ A.$

Definition 31 We define $c_2Epath_2Elength$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0p \in (ty_2Epath_2Epath\ A_27a$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (25)$$

Definition 32 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \quad (26)$$

Definition 33 We define c_2Epath_2EPL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0p \in (ty_2Epath_2Epath A_27a A_27b)$

Definition 34 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 35 We define $c_2Epath_2EfirstP_at$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0P \in (2^{A_27a}).\lambda V1p \in (ty_2Epath A_27a A_27b)$

Definition 36 We define $c_2Epath_2Eexists$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0P \in (2^{A_27a}).\lambda V1p \in (ty_2Epath A_27a A_27b)$

Definition 37 We define $c_2Epath_2Eevery$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0P \in (2^{A_27a}).\lambda V1p \in (ty_2Epath A_27a A_27b)$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFST \\ & A_27a A_27b \in (A_27a^{(ty_2Epair_2Eprod A_27a A_27b)}) \end{aligned} \quad (27)$$

Definition 38 We define $c_2Epath_2Efirst$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0p \in (ty_2Epath_2Epath A_27a A_27b)$

Let $c_2Epath_2EtoPath : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epath_2EtoPath \\ & A_27a A_27b \in ((ty_2Epath_2Epath A_27a A_27b)^{(ty_2Epair_2Eprod A_27a (ty_2Ellist_2Ellist (ty_2Epair_2Eprod A_27a A_27b)))}) \end{aligned} \quad (28)$$

Definition 39 We define c_2Epath_2Epcns to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1r \in A_27b.\lambda V2p \in (ty_2Epath A_27a A_27b)$

Definition 40 We define $c_2Epath_2Estopped_at$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.(ap (c_2Epath A_27a A_27b) V0x)$

Assume the following.

$$True \quad (29)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow \\ & True)) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p V0A) \vee \neg(p V1B)))) \wedge \\ & ((\neg((\neg(p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A) \wedge \neg(p V1B)))))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow \forall A_27c. \\ & nonempty A_27c \Rightarrow (\forall V0f \in (A_27b^{A_27a}).(\forall V1g \in (A_27c^{A_27a}). \\ & (\forall V2x \in A_27c.((ap (ap (ap (c_2Ecombin_2Eo A_27c A_27b A_27a) V0f) V1g) V2x) = (ap V0f (ap V1g V2x)))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow (\forall V0P \in (2^{A_27a}). ((\forall V1x \in A_27a. \\
& ((p\ (ap\ (ap\ (c_2Epath_2Eexists\ A_27a\ A_27b)\ V0P)\ (ap\ (c_2Epath_2Estopped_at \\
& \quad A_27a\ A_27b)\ V1x))) \Leftrightarrow (p\ (ap\ V0P\ V1x)))) \wedge (\forall V2x \in A_27a. (\forall V3r \in \\
& \quad A_27c. (\forall V4p \in (ty_2Epath_2Epath\ A_27a\ A_27c). ((p\ (ap\ (ap \\
& \quad (c_2Epath_2Eexists\ A_27a\ A_27c)\ V0P)\ (ap\ (ap\ (ap\ (c_2Epath_2Epcns \\
& \quad A_27a\ A_27c)\ V2x)\ V3r)\ V4p)))) \Leftrightarrow ((p\ (ap\ V0P\ V2x)) \vee (p\ (ap\ (ap\ (c_2Epath_2Eexists \\
& \quad A_27a\ A_27c)\ V0P)\ V4p)))))))))
\end{aligned} \tag{34}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow (\forall V0P \in (2^{A_27a}). ((\forall V1x \in A_27a. \\
& ((p\ (ap\ (ap\ (c_2Epath_2Eevery\ A_27a\ A_27b)\ V0P)\ (ap\ (c_2Epath_2Estopped_at \\
& \quad A_27a\ A_27b)\ V1x))) \Leftrightarrow (p\ (ap\ V0P\ V1x)))) \wedge (\forall V2x \in A_27a. (\forall V3r \in \\
& \quad A_27c. (\forall V4p \in (ty_2Epath_2Epath\ A_27a\ A_27c). ((p\ (ap\ (ap \\
& \quad (c_2Epath_2Eevery\ A_27a\ A_27c)\ V0P)\ (ap\ (ap\ (ap\ (c_2Epath_2Epcns \\
& \quad A_27a\ A_27c)\ V2x)\ V3r)\ V4p)))) \Leftrightarrow ((p\ (ap\ V0P\ V2x)) \wedge (p\ (ap\ (ap\ (c_2Epath_2Eevery \\
& \quad A_27a\ A_27c)\ V0P)\ V4p)))))))))
\end{aligned}$$