

thm_2Epath_2Eexists__thm
(TMdHr5ePCcwmgKXAUnMa9Cytb5o4iv8mVlk)

October 26, 2020

Definition 1 We define c_2Emin_2E3D to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2E2T to be $(ap (ap (c_2Emin_2E3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$

Definition 4 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

Definition 5 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota.(ap (ap (c_2Ecombin_2ES A_27a (A_27a^{A_27a})) A_27a))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 6 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 7 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 8 We define c_2Ebool_2E21 to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a})).(ap (ap (c_2Emin_2E3D (2^{A_27a}))$

Definition 9 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (6)$$

Definition 10 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Definition 11 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (7)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (8)$$

Let $ty_2Ellist_2Ellist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ellist_2Ellist\ A0) \quad (9)$$

Let $ty_2Epath_2Epath : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epath_2Epath\ A0\ A1) \quad (10)$$

Let $c_2Epath_2EfromPath : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epath_2EfromPath\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ (ty_2Ellist_2Ellist\ (ty_2Epair_2Eprod\ A_27b\ A_27a)))^{(ty_2Epath_2Epath\ A_27a\ A_27b)}) \quad (11)$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \quad (12)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \quad (13)$$

Definition 12 We define $c_2Epath_2Efirst$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0p \in (ty_2Epath_2Epath\ A_27a\ A_27b)$

Definition 13 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow p\ Q)$ of type ι .

Let $c_2Ellist_2Ellist_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_abs\ A_27a \in ((ty_2Ellist_2Ellist\ A_27a)^{(ty_2Eoption_2Eoption\ A_27a)^{ty_2Enum_2Enum}}) \quad (21)$$

Definition 21 We define $c_2Ellist_2ELCONS$ to be $\lambda A_27a : \iota.\lambda V0h \in A_27a.\lambda V1t \in (ty_2Ellist_2Ellist\ A_27a$

Let $c_2Epath_2EtoPath : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epath_2EtoPath\ A_27a\ A_27b \in ((ty_2Epath_2Epath\ A_27a\ A_27b)^{(ty_2Epair_2Eprod\ A_27a\ (ty_2Ellist_2Ellist\ (ty_2Epair_2Eprod\ A_27a\ A_27b))}) \quad (22)$$

Definition 22 We define c_2Epath_2Epcns to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1r \in A_27b.\lambda V2p$

Definition 23 We define c_2Eone_2Eone to be $(ap\ (c_2Emin_2E_40\ ty_2Eone_2Eone)\ (\lambda V0x \in ty_2Eone_2Eone$

Definition 24 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E_7E$

Definition 25 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap\ (c_2Esum_2EABS$

Definition 26 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota.(ap\ (c_2Eoption_2Eoption_ABS\ A_27a)\ (a$

Definition 27 We define $c_2Ellist_2ELNIL$ to be $\lambda A_27a : \iota.(ap\ (c_2Ellist_2Ellist_abs\ A_27a)\ (\lambda V0n \in ty$

Definition 28 We define $c_2Epath_2Estopped_at$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.(ap\ (c_2Epath$

Let $c_2Epath_2Eel : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epath_2Eel\ A_27a\ A_27b \in ((A_27a^{(ty_2Epath_2Epath\ A_27a\ A_27b)})^{ty_2Enum_2Enum}) \quad (23)$$

Definition 29 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 30 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \quad (24)$$

Definition 31 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 32 We define $c_2Ellist_2Ellength_rel$ to be $\lambda A_27a : \iota.(\lambda V0a0 \in (ty_2Ellist_2Ellist\ A_27a).(\lambda V$

Definition 33 We define $c_2Ellist_2ELFINITE$ to be $\lambda A_27a : \iota.(\lambda V0a0 \in (ty_2Ellist_2Ellist\ A_27a).(\lambda V$

Definition 34 We define $c_2Ellist_2ELLENGTH$ to be $\lambda A_27a : \iota.\lambda V0ll \in (ty_2Ellist_2Ellist\ A_27a).(\lambda V$

Assume the following.

$$(\forall V0t \in 2.((p V0t) \vee (\neg(p V0t)))) \quad (33)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (34)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0t \in 2.((\exists V1x \in A_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (35)$$

Assume the following.

$$(\forall V0t \in 2.(((p V0t) \Rightarrow False) \Rightarrow (\neg(p V0t)))) \quad (36)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p V0t)) \Rightarrow ((p V0t) \Rightarrow False))) \quad (37)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (38)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ & (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (39)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \quad (40)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (41)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (42)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (43)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t))))) \quad (44)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\neg(\exists V1x \in A_27a. (p\ (ap\ V0P\ V1x)))) \Leftrightarrow (\forall V2x \in A_27a. (\neg(p\ (ap\ V0P\ V2x))))) \quad (45)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1Q \in (2^{A_27a}). ((\exists V2x \in A_27a. ((p\ (ap\ V0P\ V2x)) \vee (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((\exists V3x \in A_27a. (p\ (ap\ V0P\ V3x))) \vee (\exists V4x \in A_27a. (p\ (ap\ V1Q\ V4x))))))) \quad (46)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (47)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Leftrightarrow (p\ V1t2)) \Leftrightarrow (((p\ V0t1) \Rightarrow (p\ V1t2)) \wedge ((p\ V1t2) \Rightarrow (p\ V0t1))))) \quad (48)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in 2. (((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow ((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27))))) \quad (49)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0a \in A_27a. (\exists V1x \in A_27a. (V1x = V0a))) \quad (50)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1a \in A_27a. ((\exists V2x \in A_27a. ((V2x = V1a) \wedge (p\ (ap\ V0P\ V2x)))) \Leftrightarrow (p\ (ap\ V0P\ V1a)))) \quad (51)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (\forall V0x \in A_{27a}. ((\text{ap } (\text{c.2Ecombin_2EI } A_{27a}) V0x) = V0x)) \quad (52)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow \forall A_{27b}. \text{nonempty } A_{27b} \Rightarrow (\\ & (\forall V0P \in (2^{A_{27a}}). (\forall V1x \in A_{27a}. (\forall V2n \in \text{ty_2Enum_2Enum}. \\ & ((p (\text{ap } (\text{ap } (\text{ap } (\text{ap } (\text{c.2Epath_2EfirstP_at } A_{27a} A_{27b}) V0P) (\text{ap } (\text{c.2Epath_2Estopped_at } \\ & A_{27a} A_{27b}) V1x)) V2n)) \Leftrightarrow ((V2n = \text{c.2Enum_2E0}) \wedge (p (\text{ap } V0P V1x)))))) \wedge \\ & (\forall V3P \in (2^{A_{27a}}). (\forall V4n \in \text{ty_2Enum_2Enum}. (\forall V5x \in \\ & A_{27a}. (\forall V6r \in A_{27b}. (\forall V7p \in (\text{ty_2Epath_2Epath } A_{27a} \\ & A_{27b}). ((p (\text{ap } (\text{ap } (\text{ap } (\text{c.2Epath_2EfirstP_at } A_{27a} A_{27b}) V3P) \\ & (\text{ap } (\text{ap } (\text{ap } (\text{c.2Epath_2Epcns } A_{27a} A_{27b}) V5x) V6r) V7p)) V4n)) \Leftrightarrow \\ & (((V4n = \text{c.2Enum_2E0}) \wedge (p (\text{ap } V3P V5x))) \vee ((p (\text{ap } (\text{ap } \text{c.2Eprim_rec_2E_3C } \\ & \text{c.2Enum_2E0}) V4n)) \wedge (\neg (p (\text{ap } V3P V5x)))) \wedge (p (\text{ap } (\text{ap } (\text{ap } (\text{c.2Epath_2EfirstP_at } \\ & A_{27a} A_{27b}) V3P) V7p) (\text{ap } (\text{ap } \text{c.2Earithmetic_2E_2D } V4n) (\text{ap } \text{c.2Earithmetic_2ENUMERAL } \\ & (\text{ap } \text{c.2Earithmetic_2EBIT1 } \text{c.2Earithmetic_2EZERO))))))))))))) \end{aligned} \quad (53)$$

Assume the following.

$$(\forall V0n \in \text{ty_2Enum_2Enum}. (p (\text{ap } (\text{ap } \text{c.2Eprim_rec_2E_3C } \text{c.2Enum_2E0}) (\text{ap } \text{c.2Enum_2ESUC } V0n)))) \quad (54)$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (55)$$

Assume the following.

$$(\forall V0A \in 2. ((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow \text{False}))) \quad (56)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))) \quad (57)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p V0A)) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))) \quad (58)$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p V0A)) \Rightarrow \text{False}) \Rightarrow (((p V0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \quad (59)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(\\ & p V2r)) \vee (\neg(p V1q))) \wedge (((p V1q) \vee (\neg(p V2r)) \vee (\neg(p V0p))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (60)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee \neg(p V2r))) \wedge (\\
& \neg(p V1q)) \vee ((p V2r) \vee \neg(p V0p)))))))))) \quad (61)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow \neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge (\neg(p V1q)) \vee \neg(p V0p)))))) \quad (62)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow \forall A_27c. \\
& nonempty A_27c \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1x \in A_27a. \\
& ((p (ap (ap (c_2Epath_2Eexists A_27a A_27b) V0P) (ap (c_2Epath_2Estopped_at \\
& A_27a A_27b) V1x))) \Leftrightarrow (p (ap V0P V1x)))) \wedge (\forall V2x \in A_27a. (\forall V3r \in \\
& A_27c. (\forall V4p \in (ty_2Epath_2Epath A_27a A_27c). ((p (ap (ap \\
& (c_2Epath_2Eexists A_27a A_27c) V0P) (ap (ap (ap (c_2Epath_2Epcons \\
& A_27a A_27c) V2x) V3r) V4p))) \Leftrightarrow ((p (ap V0P V2x)) \vee (p (ap (ap (c_2Epath_2Eexists \\
& A_27a A_27c) V0P) V4p))))))))))
\end{aligned}$$