

thm_2Epath_2Efinite__okpath__ind (TMY- HyEG9XK5yT9FRnBudYEquXNGC6z227pD)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2ET` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2)) (\lambda V 0x \in 2.V 0x)) (\lambda V 1x \in 2.V 1x))$

Definition 3 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (\text{ap } P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 4 We define `c_2Ebool_2E_3F` to be $\lambda A_{.27a} : \iota. (\lambda V 0P \in (2^{A_{.27a}}). (\text{ap } V 0P (\text{ap } (\text{c_2Emin_2E_40 } A_{.27a}))))$

Definition 5 We define `c_2Ecombin_2EK` to be $\lambda A_{.27a} : \iota. \lambda A_{.27b} : \iota. (\lambda V 0x \in A_{.27a}. (\lambda V 1y \in A_{.27b}. V 0x))$

Definition 6 We define `c_2Ecombin_2ES` to be $\lambda A_{.27a} : \iota. \lambda A_{.27b} : \iota. \lambda A_{.27c} : \iota. (\lambda V 0f \in ((A_{.27c}^{A_{.27b}})^{A_{.27a}}))$

Definition 7 We define `c_2Ecombin_2EI` to be $\lambda A_{.27a} : \iota. (\text{ap } (\text{ap } (\text{c_2Ecombin_2ES } A_{.27a} (A_{.27a}^{A_{.27a}})) A_{.27a}))$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \forall A 1. \text{nonempty } A 1 \Rightarrow \text{nonempty } (\text{ty_2Epair_2Eprod } A 0 A 1) \tag{1}$$

Let `ty_2Ellist_2Ellist` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \text{nonempty } (\text{ty_2Ellist_2Ellist } A 0) \tag{2}$$

Let `ty_2Epath_2Epath` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \forall A 1. \text{nonempty } A 1 \Rightarrow \text{nonempty } (\text{ty_2Epath_2Epath } A 0 A 1) \tag{3}$$

Let `c_2Epath_2EfromPath` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow \forall A_{.27b}. \text{nonempty } A_{.27b} \Rightarrow \text{c_2Epath_2EfromPath } A_{.27a} A_{.27b} \in ((\text{ty_2Epair_2Eprod } A_{.27a} (\text{ty_2Ellist_2Ellist } (\text{ty_2Epair_2Eprod } A_{.27b} A_{.27a}))) (\text{ty_2Epath_2Epath } A_{.27a} A_{.27b})) \tag{4}$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \quad (5)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (6)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (7)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (8)$$

Definition 8 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 9 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (9)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (10)$$

Definition 10 We define c_2Ebool_2E21 to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ (ap\ (c_2Emin_2E3D\ (2^{A_27a}))\ V0P)\ A_27a))$

Definition 11 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2EABS_num\ V0m)$

Let $c_2Earithmetic_2E2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (11)$$

Definition 12 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap\ (ap\ c_2Earithmetic_2E2B\ V0n))$

Definition 13 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Let $c_2Earithmetic_2E2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (12)$$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (13)$$

Let $c_2Ellist_2Ellist_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_rep\ A_27a \in (((ty_2Eoption_2Eoption\ A_27a)^{ty_2Enum_2Enum})^{(ty_2Ellist_2Ellist\ A_27a)}) \quad (14)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (15)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST \\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (20)$$

Definition 29 We define $c_2Epath_2Efirst$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0p \in (ty_2Epath_2Epath\ A_27a\ A_27b)$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (21)$$

Definition 30 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epath_2Efirst\ A_27a\ A_27b)\ V0x\ V1y)$

Let $c_2Epath_2EtoPath : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epath_2EtoPath \\ A_27a\ A_27b \in ((ty_2Epath_2Epath\ A_27a\ A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)\ (ty_2Ellist_2Ellist\ (ty_2Epair_2Eprod\ A_27a\ A_27b))}) \end{aligned} \quad (22)$$

Definition 31 We define $c_2Epath_2Eprecons$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1r \in A_27b.\lambda V2p \in A_27b.(ap\ (c_2Epath_2Efirst\ A_27a\ A_27b)\ V0x\ V1r\ V2p)$

Definition 32 We define $c_2Epath_2Estopped_at$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.(ap\ (c_2Epath_2Efirst\ A_27a\ A_27b)\ V0x)$

Definition 33 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap\ V1f\ V0x)))$

Definition 34 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c)^{A_27a \times A_27b})$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC \\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (23)$$

Definition 35 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EIN)$.

Definition 36 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2Epred_set_2EGSPEC\ A_27a\ A_27a)\ V0s\ V1t)$

Definition 37 We define $c_2Epath_2Eokpath_f$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in (((2^{A_27a})^{A_27b})^{A_27a})$.

Definition 38 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2Epred_set_2EGSPEC\ A_27a\ A_27a)\ V0s\ V1t)$

Definition 39 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^{A_27a})}).(ap\ (c_2Epred_set_2EGSPEC\ A_27a\ A_27a)\ V0P)$

Definition 40 We define $c_2EfixedPoint_2Egfp$ to be $\lambda A_27a : \iota.\lambda V0f \in ((2^{A_27a})^{(2^{A_27a})}).(ap\ (c_2Epred_set_2EGSPEC\ A_27a\ A_27a)\ V0f)$

Definition 41 We define $c_2Epath_2Eokpath$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in (((2^{A_27a})^{A_27b})^{A_27a})$.

Assume the following.

$$True \quad (24)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p \ V0t1) \Rightarrow (p \ V1t2)) \Rightarrow (((p \ V1t2) \Rightarrow (p \ V0t1)) \Rightarrow ((p \ V0t1) \Leftrightarrow (p \ V1t2)))))) \quad (25)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p \ V0t)) \Leftrightarrow (p \ V0t))) \quad (26)$$

Assume the following.

$$(\forall V0t \in 2.(((p \ V0t) \Rightarrow False) \Rightarrow (\neg(p \ V0t)))) \quad (27)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(p \ V0t)) \Rightarrow ((p \ V0t) \Rightarrow False))) \quad (28)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \wedge True) \Leftrightarrow (p \ V0t)) \wedge (((False \wedge (p \ V0t)) \Leftrightarrow False) \wedge (((p \ V0t) \wedge False) \Leftrightarrow False) \wedge (((p \ V0t) \wedge (p \ V0t)) \Leftrightarrow (p \ V0t)))))) \quad (29)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge ((p \ V0t) \Rightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \quad (30)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (31)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (32)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (33)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p \ V0t)))))) \quad (34)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}).((\neg(\forall V1x \in A_27a.(p\ (ap\ V0P\ V1x)))) \Leftrightarrow (\exists V2x \in A_27a.(\neg(p\ (ap\ V0P\ V2x)))))) \quad (35)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A_27a}).((\exists V2x \in A_27a.((p\ V0P) \wedge (p\ (ap\ V1Q\ V2x)))) \Leftrightarrow ((p\ V0P) \wedge (\exists V3x \in A_27a.(p\ (ap\ V1Q\ V3x))))))) \quad (36)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p\ V0A) \vee (p\ V1B) \vee (p\ V2C)) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C)))))) \quad (37)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((p\ V0A) \vee (p\ V1B)) \Leftrightarrow ((p\ V1B) \vee (p\ V0A)))) \quad (38)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \vee (\neg(p\ V1B)))) \wedge ((\neg((p\ V0A) \vee (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \wedge (\neg(p\ V1B)))))))) \quad (39)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (40)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in 2.(((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \quad (41)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((ap\ (c_2Ecombin_2EI\ A_27a)\ V0x) = V0x)) \quad (42)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0P \in (2^{(ty_2Epath_2Epath\ A_27a\ A_27b)}).(((\forall V1x \in A_27a.(p\ (ap\ V0P\ (ap\ (c_2Epath_2Estopped_at\ A_27a\ A_27b)\ V1x)))) \wedge (\forall V2x \in A_27a.(\forall V3r \in A_27b.(\forall V4p \in (ty_2Epath_2Epath\ A_27a\ A_27b).(((p\ (ap\ (c_2Epath_2Efinite\ A_27a\ A_27b)\ V4p)) \wedge (p\ (ap\ V0P\ V4p))) \Rightarrow (p\ (ap\ V0P\ (ap\ (ap\ (ap\ (c_2Epath_2Econs\ A_27a\ A_27b)\ V2x)\ V3r)\ V4p)))))) \Rightarrow (\forall V5q \in (ty_2Epath_2Epath\ A_27a\ A_27b).((p\ (ap\ (c_2Epath_2Efinite\ A_27a\ A_27b)\ V5q)) \Rightarrow (p\ (ap\ V0P\ V5q)))))) \quad (43)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0R \in (((2^{A_27a})^{A_27b})^{A_27a}).((\forall V1x \in A_27a.(\\
& p\ (ap\ (ap\ (c_2Epath_2Eokpath\ A_27a\ A_27b)\ V0R)\ (ap\ (c_2Epath_2Estopped_at \\
& \quad A_27a\ A_27b)\ V1x)))) \wedge (\forall V2x \in A_27a.(\forall V3r \in A_27b. \\
& \quad (\forall V4p \in (ty_2Epath_2Epath\ A_27a\ A_27b).((p\ (ap\ (ap\ (c_2Epath_2Eokpath \\
& \quad A_27a\ A_27b)\ V0R)\ (ap\ (ap\ (ap\ (c_2Epath_2Epcons\ A_27a\ A_27b)\ V2x) \\
& \quad V3r)\ V4p))) \Leftrightarrow ((p\ (ap\ (ap\ (ap\ V0R\ V2x)\ V3r)\ (ap\ (c_2Epath_2Efirst\ A_27a \\
& \quad A_27b)\ V4p))) \wedge (p\ (ap\ (ap\ (c_2Epath_2Eokpath\ A_27a\ A_27b)\ V0R)\ V4p))))))))) \\
& \hspace{15em} (44)
\end{aligned}$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (45)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (46)$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \\
& \hspace{15em} (47)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& \quad ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \\
& \hspace{15em} (48)
\end{aligned}$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \quad (49)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (\\
& \quad (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\
& \quad p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\
& \quad ((\neg(p\ V1q)) \vee (\neg(p\ V0p)))))))))) \\
& \hspace{15em} (50)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (\\
& \quad (p\ V1q) \wedge (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V2r)))) \wedge (((p\ V1q) \vee \\
& \quad (\neg(p\ V0p))) \wedge ((p\ V2r) \vee (\neg(p\ V0p)))))))))) \\
& \hspace{15em} (51)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p\ V0p) \Leftrightarrow (\\
& \quad (p\ V1q) \vee (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee (\neg(p\ V1q))) \wedge (((p\ V0p) \vee (\neg(p\ V2r))) \wedge \\
& \quad ((p\ V1q) \vee ((p\ V2r) \vee (\neg(p\ V0p)))))))))) \\
& \hspace{15em} (52)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (\\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (\\
& \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (53)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (54)
\end{aligned}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow (\\
& \quad \forall V0P \in (2^{(ty_2Epath_2Epath A.27a A.27b)}). (\forall V1R \in \\
& \quad ((2^{A.27a})^{A.27b})^{A.27a}). (((\forall V2x \in A.27a. (p (ap V0P (ap \\
& (c.2Epath_2Estopped_at A.27a A.27b) V2x))) \wedge (\forall V3x \in A.27a. \\
& (\forall V4r \in A.27b. (\forall V5p \in (ty_2Epath_2Epath A.27a A.27b). \\
& (((p (ap (ap (c.2Epath_2Eokpath A.27a A.27b) V1R) V5p)) \wedge ((p (ap \\
& (c.2Epath_2Efinite A.27a A.27b) V5p)) \wedge ((p (ap (ap (ap V1R V3x) V4r) \\
& (ap (c.2Epath_2Efirst A.27a A.27b) V5p))) \wedge (p (ap V0P V5p)))))) \Rightarrow \\
& (p (ap V0P (ap (ap (ap (c.2Epath_2Epcons A.27a A.27b) V3x) V4r) V5p)))))) \Rightarrow \\
& (\forall V6sigma \in (ty_2Epath_2Epath A.27a A.27b). (((p (ap (ap \\
& (c.2Epath_2Eokpath A.27a A.27b) V1R) V6sigma)) \wedge (p (ap (c.2Epath_2Efinite \\
& A.27a A.27b) V6sigma))) \Rightarrow (p (ap V0P V6sigma))))))
\end{aligned}$$