

thm_2Epath_2Enth_label_LTAKE
 (TMQr5wZyAgxa7wuNEucSi1jFsCHQCCRRgE)

October 26, 2020

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_0. nonempty\ A_0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A_0) \quad (1)$$

Let $c_2Elist_2ESNOC : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2ESNOC\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (2)$$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_0. nonempty\ A_0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A_0) \quad (3)$$

Let $c_2Eoption_2EOPTION_MAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Eoption_2EOPTION_MAP\ A_27a\ A_27b \in (((ty_2Eoption_2Eoption\ A_27b)^{(ty_2Eoption_2Eoption\ A_27a)})^{(A_27b^{A_27a})}) \quad (4)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (5)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (6)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (7)$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be ($ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP$).

Definition 3 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c \in \text{Enum-EREP_num} : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (8)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega^{\omega}}) \quad (9)$$

Definition 4 We define c_2Eb0o_2ET to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 5 We define $c_2.Ebool_2E_21$ to be $\lambda A.27a : \iota.(\lambda V0P \in (2^{A-2}ta)).(ap\ (ap\ (c_2.Emin_2E_3D\ (2^{A-2}ta)\ V0P)\ P)\ A)$

Definition 6 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ ($

Let $c \in \mathbb{R}$ and $E, B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (10)$$

Definition 7 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2EBIT1\ n)\ V)$

Definition 8 We define c_2Earithmetic_2ENUMERAL to be $\lambda V0x \in ty_2Enum_2Enum. V0x$.

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum\ ty_2Enum_2Enum)^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (11)$$

Let $ty_2Ellist_2Ellist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty_2Ellist_2Ellist } A0) \quad (12)$$

Let $c_2Ellist_2Ellist_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow c_{2\text{Ellist}}.2\text{Ellist_rep } A_{27a} \in ((ty_{2\text{Eoption}}.2\text{Eoption } A_{27a})^{ty_{2\text{Enum}}.2\text{Enum}})(ty_{2\text{Ellist}}.2\text{Ellist } A_{27a}) \quad (13)$$

Let $t y_2 E \alpha_2 E \alpha_1 : \iota$ be given. Assume the following.

nonempty *ty_2Eone_2Eone* (14)

Definition 9 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \ P \Rightarrow p \ Q)$ of type ι .

Definition 10 We define $c_{\text{c_Ebool_2E_2F_5C}}$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_{\text{c_Ebool_2E_21}}\ 2)\ (\lambda V2t \in$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \forall A1.\text{nonempty } A1 \Rightarrow \text{nonempty}(\text{ty_2Esum_2Esum } A0\ A1) \quad (15)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{\text{27}}.a.\text{nonempty } A_{\text{27}}a \Rightarrow \forall A_{\text{27}}b.\text{nonempty } A_{\text{27}}b \Rightarrow c_{\text{2Esum_2EABS_sum}}(A_{\text{27}}a, A_{\text{27}}b) \in ((ty_{\text{2Esum_2Esum}}(A_{\text{27}}a, A_{\text{27}}b))^{\langle((2^{A_{\text{27}}b})^{A_{\text{27}}a})^2\rangle}) \quad (16)$$

Definition 11 We define c_2Esum_2EINL to be $\lambda A._27a : \iota.\lambda A._27b : \iota.\lambda V0e \in A._27a.(ap\ (c_2Esum_2EABS\ A)\ V0)$. Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \quad (17)$$

Definition 12 We define $c_2Eoption_2ESOME$ to be $\lambda A.\lambda 27a:\iota.\lambda V0x \in A.27a.(ap\ (c_2Eoption_2Eoption_2ESOME\ A)\ (V0x))$

Definition 13 We define c_2Ebool_2EF to be $(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V0t\ t \in 2.V0t))$.

Definition 14 We define $c_{\text{2Emin_2E_40}}$ to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \text{ } x)) \text{ then } (\lambda x. x \in A \wedge p \text{ of type } \iota \Rightarrow \iota)$.

Definition 15 We define c_2Ebool_2ECOND to be $\lambda A._27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A._27a.(\lambda V2t2 \in A._27a.($

Let $c_2Ellist_2Ellist_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{\text{27a}}. \text{nonempty } A_{\text{27a}} \Rightarrow c_{\text{2Ellist_2Ellist_abs}} A_{\text{27a}} \in ((ty_{\text{2Ellist_2Ellist}} A_{\text{27a}})^{(ty_{\text{2Eoption_2Eoption}} A_{\text{27a}})^{ty_{\text{-2Enum_2Enum}}}}) \quad (18)$$

Definition 16 We define $c_2Ellist_2ELCONS$ to be $\lambda A.27a : \iota.\lambda V0h \in A.27a.\lambda V1t \in (ty_2Ellist_2Ellist\ A)$

Definition 17 We define c_2Eone_2Eone to be $(ap(c_2Emin_2E40\ ty_2Eone_2Eone))(\lambda V0x \in ty_2Eone_2Eone.\dots)$

Definition 18 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap\ (ap\ c_2Emin_2E_3D_3D_3E\ V0t)\ c_2Ebool_2E))$

Definition 19 We define c_2Esum_2EINR to be $\lambda A._27a : \iota.\lambda A._27b : \iota.\lambda V0e \in A._27b.(ap (c_2Esum_2EABS$

Definition 20 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota.(ap\ (c_2Eoption_2Eoption_ABS\ A_27a)\ ((\lambda x\ x)\ (\lambda y\ y)))$

Definition 21 We define $c_2Ellist_2ELNIL$ to be $\lambda A_27a : \iota.(ap\ (c_2Ellist_2Ellist_abs\ A_27a)\ (\lambda V0n\in ty_27a.\ldots))$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A \cdot \text{nonempty } A \Rightarrow c \cdot \text{Elist_ENIL } A \in (\text{ty_Elist_Elist } A)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (20)$$

Let $c_2Ellist_2ELTAKE : \iota \Rightarrow \iota$ be given. Assume the following.

Later, we will see that SSEVEN also gives Δ_{SSEVEN} the following:

Let $c_2Earithmetic_2EEVEN : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEVEN \in (2^{ty_2Enum_2Enum}) \quad (22)$$

Let c_2 be given. Assume the following.

$$c_2Earithmetic_2EODD \in (2^{ty_2Enum_2Enum}) \quad (23)$$

Definition 22 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 23 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum.$

Definition 24 We define $c_2Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum.$

Definition 25 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\) (\lambda V2t \in$

Definition 26 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum.$

Definition 27 We define $c_2Eprim_rec_2EPRE$ to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ (ap\ (ap\ (c_2Ebool_2E_21\ 2)\) (\lambda V1n \in ty_2Enum_2Enum.$

Let $c_2Earithmetic_2EEEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (24)$$

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum})^{ty_2Enum_2Enum} \quad (25)$$

Definition 28 We define $c_2Enumeral_2EiZ$ to be $\lambda V0x \in ty_2Enum_2Enum. V0x.$

Definition 29 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum. (ap\ (ap\ c_2Earithmetic_2E_2A\ (c_2Ebool_2E_5C_2F\ A_27a\ A_27b))$

Definition 30 We define $c_2Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum.$

Let $c_2Eoption_2Eoption_CASE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.\text{nonempty } A_27a &\Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow c_2Eoption_2Eoption_CASE \\ A_27a\ A_27b &\in (((A_27b^{(A_27b^{A_27a})})^{A_27b})^{ty_2Eoption_2Eoption\ A_27a}) \end{aligned} \quad (26)$$

Let $ty_2Epath_2Epath : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A0.\text{nonempty } A0 &\Rightarrow \forall A1.\text{nonempty } A1 \Rightarrow \text{nonempty } (ty_2Epath_2Epath \\ A0\ A1) \end{aligned} \quad (27)$$

Let $c_2Epath_2Enth_label : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.\text{nonempty } A_27a &\Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow c_2Epath_2Enth_label \\ A_27a\ A_27b &\in ((A_27a^{(ty_2Epath_2Epath\ A_27b\ A_27a)})^{ty_2Enum_2Enum}) \end{aligned} \quad (28)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A0.\text{nonempty } A0 &\Rightarrow \forall A1.\text{nonempty } A1 \Rightarrow \text{nonempty } (ty_2Epair_2Eprod \\ A0\ A1) \end{aligned} \quad (29)$$

Let $c_2Epath_2EfromPath : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{_27a}.nonempty\ A_{_27a} \Rightarrow \forall A_{_27b}.nonempty\ A_{_27b} \Rightarrow c_{_2Epath_2EfromPath}(A_{_27a}, A_{_27b}) \in ((ty_{_2Epair_2Eprod}(A_{_27a}), (ty_{_2Ellist_2Ellist}(ty_{_2Epair_2Eprod}(A_{_27b}), A_{_27a})))^{(ty_{_2Epath_2Epath}(A_{_27a}, A_{_27b}))}) \quad (30)$$

Let $c_{2Epair_2ESND} : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow c_2Epair_2ESND \\ A_27a \ A_27b \in (A_27b^{(ty_2Epair_2Eprod \ A_27a \ A_27b)}) \end{aligned} \quad (31)$$

Definition 31 We define $c_2Ellist_2Ellength_rel$ to be $\lambda A.27a : \iota.(\lambda V0:a0 \in (ty_2Ellist_2Ellist\ A.27a).(\lambda V$

Definition 32 We define $c_2Ellist_2ELFINITE$ to be $\lambda A.27a : \iota.(\lambda V0a0 \in (ty_2Ellist_2Ellist\ A.27a). (ap\ (c_2Ellist_2ELFINITE\ A)\ V0) a0)$

Definition 33 We define $c_2Ellist_2ELLENGTH$ to be $\lambda A_27a : \iota.\lambda V0ll \in (ty_2Ellist_2Ellist\ A_27a).(ap\ (aa\ (c_2Ellist_2ELLENGTH\ A_27a))\ V0ll)$

Let $c_2Eoption_2ETHE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Eoption_2E\text{THE } A_27a \in (A_27a^{(ty_2Eoption_2Eoption\ A_27a)})$$

(32)

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a._nonempty\ A_27a \Rightarrow c_2Elist_2ELENGTH\ A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ A_27a)})$$

(33)

Definition 35 We define $c_2Epath_2Efinite$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0sigma \in (ty_2Epath_2Epath\ A)$

Definition 36 We define $c_2Epath_2Elength$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0p \in (ty_2Epath_2Epath\ A.27a)$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow c_{2Epair_2EABS_prod}\ A_{27a}\ A_{27b} \in ((ty_{2Epair_2Eprod}\ A_{27a}\ A_{27b})^{((2^{A_{27b}})^{A_{27a}})}) \quad (34)$$

Definition 37 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow c_2\text{Epred_set_2EGSPEC}_{A_27a A_27b} \in ((2^{A_27a})^{((ty_2\text{Epair_2Eprod}_{A_27a 2})^{A_27b})}) \quad (35)$$

Definition 38 We define c_2Epath_2EPL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0p \in (ty_2Epath_2Epath\ A_27a\ A_27b)$

Definition 39 We define c_2Ebool_2EIN to be $\lambda A.\lambda 27a:\iota.(\lambda V0x\in A.27a).(\lambda V1f\in(2^{A-27a}).(ap\;V1f\;V0x))$

Let $c_2Epath_2Elabs : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow c_2Epath_2Elabs \\ A_27a \ A_27b \in ((ty_2Ellist_2Ellist \ A_27b)^{(ty_2Epath_2Epath \ A_27a \ A_27b)}) \end{aligned} \quad (36)$$

Let $c_2Ellist_2ELNTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Ellist_2ELNTH \ A_27a \in (((ty_2Eoption_2Eoption \\ A_27a)^{(ty_2Ellist_2Ellist \ A_27a)})^{ty_2Enum_2Enum}) \end{aligned} \quad (37)$$

Let $c_2Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Elist_2EAPPEND \ A_27a \in (((ty_2Elist_2Elist \\ A_27a)^{(ty_2Elist_2Elist \ A_27a)})^{ty_2Elist_2Elist \ A_27a}) \end{aligned} \quad (38)$$

Let $c_2Elist_2EEEL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Elist_2EEEL \ A_27a \in ((A_27a^{(ty_2Elist_2Elist \ A_27a)})^{ty_2Enum_2Enum}) \quad (39)$$

Assume the following.

$$\begin{aligned} (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum. \\ ((ap (ap c_2Earithmetic_2E_2B c_2Enum_2E0) V0m) = V0m) \wedge (((ap (\\ ap c_2Earithmetic_2E_2B V0m) c_2Enum_2E0) = V0m) \wedge (((ap (ap c_2Earithmetic_2E_2B \\ (ap c_2Enum_2ESUC V0m)) V1n) = (ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B \\ V0m) V1n))) \wedge ((ap (ap c_2Earithmetic_2E_2B V0m) (ap c_2Enum_2ESUC \\ V1n)) = (ap c_2Enum_2ESUC (ap (ap c_2Earithmetic_2E_2B V0m) V1n))))))) \end{aligned} \quad (40)$$

Assume the following.

$$\begin{aligned} (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum. \\ (ap (ap c_2Earithmetic_2E_2B V0m) V1n) = (ap (ap c_2Earithmetic_2E_2B \\ V1n) V0m))) \end{aligned} \quad (41)$$

Assume the following.

$$\begin{aligned} (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum. \\ (p (ap (ap c_2Eprim_rec_2E_3C V0m) V1n)) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\ (ap c_2Enum_2ESUC V0m)) V1n)))) \end{aligned} \quad (42)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(p (ap (ap c_2Earithmetic_2E_3C_3D \\ c_2Enum_2E0) V0n))) \quad (43)$$

Assume the following.

$$\begin{aligned} (\forall V0m \in ty_2Enum_2Enum.(\forall V1n \in ty_2Enum_2Enum. \\ (\neg(p (ap (ap c_2Eprim_rec_2E_3C V0m) V1n)) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\ V1n) V0m))))) \end{aligned} \quad (44)$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\
& ((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V0m) = c_2Enum_2E0) \wedge \\
& (((ap (ap c_2Earithmetic_2E_2A V0m) c_2Enum_2E0) = c_2Enum_2E0) \wedge \\
& (((ap (ap c_2Earithmetic_2E_2A (ap c_2Earithmetic_2ENUMERAL \\
& (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) V0m) = V0m) \wedge \\
& (((ap (ap c_2Earithmetic_2E_2A V0m) (ap c_2Earithmetic_2ENUMERAL \\
& (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))) = V0m) \wedge \\
& ((ap (ap c_2Earithmetic_2E_2A (ap c_2Enum_2ESUC V0m)) V1n) = (ap \\
& (ap c_2Earithmetic_2E_2B (ap (ap c_2Earithmetic_2E_2A V0m) V1n)) \\
& V1n)) \wedge ((ap (ap c_2Earithmetic_2E_2A V0m) (ap c_2Enum_2ESUC V1n)) = \\
& (ap (ap c_2Earithmetic_2E_2B V0m) (ap (ap c_2Earithmetic_2E_2A \\
& V0m) V1n))))))) \\
\end{aligned} \tag{45}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\
& \forall V2p \in ty_2Enum_2Enum. (((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0m) V1n)) \wedge (p (ap (ap c_2Earithmetic_2E_3C_3D V1n) V2p))) \Rightarrow (p (\\
& ap (ap c_2Earithmetic_2E_3C_3D V0m) V2p)))))) \\
\end{aligned} \tag{46}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\
& \forall V2p \in ty_2Enum_2Enum. ((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& (ap (ap c_2Earithmetic_2E_2B V0m) V1n)) (ap (ap c_2Earithmetic_2E_2B \\
& V0m) V2p))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D V1n) V2p)))))) \\
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. \\
& (\neg(V0m = V1n)) \Leftrightarrow ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Enum_2ESUC \\
& V0m)) V1n)) \vee (p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Enum_2ESUC \\
& V1n)) V0m)))))) \\
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. ((ap c_2Enum_2ESUC V0n) = (ap (ap \\
& c_2Earithmetic_2E_2B (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
& c_2Earithmetic_2EZERO))) V0n))) \\
\end{aligned} \tag{49}$$

Assume the following.

$$True \tag{50}$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\
V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))) \tag{51}$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (52)$$

Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty A_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in \\ & A_27a. (p V0t)) \Leftrightarrow (p V0t))) \end{aligned} \quad (53)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee \\ & (p V0t)) \Leftrightarrow (p V0t)))))) \end{aligned} \quad (54)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg(p V0t)))))) \end{aligned} \quad (55)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg(\neg(p V0t)) \Leftrightarrow (p V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ ((\neg False) \Leftrightarrow True)))))) \quad (56)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (V0x = V0x)) \quad (57)$$

Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\ & A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \end{aligned} \quad (58)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg \\ & (p V0t)))))) \end{aligned} \quad (59)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V0A) \vee (\\ (p V1B) \vee (p V2C))) \Leftrightarrow (((p V0A) \vee (p V1B)) \vee (p V2C)))))) \quad (60)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p V0A) \wedge (p V1B))) \Leftrightarrow ((\neg(p \\ V0A)) \vee (\neg(p V1B)))) \wedge (((\neg((p V0A) \vee (p V1B))) \Leftrightarrow ((\neg(p V0A) \wedge (\neg(p V1B)))))))) \end{aligned} \quad (61)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((p V0A) \Rightarrow (p V1B)) \Leftrightarrow ((\neg(p V0A)) \vee (p V1B)))))) \quad (62)$$

Assume the following.

$$(\forall V0t \in 2. (((p V0t) \Rightarrow False) \Leftrightarrow ((p V0t) \Leftrightarrow False))) \quad (63)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (64)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Leftrightarrow (p V1t2)) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \vee ((\neg(p V0t1)) \wedge (\neg(p V1t2))))))) \quad (65)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in \\ & 2. (((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))))) \Rightarrow \\ & (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27))))))) \end{aligned} \quad (66)$$

Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty A_27a \Rightarrow (((ap (c_2Elist_2ELENGTH A_27a) \\ & (c_2Elist_2ENIL A_27a)) = c_2Enum_2E0) \wedge (\forall V0h \in A_27a. (\\ & \forall V1t \in (ty_2Elist_2Elist A_27a). ((ap (c_2Elist_2ELENGTH \\ & A_27a) (ap (ap (c_2Elist_2ECONS A_27a) V0h) V1t)) = (ap c_2Enum_2ESUC \\ & (ap (c_2Elist_2ELENGTH A_27a) V1t))))))) \end{aligned} \quad (67)$$

Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty A_27a \Rightarrow (\forall V0l1 \in (ty_2Elist_2Elist \\ & A_27a). (\forall V1l2 \in (ty_2Elist_2Elist A_27a). ((ap (c_2Elist_2ELENGTH \\ & A_27a) (ap (ap (c_2Elist_2EAPPEND A_27a) V0l1) V1l2)) = (ap (ap c_2Earithmetic_2E_2B \\ & (ap (c_2Elist_2ELENGTH A_27a) V0l1)) (ap (c_2Elist_2ELENGTH A_27a) \\ & V1l2))))))) \end{aligned} \quad (68)$$

Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1l \in \\ & (ty_2Elist_2Elist A_27a). ((ap (ap (c_2Elist_2ESNOC A_27a) V0x) \\ & V1l) = (ap (ap (c_2Elist_2EAPPEND A_27a) V1l) (ap (ap (c_2Elist_2ECONS \\ & A_27a) V0x) (c_2Elist_2ENIL A_27a))))))) \end{aligned} \quad (69)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}. nonempty A_{27a} \Rightarrow & (\forall V0l \in (ty_2Elist_2Elist \\ A_{27a}). (\forall V1x \in A_{27a}. ((ap (ap (c_2Elist_2EEL A_{27a}) (ap \\ (c_2Elist_2ELENGTH A_{27a}) V0l)) (ap (ap (c_2Elist_2ESNOC A_{27a} \\ V1x) V0l)) = V1x)))) \end{aligned} \quad (70)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}. nonempty A_{27a} \Rightarrow & \forall A_{27b}. nonempty A_{27b} \Rightarrow \forall A_{27c}. \\ & nonempty A_{27c} \Rightarrow ((\forall V0l \in (ty_2Elist_2Elist A_{27a}). ((\\ ap (ap (c_2Elist_2ELTAKE A_{27a}) c_2Enum_2E0) V0l) = (ap (c_2Eoption_2ESOME \\ (ty_2Elist_2Elist A_{27a})) (c_2Elist_2ENIL A_{27a})))) \wedge ((\forall V1n \in \\ ty_2Enum_2Enum. ((ap (ap (c_2Elist_2ELTAKE A_{27b}) (ap c_2Enum_2ESUC \\ V1n)) (c_2Elist_2ELNIL A_{27b})) = (c_2Eoption_2ENONE (ty_2Elist_2Elist \\ A_{27b})))) \wedge (\forall V2n \in ty_2Enum_2Enum. (\forall V3h \in A_{27c}. \\ (\forall V4t \in (ty_2Elist_2Elist A_{27c}). ((ap (ap (c_2Elist_2ELTAKE \\ A_{27c}) (ap c_2Enum_2ESUC V2n)) (ap (ap (c_2Elist_2ELCONS A_{27c} \\ V3h) V4t)) = (ap (ap (c_2Eoption_2EOPTION_MAP (ty_2Elist_2Elist \\ A_{27c}) (ty_2Elist_2Elist A_{27c})) (ap (c_2Elist_2ECONS A_{27c} \\ V3h)) (ap (ap (c_2Elist_2ELTAKE A_{27c}) V2n) V4t))))))))))) \end{aligned} \quad (71)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}. nonempty A_{27a} \Rightarrow & (\forall V0n \in ty_2Enum_2Enum. (\\ & \forall V1ll \in (ty_2Elist_2Elist A_{27a}). ((ap (ap (c_2Elist_2ELTAKE \\ A_{27a}) (ap c_2Enum_2ESUC V0n)) V1ll) = (ap (ap (c_2Eoption_2Eoption_CASE \\ (ty_2Elist_2Elist A_{27a})) (ty_2Eoption_2Eoption (ty_2Elist_2Elist \\ A_{27a}))) (ap (ap (c_2Elist_2ELTAKE A_{27a}) V0n) V1ll)) (c_2Eoption_2ENONE \\ (ty_2Elist_2Elist A_{27a}))) (\lambda V2l \in (ty_2Elist_2Elist A_{27a}). \\ & (ap (ap (ap (c_2Eoption_2Eoption_CASE A_{27a}) (ty_2Eoption_2Eoption \\ (ty_2Elist_2Elist A_{27a}))) (ap (ap (c_2Elist_2ELNTH A_{27a}) V0n) \\ V1ll)) (c_2Eoption_2ENONE (ty_2Elist_2Elist A_{27a}))) (\lambda V3e \in \\ A_{27a}. (ap (c_2Eoption_2ESOME (ty_2Elist_2Elist A_{27a})) (ap (\\ ap (c_2Elist_2EAPPEND A_{27a}) V2l) (ap (ap (c_2Elist_2ECONS A_{27a} \\ V3e) (c_2Elist_2ENIL A_{27a}))))))))))) \end{aligned} \quad (72)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}. nonempty A_{27a} \Rightarrow & (\forall V0n \in ty_2Enum_2Enum. (\\ & \forall V1ll \in (ty_2Elist_2Elist A_{27a}). (\forall V2l \in (ty_2Elist_2Elist \\ A_{27a}). (((ap (ap (c_2Elist_2ELTAKE A_{27a}) V0n) V1ll) = (ap (c_2Eoption_2ESOME \\ (ty_2Elist_2Elist A_{27a})) V2l)) \Rightarrow (V0n = (ap (c_2Elist_2ELENGTH \\ A_{27a}) V2l))))))) \end{aligned} \quad (73)$$

Assume the following.

$$\begin{aligned} & (\forall V0P \in (2^{ty_2Enum_2Enum}).(((p (ap V0P c_2Enum_2E0)) \wedge \\ & (\forall V1n \in ty_2Enum_2Enum.((p (ap V0P V1n)) \Rightarrow (p (ap V0P (ap c_2Enum_2ESUC \\ & V1n))))))) \Rightarrow (\forall V2n \in ty_2Enum_2Enum.(p (ap V0P V2n)))) \end{aligned} \quad (74)$$

Assume the following.

$((\forall V0n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B c_2Enum_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B V1n) c_2Enum_2E0) = V1n)) \wedge ((\forall V2n \in ty_2Enum_2Enum.(\forall V3m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B ap c_2Earithmetic_2ENUMERAL V2n)) (ap c_2Earithmetic_2ENUMERAL V3m)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Enum_2EiZ (ap (ap c_2Earithmetic_2E_2B V2n) V3m))))))) \wedge ((\forall V4n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V4n) = c_2Enum_2E0)) \wedge ((\forall V5n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A V5n) c_2Enum_2E0) = c_2Enum_2E0)) \wedge ((\forall V6n \in ty_2Enum_2Enum.((\forall V7m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A (ap c_2Earithmetic_2ENUMERAL V6n)) (ap c_2Earithmetic_2ENUMERAL V7m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2A V6n) V7m))))))) \wedge ((\forall V8n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D c_2Enum_2E0) V8n) = c_2Enum_2E0)) \wedge ((\forall V9n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D V9n) c_2Enum_2E0) = V9n)) \wedge ((\forall V10n \in ty_2Enum_2Enum.(\forall V11m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D (ap c_2Earithmetic_2ENUMERAL V10n)) (ap c_2Earithmetic_2ENUMERAL V11m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D V10n) V11m))))))) \wedge ((\forall V12n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEEXP c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 V12n))) = c_2Enum_2E0)) \wedge ((\forall V13n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEEXP c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT2 V13n))) = c_2Enum_2E0)) \wedge ((\forall V14n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEEXP V14n) c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO))))))) \wedge ((\forall V15n \in ty_2Enum_2Enum.(\forall V16m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEEXP (ap c_2Earithmetic_2ENUMERAL V15n)) (ap c_2Earithmetic_2ENUMERAL V16m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2EEEXP V15n) V16m))))))) \wedge (((ap c_2Enum_2ESUC c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))) \wedge ((\forall V17n \in ty_2Enum_2Enum.((ap c_2Enum_2ESUC (ap c_2Earithmetic_2ENUMERAL V17n)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Enum_2ESUC V17n))))))) \wedge (((ap c_2Eprim_rec_2EPRE c_2Enum_2E0) = c_2Enum_2E0) \wedge ((\forall V18n \in ty_2Enum_2Enum.((ap c_2Eprim_rec_2EPRE (ap c_2Earithmetic_2ENUMERAL V18n)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Eprim_rec_2EPRE V18n))))))) \wedge ((\forall V19n \in ty_2Enum_2Enum.(((ap c_2Earithmetic_2ENUMERAL V19n) = c_2Enum_2E0) \Leftrightarrow (V19n = c_2Earithmetic_2EZERO))) \wedge ((\forall V20n \in ty_2Enum_2Enum.((c_2Enum_2E0 = (ap c_2Earithmetic_2ENUMERAL V20n)) \Leftrightarrow (V20n = c_2Earithmetic_2EZERO))) \wedge ((\forall V21n \in ty_2Enum_2Enum.((\forall V22m \in ty_2Enum_2Enum.(((ap c_2Earithmetic_2ENUMERAL V21n) = (ap c_2Earithmetic_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m))))))) \wedge ((\forall V23n \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL V23n)) \Leftrightarrow False))) \wedge ((\forall V24n \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL V24n)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) V24n)))) \wedge ((\forall V25n \in ty_2Enum_2Enum.(\forall V26m \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL V25n)) (ap c_2Earithmetic_2ENUMERAL V26m)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL V25n) V26m))))))) \wedge ((\forall V27n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3E c_2Enum_2E0) V27n)) \Leftrightarrow False))) \wedge ((\forall V28n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL V28n)) c_2Enum_2E0) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) V28n)))) \wedge ((\forall V29n \in ty_2Enum_2Enum.((\forall V30m \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3E c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL V29n)) (ap c_2Earithmetic_2ENUMERAL V30m)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL V29n))))))) \wedge ((\forall V31n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3D c_2Enum_2E0) V31n)) \Leftrightarrow True))) \wedge ((\forall V32n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3D c_2Enum_2E0) V32n)) \Leftrightarrow False))) \wedge ((\forall V33n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3D c_2Enum_2E0) V33n)) \Leftrightarrow True))) \wedge ((\forall V34n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3D c_2Enum_2E0) V34n)) \Leftrightarrow False)))$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. \\
& ((p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) (ap c_2Earithmetic_2EBIT1 \\
& V0n))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
& (ap c_2Earithmetic_2EBIT2 V0n))) \Leftrightarrow True) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& V0n) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT1 V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow \\
& (p (ap (ap c_2Eprim_rec_2E_3C V0n) V1m))) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT2 V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow \\
& (p (ap (ap c_2Eprim_rec_2E_3C V0n) V1m))) \wedge (((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT1 V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow \\
& (\neg(p (ap (ap c_2Eprim_rec_2E_3C V1m) V0n))) \wedge ((p (ap (ap c_2Eprim_rec_2E_3C \\
& (ap c_2Earithmetic_2EBIT2 V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow \\
& (p (ap (ap c_2Eprim_rec_2E_3C V0n) V1m)))))))))) \\
\end{aligned} \tag{76}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty_2Enum_2Enum. (\forall V1m \in ty_2Enum_2Enum. \\
& ((p (ap (ap c_2Earithmetic_2E_3C_3D c_2Earithmetic_2EZERO) V0n)) \Leftrightarrow \\
& True) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D \\
& (ap c_2Earithmetic_2EBIT2 V0n)) c_2Earithmetic_2EZERO)) \Leftrightarrow False) \wedge \\
& (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT1 \\
& V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT2 \\
& V0n)) (ap c_2Earithmetic_2EBIT1 V1m))) \Leftrightarrow (\neg(p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V1m) V0n))) \wedge ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2EBIT2 \\
& V0n)) (ap c_2Earithmetic_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c_2Earithmetic_2E_3C_3D \\
& V0n) V1m)))))))))) \\
\end{aligned} \tag{77}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0opt \in (ty_2Eoption_2Eoption \\
& A_27a).((V0opt = (c_2Eoption_2ENONE A_27a)) \vee (\exists V1x \in A_27a. \\
& (V0opt = (ap (c_2Eoption_2ESOME A_27a) V1x)))))) \\
\end{aligned} \tag{78}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow (\\
& (\forall V0v \in A_27b.(\forall V1f \in (A_27b^{A_27a}).((ap (ap (c_2Eoption_2Eoption_CASE \\
& A_27a A_27b) (c_2Eoption_2ENONE A_27a) V0v) V1f) = V0v))) \wedge (\forall V2x \in \\
& A_27a.(\forall V3v \in A_27b.(\forall V4f \in (A_27b^{A_27a}).((ap (ap \\
& (ap (c_2Eoption_2Eoption_CASE A_27a A_27b) (ap (c_2Eoption_2ESOME \\
& A_27a) V2x)) V3v) V4f) = (ap V4f V2x))))))) \\
\end{aligned} \tag{79}$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0x \in A_{27a}.(\forall V1y \in \\ A_{27a}.(((ap\ (c_2Eoption_2ESOME\ A_{27a})\ V0x) = (ap\ (c_2Eoption_2ESOME\\ A_{27a})\ V1y)) \Leftrightarrow (V0x = V1y)))) \end{aligned} \quad (80)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0x \in A_{27a}.(\neg((c_2Eoption_2ENONE\\ A_{27a}) = (ap\ (c_2Eoption_2ESOME\ A_{27a})\ V0x)))) \end{aligned} \quad (81)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & \forall A_{27b}.nonempty\ A_{27b} \Rightarrow \\ & \forall V0n \in ty_2Enum_2Enum.(\forall V1p \in (ty_2Epath_2Epath\\ A_{27b}\ A_{27b}).(\forall V2x \in A_{27b}.(((ap\ (ap\ (c_2Ellist_2ELNTH\\ A_{27b})\ V0n)\ (ap\ (c_2Epath_2Elabs\ A_{27b}\ A_{27b})\ V1p)) = (ap\ (c_2Eoption_2ESOME\\ A_{27b})\ V2x)) \Leftrightarrow ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ ty_2Enum_2Enum)\ (ap\ (ap\\ c_2Earithmetic_2E_2B\ V0n)\ (ap\ c_2Earithmetic_2ENUMERAL\ (ap\ c_2Earithmetic_2EBIT1\\ c_2Earithmetic_2EZERO))))\ (ap\ (c_2Epath_2EPL\ A_{27b}\ A_{27b})\ V1p))) \wedge\\ & ((ap\ (ap\ (c_2Epath_2Enth_label\ A_{27b}\ A_{27b})\ V0n)\ V1p) = V2x)))))) \end{aligned} \quad (82)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(\neg(p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\\ V0n)\ c_2Enum_2E0)))) \quad (83)$$

Assume the following.

$$\begin{aligned} \forall A_{27a}.nonempty\ A_{27a} \Rightarrow & (\forall V0n \in ty_2Enum_2Enum.(\\ & \forall V1l1 \in (ty_2Elist_2Elist\ A_{27a}).(\forall V2l2 \in (ty_2Elist_2Elist\\ A_{27a}).((p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0n)\ (ap\ (c_2Elist_2ELENGTH\\ A_{27a})\ V1l1))) \Rightarrow ((ap\ (ap\ (c_2Elist_2EEL\ A_{27a})\ V0n)\ (ap\ (ap\ (c_2Elist_2EAPPEND\\ A_{27a})\ V1l1)\ V2l2)) = (ap\ (ap\ (c_2Elist_2EEL\ A_{27a})\ V0n)\ V1l1))))))) \end{aligned} \quad (84)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (85)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (86)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow\\ ((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \quad (87)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow\\ ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \quad (88)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow False) \Rightarrow (((p V0A) \Rightarrow False) \Rightarrow False))) \quad (89)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V1q) \vee (p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (90)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee \\ & ((\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (91)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\ & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (92)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow \\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\\ & (\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p))))))))))) \end{aligned} \quad (93)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p))))))) \quad (94)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (95)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (96)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))))) \quad (97)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))))) \quad (98)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (99)$$

Theorem 1

$$\begin{aligned}
 & \forall A_{27a}.nonempty\ A_{27a} \Rightarrow \forall A_{27b}.nonempty\ A_{27b} \Rightarrow \forall A_{27c}. \\
 & nonempty\ A_{27c} \Rightarrow (\forall V0n \in ty_2Enum_2Enum. (\forall V1p \in (ty_2Epath_2Epath \\
 & A_{27a}\ A_{27b}). (\forall V2l \in (ty_2Elist_2Elist\ A_{27b}). (\forall V3i \in \\
 & ty_2Enum_2Enum. (\forall V4v \in A_{27c}. (((ap\ (ap\ (c_2Ellist_2ELTAKE \\
 & A_{27b})\ V0n)\ (ap\ (c_2Epath_2Elabes\ A_{27a}\ A_{27b})\ V1p)) = (ap\ (c_2Eoption_2ESOME \\
 & (ty_2Elist_2Elist\ A_{27b})\ V2l)) \wedge (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C \\
 & V3i)\ (ap\ (c_2Elist_2ELENGTH\ A_{27b})\ V2l)))) \Rightarrow ((ap\ (ap\ (c_2Epath_2Enth_label \\
 & A_{27b}\ A_{27a})\ V3i)\ V1p) = (ap\ (ap\ (c_2Elist_2EEL\ A_{27b})\ V2l)))))))
 \end{aligned}$$