

thm_2Epath_2Enth_label_drop (TM- cvU1jK78CY1xvw6FL2WABpwP9WxyhBfqo)

October 26, 2020

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{2}$$

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Let $ty_2Epath_2Epath : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epath_2Epath\ A0\ A1) \tag{3}$$

Let $c_2Epath_2Efirst_label : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epath_2Efirst_label\ A_27a\ A_27b \in (A_27b^{(ty_2Epath_2Epath\ A_27a\ A_27b)}) \tag{4}$$

Let $c_2Epath_2Enth_label : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epath_2Enth_label\ A_27a\ A_27b \in ((A_27a^{(ty_2Epath_2Epath\ A_27b\ A_27a)})^{ty_2Enum_2Enum}) \tag{5}$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (6)$$

Let $ty_2Ellist_2Ellist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ellist_2Ellist\ A0) \quad (7)$$

Let $c_2Epath_2EfromPath : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epath_2EfromPath\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ (ty_2Ellist_2Ellist\ (ty_2Epair_2Eprod\ A_27b\ A_27a)))^{(ty_2Epath_2Epath\ A_27a\ A_27b)}) \quad (8)$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2ESND\ A_27a\ A_27b \in (A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \quad (9)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST\ A_27a\ A_27b \in (A_27a)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)} \quad (10)$$

Definition 6 We define $c_2Epath_2Efirst$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0p \in (ty_2Epath_2Epath\ A_27a\ A_27b)$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2. \dots))))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (11)$$

Definition 8 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2Epair_2E_2C\ x\ y))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (12)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (13)$$

Definition 9 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 10 We define $c_2Earithmic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (14)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (15)$$

Definition 11 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num$

Definition 12 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic$

Definition 13 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (16)$$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (17)$$

Let $c_2Ellist_2Ellist_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_rep\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{ty_2Enum_2Enum})^{(ty_2Ellist_2Ellist\ A_27a)} \quad (18)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (19)$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (20)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (21)$$

Definition 14 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap\ (c_2Esum_2EABS$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone}) \quad (22)$$

Definition 15 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.(ap\ (c_2Eoption_2Eoption$

Definition 16 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p \text{ (ap } P \ x)) \text{ then (the } (\lambda x.x \in A \backslash p) \text{ of type } \iota \Rightarrow \iota$.

Definition 17 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.$

Let $c_2Ellist_2Ellist_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Ellist_2Ellist_abs \ A_27a \in ((ty_2Eoption_2Eoption \ A_27a)^{ty_2Enum_2Enum}) \quad (23)$$

Definition 18 We define $c_2Ellist_2ELCONS$ to be $\lambda A_27a : \iota.\lambda V0h \in A_27a.\lambda V1t \in (ty_2Ellist_2Ellist \ A_27a$

Let $c_2Epath_2EtoPath : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow c_2Epath_2EtoPath \ A_27a \ A_27b \in ((ty_2Epath_2Epath \ A_27a \ A_27b)^{(ty_2Epair_2Eprod \ A_27a \ (ty_2Ellist_2Ellist \ (ty_2Epair_2Eprod \ A_27a \ A_27b))}) \quad (24)$$

Definition 19 We define c_2Epath_2Epcns to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1r \in A_27b.\lambda V2p$

Definition 20 We define c_2Eone_2Eone to be $(\text{ap } (c_2Emin_2E_40 \ ty_2Eone_2Eone) \ (\lambda V0x \in ty_2Eone_2Eone$

Definition 21 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(\text{ap } (\text{ap } c_2Emin_2E_3D_3D_3E \ V0t) \ c_2Ebool_2E_7E$

Definition 22 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(\text{ap } (c_2Esum_2EABS$

Definition 23 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota.(\text{ap } (c_2Eoption_2Eoption_abs \ A_27a) \ (\lambda V0n \in ty_2Eoption_2ENONE$

Definition 24 We define $c_2Ellist_2ELNIL$ to be $\lambda A_27a : \iota.(\text{ap } (c_2Ellist_2Ellist_abs \ A_27a) \ (\lambda V0n \in ty_2Ellist_2ELNIL$

Definition 25 We define $c_2Epath_2Estopped_at$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.(\text{ap } (c_2Epath_2Estopped_at$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \text{nonempty } (ty_2Elist_2Elist \ A0) \quad (25)$$

Definition 26 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(\text{ap } V0P \ (\text{ap } (c_2Emin_2E_40$

Definition 27 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(\text{ap } (c_2Ebool_2E_21 \ 2) \ (\lambda V2t \in$

Definition 28 We define $c_2Ellist_2Ellength_rel$ to be $\lambda A_27a : \iota.(\lambda V0a0 \in (ty_2Ellist_2Ellist \ A_27a).(\lambda V0a1 \in$

Definition 29 We define $c_2Ellist_2ELFINITE$ to be $\lambda A_27a : \iota.(\lambda V0a0 \in (ty_2Ellist_2Ellist \ A_27a).(\text{ap } (c_2Ellist_2ELFINITE$

Definition 30 We define $c_2Ellist_2ELLENGTH$ to be $\lambda A_27a : \iota.\lambda V0ll \in (ty_2Ellist_2Ellist \ A_27a).(\text{ap } (c_2Ellist_2ELLENGTH$

Let $c_2Eoption_2ETHE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Eoption_2ETHE \ A_27a \in (A_27a)^{(ty_2Eoption_2Eoption \ A_27a)} \quad (26)$$

Let $c_2Ellist_2ELTAKE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2Ellist_2ELTAKE \ A_27a \in (((ty_2Eoption_2Eoption \ A_27a)^{(ty_2Elist_2Elist \ A_27a)})^{(ty_2Ellist_2Ellist \ A_27a)})^{ty_2Enum_2Enum} \quad (27)$$

Assume the following.

$$True \quad (34)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (35)$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \quad (36)$$

Assume the following.

$$(\forall V0t \in 2. (((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (37)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (38)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (39)$$

Assume the following.

$$\forall A_27a.nonempty \ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (40)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (41)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (42)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in 2. (((p V0x) \Leftrightarrow (p V1x_27)) \wedge ((p V1x_27) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_27)))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_27) \Rightarrow (p V3y_27)))))) \quad (43)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{A_27a}). (\forall V1a \in A_27a. ((\exists V2x \in A_27a. ((V2x = V1a) \wedge (p\ (ap\ V0P\ V2x)))) \Leftrightarrow (p\ (ap\ V0P\ V1a)))))) \quad (44)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (\neg((ap\ c_2Enum_2ESUC\ V0n) = c_2Enum_2E0))) \quad (45)$$

Assume the following.

$$(\forall V0P \in (2^{ty_2Enum_2Enum}). (((p\ (ap\ V0P\ c_2Enum_2E0)) \wedge (\forall V1n \in ty_2Enum_2Enum. ((p\ (ap\ V0P\ V1n)) \Rightarrow (p\ (ap\ V0P\ (ap\ c_2Enum_2ESUC\ V1n)))))) \Rightarrow (\forall V2n \in ty_2Enum_2Enum. (p\ (ap\ V0P\ V2n)))))) \quad (46)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0P \in (2^{(ty_2Epath_2Epath\ A_27a\ A_27b)}). ((\forall V1p \in (ty_2Epath_2Epath\ A_27a\ A_27b). (p\ (ap\ V0P\ V1p))) \Leftrightarrow ((\forall V2x \in A_27a. (p\ (ap\ V0P\ (ap\ (c_2Epath_2Estopped_at\ A_27a\ A_27b)\ V2x)))) \wedge (\forall V3x \in A_27a. (\forall V4r \in A_27b. (\forall V5p \in (ty_2Epath_2Epath\ A_27a\ A_27b). (p\ (ap\ V0P\ (ap\ (ap\ (c_2Epath_2Epcons\ A_27a\ A_27b)\ V3x)\ V4r)\ V5p)))))))))) \quad (47)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0x \in A_27a. (\forall V1r \in A_27b. (\forall V2p \in (ty_2Epath_2Epath\ A_27a\ A_27b). ((ap\ (c_2Epath_2Etail\ A_27a\ A_27b)\ (ap\ (ap\ (ap\ (c_2Epath_2Epcons\ A_27a\ A_27b)\ V0x)\ V1r)\ V2p)) = V2p)))))) \quad (48)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0p \in (ty_2Epath_2Epath\ A_27b\ A_27a). ((ap\ (ap\ (c_2Epath_2Eent_label\ A_27a\ A_27b)\ c_2Enum_2E0)\ V0p) = (ap\ (c_2Epath_2Efirst_label\ A_27b\ A_27a)\ V0p))) \wedge (\forall V1n \in ty_2Enum_2Enum. (\forall V2p \in (ty_2Epath_2Epath\ A_27b\ A_27a). ((ap\ (ap\ (c_2Epath_2Eent_label\ A_27a\ A_27b)\ (ap\ c_2Enum_2ESUC\ V1n))\ V2p) = (ap\ (ap\ (c_2Epath_2Eent_label\ A_27a\ A_27b)\ V1n)\ (ap\ (c_2Epath_2Etail\ A_27b\ A_27a)\ V2p)))))) \quad (49)$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow (\\
& (\forall V0x \in A_{.27a}.((ap\ (c_{.2Epath_2EPL}\ A_{.27a}\ A_{.27b})\ (ap\ (c_{.2Epath_2Estopped_at}\ A_{.27a}\ A_{.27b})\ V0x)) = (ap\ (ap\ (c_{.2Epred_set_2EINSERT}\ ty_{.2Enum_2Enum}\ c_{.2Enum_2E0})\ (c_{.2Epred_set_2EEMPTY}\ ty_{.2Enum_2Enum})))))) \wedge (\forall V1x \in \\
& A_{.27a}.(\forall V2r \in A_{.27b}.(\forall V3q \in (ty_{.2Epath_2Epath}\ A_{.27a}\ A_{.27b}).((ap\ (c_{.2Epath_2EPL}\ A_{.27a}\ A_{.27b})\ (ap\ (ap\ (ap\ (c_{.2Epath_2Econs}\ A_{.27a}\ A_{.27b})\ V1x)\ V2r)\ V3q)) = (ap\ (ap\ (c_{.2Epred_set_2EINSERT}\ ty_{.2Enum_2Enum}\ c_{.2Enum_2E0})\ (ap\ (ap\ (c_{.2Epred_set_2EIMAGE}\ ty_{.2Enum_2Enum}\ ty_{.2Enum_2Enum})\ c_{.2Enum_2ESUC})\ (ap\ (c_{.2Epath_2EPL}\ A_{.27a}\ A_{.27b})\ V3q)))))))))) \\
& \hspace{15em} (50)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow (\\
& (\forall V0p \in (ty_{.2Epath_2Epath}\ A_{.27a}\ A_{.27b}).((ap\ (ap\ (c_{.2Epath_2EDrop}\ A_{.27a}\ A_{.27b})\ c_{.2Enum_2E0})\ V0p) = V0p)) \wedge (\forall V1n \in ty_{.2Enum_2Enum}. \\
& (\forall V2p \in (ty_{.2Epath_2Epath}\ A_{.27a}\ A_{.27b}).((ap\ (ap\ (c_{.2Epath_2EDrop}\ A_{.27a}\ A_{.27b})\ (ap\ c_{.2Enum_2ESUC}\ V1n))\ V2p) = (ap\ (ap\ (c_{.2Epath_2EDrop}\ A_{.27a}\ A_{.27b})\ V1n)\ (ap\ (c_{.2Epath_2Etail}\ A_{.27a}\ A_{.27b})\ V2p)))))) \\
& \hspace{15em} (51)
\end{aligned}$$

Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.(\neg(p\ (ap\ (ap\ (c_{.2Ebool_2EIN}\ A_{.27a})\ V0x)\ (c_{.2Epred_set_2EEMPTY}\ A_{.27a})))))) \quad (52)$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.(\forall V1y \in \\
& A_{.27a}.(\forall V2s \in (2^{A_{.27a}}).((p\ (ap\ (ap\ (c_{.2Ebool_2EIN}\ A_{.27a})\ V0x)\ (ap\ (ap\ (c_{.2Epred_set_2EINSERT}\ A_{.27a})\ V1y)\ V2s))) \Leftrightarrow ((V0x = \\
& V1y) \vee (p\ (ap\ (ap\ (c_{.2Ebool_2EIN}\ A_{.27a})\ V0x)\ V2s)))))) \\
& \hspace{15em} (53)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow (\\
& \forall V0y \in A_{.27b}.(\forall V1s \in (2^{A_{.27a}}).(\forall V2f \in (A_{.27b}^{A_{.27a}}). \\
& ((p\ (ap\ (ap\ (c_{.2Ebool_2EIN}\ A_{.27b})\ V0y)\ (ap\ (ap\ (c_{.2Epred_set_2EIMAGE}\ A_{.27a}\ A_{.27b})\ V2f)\ V1s))) \Leftrightarrow (\exists V3x \in A_{.27a}.((V0y = (ap\ V2f\ V3x)) \wedge \\
& (p\ (ap\ (ap\ (c_{.2Ebool_2EIN}\ A_{.27a})\ V3x)\ V1s)))))) \\
& \hspace{15em} (54)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty_{.2Enum_2Enum}.(\forall V1n \in ty_{.2Enum_2Enum}. \\
& ((ap\ c_{.2Enum_2ESUC}\ V0m) = (ap\ c_{.2Enum_2ESUC}\ V1n)) \Leftrightarrow (V0m = V1n))) \\
& \hspace{15em} (55)
\end{aligned}$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0i \in ty_2Enum_2Enum. (\forall V1j \in ty_2Enum_2Enum. (\forall V2p \in \\ & (ty_2Epath_2Epath\ A_27a\ A_27b). ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ ty_2Enum_2Enum) \\ & \quad (ap\ c_2Enum_2ESUC\ (ap\ (ap\ c_2Earithmetic_2E_2B\ V0i)\ V1j)))\ (ap \\ & \quad (c_2Epath_2EPL\ A_27a\ A_27b)\ V2p))) \Rightarrow ((ap\ (ap\ (c_2Epath_2Enth_label \\ & \quad A_27b\ A_27a)\ V0i)\ (ap\ (ap\ (c_2Epath_2Edrop\ A_27a\ A_27b)\ V1j)\ V2p)) = \\ & \quad (ap\ (ap\ (c_2Epath_2Enth_label\ A_27b\ A_27a)\ (ap\ (ap\ c_2Earithmetic_2E_2B \\ & \quad \quad V0i)\ V1j))\ V2p)))))) \end{aligned}$$