

thm_2Epath_2Enth_label_take
(TMHjxxGbgWRcG2jgGkF7EVyCnskQhdcj4fJ)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Let $ty_2Epath_2Epath : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epath_2Epath A0 A1) \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty ty_2Enum_2Enum \tag{2}$$

Let $c_2Epath_2Enth_label : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epath_2Enth_label A_27a A_27b \in ((A_27a^{(ty_2Epath_2Epath A_27b A_27a)})^{ty_2Enum_2Enum}) \tag{3}$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty ty_2Eone_2Eone \tag{4}$$

Definition 6 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$ of type $\iota \Rightarrow \iota$.

Definition 7 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone.V0x))$

Definition 8 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF))$

Definition 9 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Esum_2Esum A0 A1) \quad (5)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Esum_2EABS_sum A_27a A_27b \in ((ty_2Esum_2Esum A_27a A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (6)$$

Definition 10 We define c_2Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b.(ap (c_2Esum_2EABS_sum A_27a A_27b) V0e)$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Eoption_2Eoption A0) \quad (7)$$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Eoption_2Eoption_ABS A_27a \in ((ty_2Eoption_2Eoption A_27a)^{(ty_2Esum_2Esum A_27a ty_2Eone_2Eone)}) \quad (8)$$

Definition 11 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota.(ap (c_2Eoption_2Eoption_ABS A_27a) (ty_2Eone_2Eone))$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (9)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (10)$$

Definition 12 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP)$.

Definition 13 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (11)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (12)$$

Definition 14 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num V0m)$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (13)$$

Definition 15 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic$

Definition 16 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (14)$$

Let $ty_2Ellist_2Ellist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Ellist_2Ellist A0) \quad (15)$$

Let $c_2Epath_2EfromPath : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epath_2EfromPath A_27a A_27b \in ((ty_2Epair_2Eprod A_27a (ty_2Ellist_2Ellist (ty_2Epair_2Eprod A_27b A_27a)))^{(ty_2Epath_2Epath A_27a A_27b)}) \quad (16)$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND A_27a A_27b \in (A_27b)^{(ty_2Epair_2Eprod A_27a A_27b)} \quad (17)$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (18)$$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (19)$$

Let $c_2Ellist_2Ellist_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ellist_2Ellist_rep A_27a \in (((ty_2Eoption_2Eoption A_27a)^{ty_2Enum_2Enum})^{(ty_2Ellist_2Ellist A_27a)}) \quad (20)$$

Definition 17 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap (c_2Esum_2EABS$

Definition 18 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.(ap (c_2Eoption_2Eoption$

Definition 19 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.($

Let $c_2Ellist_2Ellist_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ellist_2Ellist_abs A_27a \in ((ty_2Ellist_2Ellist A_27a)^{(ty_2Eoption_2Eoption A_27a)^{ty_2Enum_2Enum}}) \quad (21)$$

Definition 20 We define $c_2Ellist_2ELCONS$ to be $\lambda A_27a : \iota.\lambda V0h \in A_27a.\lambda V1t \in (ty_2Ellist_2Ellist A$

Definition 21 We define $c_Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap\ V0P\ (ap\ (c_2Emin_2E_40$

Definition 22 We define $c_2Ellist_2ELNIL$ to be $\lambda A_27a : \iota. (ap\ (c_2Ellist_2Ellist_abs\ A_27a)\ (\lambda V0n \in ty.$

Definition 23 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Definition 24 We define $c_2Ellist_2Ellength_rel$ to be $\lambda A_27a : \iota. (\lambda V0a0 \in (ty_2Ellist_2Ellist\ A_27a). (\lambda V$

Definition 25 We define $c_2Ellist_2ELFINITE$ to be $\lambda A_27a : \iota. (\lambda V0a0 \in (ty_2Ellist_2Ellist\ A_27a). (ap\ (c$

Definition 26 We define $c_2Ellist_2ELLENGTH$ to be $\lambda A_27a : \iota. \lambda V0ll \in (ty_2Ellist_2Ellist\ A_27a). (ap\ (a$

Let $c_2Eoption_2ETHE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Eoption_2ETHE\ A_27a \in (A_27a^{(ty_2Eoption_2Eoption\ A_27a)}) \quad (22)$$

Let $c_2Ellist_2ELTAKE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Ellist_2ELTAKE\ A_27a \in (((ty_2Eoption_2Eoption\ (ty_2Elist_2Elist\ A_27a))^{(ty_2Ellist_2Ellist\ A_27a)})^{ty_2Enum_2Enum}) \quad (23)$$

Definition 27 We define $c_2Ellist_2EtoList$ to be $\lambda A_27a : \iota. \lambda V0ll \in (ty_2Ellist_2Ellist\ A_27a). (ap\ (ap\ (ap$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Elist_2ELENGTH\ A_27a \in (ty_2Enum_2Enum^{(ty_2Elist_2Elist\ A_27a)}) \quad (24)$$

Definition 28 We define $c_2Epath_2Efinite$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0sigma \in (ty_2Epath_2Epath\ A.$

Definition 29 We define $c_2Epath_2Elength$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0p \in (ty_2Epath_2Epath\ A_27a$

Definition 30 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum. \lambda V1n \in ty_2Enum_2Enum$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (25)$$

Definition 31 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \quad (26)$$

Definition 32 We define c_2Epath_2EPL to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0p \in (ty_2Epath_2Epath\ A_27a\ A.$

Let $c_2Epath_2Etail : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epath_2Etail \\ & A_27a\ A_27b \in ((ty_2Epath_2Epath\ A_27a\ A_27b)^{(ty_2Epath_2Epath\ A_27a\ A_27b)}) \end{aligned} \quad (27)$$

Let $c_2Epath_2Efirst_label : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epath_2Efirst_label \\ & A_27a\ A_27b \in (A_27b^{(ty_2Epath_2Epath\ A_27a\ A_27b)}) \end{aligned} \quad (28)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST \\ & A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (29)$$

Definition 33 We define $c_2Epath_2Efirst$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0p \in (ty_2Epath_2Epath\ A_27a\ A_27b)$

Let $c_2Epath_2EtoPath : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epath_2EtoPath \\ & A_27a\ A_27b \in ((ty_2Epath_2Epath\ A_27a\ A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)\ (ty_2Ellist_2Ellist\ (ty_2Epair_2Eprod\ A_27a\ A_27b))}) \end{aligned} \quad (30)$$

Definition 34 We define c_2Epath_2Epcns to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1r \in A_27b. \lambda V2p \in A_27b$

Definition 35 We define $c_2Epath_2Estopped_at$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. (ap\ (c_2Epath_2EtoPath\ A_27a\ A_27b)\ V0x)$

Let $c_2Epath_2Etake : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epath_2Etake \\ & A_27a\ A_27b \in (((ty_2Epath_2Epath\ A_27a\ A_27b)^{(ty_2Epath_2Epath\ A_27a\ A_27b)})^{ty_2Enum_2Enum}) \end{aligned} \quad (31)$$

Definition 36 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2EF)$.

Definition 37 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap\ V1f\ V0x)))$

Definition 38 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1s \in (2^{A_27a}). (ap\ (c_2Ebool_2EIN\ A_27a)\ V1s)$

Definition 39 We define $c_2Epred_set_2EIMAGE$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (A_27b^{A_27a}). \lambda V1s \in (2^{A_27b})$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. ((V0m = c_2Enum_2E0) \vee (\exists V1n \in ty_2Enum_2Enum. (V0m = (ap\ c_2Enum_2ESUC\ V1n)))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ (ap\ c_2Enum_2ESUC\ V0m))\ (ap\ c_2Enum_2ESUC\ V1n))) \Leftrightarrow (p\ (ap\ (ap\ c_2Eprim_rec_2E_3C\ V0m)\ V1n)))))) \end{aligned} \quad (33)$$

Assume the following.

$$True \quad (34)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (35)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \quad (36)$$

Assume the following.

$$(\forall V0t \in 2.(((True \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge True) \Leftrightarrow (p V0t)) \wedge (((False \wedge (p V0t)) \Leftrightarrow False) \wedge (((p V0t) \wedge False) \Leftrightarrow False) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (37)$$

Assume the following.

$$(\forall V0t \in 2.(((True \vee (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \vee True) \Leftrightarrow True) \wedge (((False \vee (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee False) \Leftrightarrow (p V0t)) \wedge (((p V0t) \vee (p V0t)) \Leftrightarrow (p V0t)))))) \quad (38)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (39)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (40)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (41)$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg(p V0t)))))) \quad (42)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (43)$$

Assume the following.

$$2.(((\forall V0x \in 2.(\forall V1x_{27} \in 2.(\forall V2y \in 2.(\forall V3y_{27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27})))))) \Rightarrow (44)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0P \in (2^{A_{27a}}).(\forall V1a \in A_{27a}.((\exists V2x \in A_{27a}.((V2x = V1a) \wedge (p (ap V0P V2x)))) \Leftrightarrow (p (ap V0P V1a)))))) \Rightarrow (45)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum.(\neg((ap c_2Enum_2ESUC V0n) = c_2Enum_2E0))) \Rightarrow (46)$$

Assume the following.

$$(\forall V0P \in (2^{ty_2Enum_2Enum}).(((p (ap V0P c_2Enum_2E0)) \wedge (\forall V1n \in ty_2Enum_2Enum.((p (ap V0P V1n)) \Rightarrow (p (ap V0P (ap c_2Enum_2ESUC V1n)))))) \Rightarrow (\forall V2n \in ty_2Enum_2Enum.(p (ap V0P V2n)))))) \Rightarrow (47)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow (\forall V0p \in (ty_2Epath_2Epath A_{27a} A_{27b}).((\exists V1x \in A_{27a}.(V0p = (ap (c_2Epath_2Estopped_at A_{27a} A_{27b}) V1x))) \vee (\exists V2x \in A_{27a}.(\exists V3r \in A_{27b}.(\exists V4q \in (ty_2Epath_2Epath A_{27a} A_{27b}).(V0p = (ap (ap (ap (c_2Epath_2Epcns A_{27a} A_{27b}) V2x) V3r) V4q))))))) \Rightarrow (48)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow (\forall V0x \in A_{27a}.((ap (c_2Epath_2Efirst A_{27a} A_{27b}) (ap (c_2Epath_2Estopped_at A_{27a} A_{27b}) V0x)) = V0x)) \wedge (\forall V1x \in A_{27a}.(\forall V2r \in A_{27b}.(\forall V3p \in (ty_2Epath_2Epath A_{27a} A_{27b}).((ap (c_2Epath_2Efirst A_{27a} A_{27b}) (ap (ap (ap (c_2Epath_2Epcns A_{27a} A_{27b}) V1x) V2r) V3p)) = V1x)))))) \Rightarrow (49)$$

Assume the following.

$$\forall A_{27a}.nonempty A_{27a} \Rightarrow \forall A_{27b}.nonempty A_{27b} \Rightarrow (\forall V0x \in A_{27a}.(\forall V1r \in A_{27b}.(\forall V2p \in (ty_2Epath_2Epath A_{27a} A_{27b}).((ap (c_2Epath_2Etail A_{27a} A_{27b}) (ap (ap (ap (c_2Epath_2Epcns A_{27a} A_{27b}) V0x) V1r) V2p)) = V2p)))))) \Rightarrow (50)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0x \in A_27a. (\forall V1r \in A_27b. (\forall V2p \in (ty_2Epath_2Epath \\ & \quad A_27a\ A_27b). ((ap\ (c_2Epath_2Efirst_label\ A_27a\ A_27b)\ (ap\ (\\ & \quad ap\ (ap\ (c_2Epath_2Epcons\ A_27a\ A_27b)\ V0x)\ V1r)\ V2p)) = V1r)))) \end{aligned} \quad (51)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad (\forall V0p \in (ty_2Epath_2Epath\ A_27b\ A_27a). ((ap\ (ap\ (c_2Epath_2Ent_label \\ & \quad A_27a\ A_27b)\ c_2Enum_2E0)\ V0p) = (ap\ (c_2Epath_2Efirst_label \\ & \quad A_27b\ A_27a)\ V0p))) \wedge (\forall V1n \in ty_2Enum_2Enum. (\forall V2p \in \\ & \quad (ty_2Epath_2Epath\ A_27b\ A_27a). ((ap\ (ap\ (c_2Epath_2Ent_label \\ & \quad A_27a\ A_27b)\ (ap\ c_2Enum_2ESUC\ V1n))\ V2p) = (ap\ (ap\ (c_2Epath_2Ent_label \\ & \quad A_27a\ A_27b)\ V1n)\ (ap\ (c_2Epath_2Etail\ A_27b\ A_27a)\ V2p)))))) \end{aligned} \quad (52)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad (\forall V0x \in A_27a. ((ap\ (c_2Epath_2EPL\ A_27a\ A_27b)\ (ap\ (c_2Epath_2Estopped_at \\ & \quad A_27a\ A_27b)\ V0x)) = (ap\ (ap\ (c_2Epred_set_2EINSERT\ ty_2Enum_2Enum) \\ & \quad c_2Enum_2E0)\ (c_2Epred_set_2EEMPTY\ ty_2Enum_2Enum)))) \wedge (\forall V1x \in \\ & \quad A_27a. (\forall V2r \in A_27b. (\forall V3q \in (ty_2Epath_2Epath\ A_27a \\ & \quad A_27b). ((ap\ (c_2Epath_2EPL\ A_27a\ A_27b)\ (ap\ (ap\ (ap\ (c_2Epath_2Epcons \\ & \quad A_27a\ A_27b)\ V1x)\ V2r)\ V3q)) = (ap\ (ap\ (c_2Epred_set_2EINSERT\ ty_2Enum_2Enum) \\ & \quad c_2Enum_2E0)\ (ap\ (ap\ (c_2Epred_set_2EIMAGE\ ty_2Enum_2Enum\ ty_2Enum_2Enum) \\ & \quad c_2Enum_2ESUC)\ (ap\ (c_2Epath_2EPL\ A_27a\ A_27b)\ V3q)))))) \end{aligned} \quad (53)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0p \in (ty_2Epath_2Epath\ A_27a\ A_27b). (p\ (ap\ (ap\ (c_2Ebool_2EIN \\ & \quad ty_2Enum_2Enum)\ c_2Enum_2E0)\ (ap\ (c_2Epath_2EPL\ A_27a\ A_27b) \\ & \quad V0p)))) \end{aligned} \quad (54)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad (\forall V0p \in (ty_2Epath_2Epath\ A_27a\ A_27b). ((ap\ (ap\ (c_2Epath_2Etake \\ & \quad A_27a\ A_27b)\ c_2Enum_2E0)\ V0p) = (ap\ (c_2Epath_2Estopped_at\ A_27a \\ & \quad A_27b)\ (ap\ (c_2Epath_2Efirst\ A_27a\ A_27b)\ V0p)))) \wedge (\forall V1n \in \\ & \quad ty_2Enum_2Enum. (\forall V2p \in (ty_2Epath_2Epath\ A_27a\ A_27b). \\ & \quad ((ap\ (ap\ (c_2Epath_2Etake\ A_27a\ A_27b)\ (ap\ c_2Enum_2ESUC\ V1n)) \\ & \quad V2p) = (ap\ (ap\ (ap\ (c_2Epath_2Epcons\ A_27a\ A_27b)\ (ap\ (c_2Epath_2Efirst \\ & \quad A_27a\ A_27b)\ V2p))\ (ap\ (c_2Epath_2Efirst_label\ A_27a\ A_27b)\ V2p)) \\ & \quad (ap\ (ap\ (c_2Epath_2Etake\ A_27a\ A_27b)\ V1n)\ (ap\ (c_2Epath_2Etail \\ & \quad A_27a\ A_27b)\ V2p)))))) \end{aligned} \quad (55)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\neg (p (ap (ap (c_2Ebool_2EIN\ A_27a)\ V0x)\ (c_2Epred_set_2EEMPTY\ A_27a)))))) \quad (56)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. (\forall V2s \in (2^{A_27a}). ((p (ap (ap (c_2Ebool_2EIN\ A_27a)\ V0x)\ (ap (ap (c_2Epred_set_2EINSERT\ A_27a)\ V1y)\ V2s)))) \Leftrightarrow ((V0x = V1y) \vee (p (ap (ap (c_2Ebool_2EIN\ A_27a)\ V0x)\ V2s))))))) \quad (57)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0y \in A_27b. (\forall V1s \in (2^{A_27a}). (\forall V2f \in (A_27b^{A_27a}). ((p (ap (ap (c_2Ebool_2EIN\ A_27b)\ V0y)\ (ap (ap (c_2Epred_set_2EIMAGE\ A_27a\ A_27b)\ V2f)\ V1s)))) \Leftrightarrow (\exists V3x \in A_27a. ((V0y = (ap\ V2f\ V3x)) \wedge (p (ap (ap (c_2Ebool_2EIN\ A_27a)\ V3x)\ V1s))))))) \quad (58)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. ((ap\ c_2Enum_2ESUC\ V0m) = (ap\ c_2Enum_2ESUC\ V1n)) \Leftrightarrow (V0m = V1n)))) \quad (59)$$

Assume the following.

$$(\forall V0n \in ty_2Enum_2Enum. (\neg (p (ap (ap\ c_2Eprim_rec_2E_3C\ V0n)\ c_2Enum_2E0)))) \quad (60)$$

Theorem 1

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\forall V0n \in ty_2Enum_2Enum. (\forall V1p \in (ty_2Epath_2Epath\ A_27a\ A_27b). (\forall V2i \in ty_2Enum_2Enum. (((p (ap (ap\ c_2Eprim_rec_2E_3C\ V2i)\ V0n)) \wedge (p (ap (ap (c_2Ebool_2EIN\ ty_2Enum_2Enum)\ V0n)\ (ap (c_2Epath_2EPL\ A_27a\ A_27b)\ V1p)))) \Rightarrow ((ap (ap (c_2Epath_2Enth_label\ A_27b\ A_27a)\ V2i)\ (ap (ap (c_2Epath_2Etake\ A_27a\ A_27b)\ V0n)\ V1p)) = (ap (ap (c_2Epath_2Enth_label\ A_27b\ A_27a)\ V2i)\ V1p)))))))$$