

thm_2Epath_2Eokpath_pmap
(TMVRbJ3UW2y4ZHbz5Gns2QzB7EbTKU4cBQW)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2ET` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2))) (\lambda V 0x \in 2.V 0x)) (\lambda V 1x \in 2.V 1x)$

Definition 3 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (\text{ap } P x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge P x))$ of type $\iota \Rightarrow \iota$.

Definition 4 We define `c_2Ebool_2E_3F` to be $\lambda A. 27a : \iota. (\lambda V 0P \in (2^{A \cdot 27a}). (\text{ap } V 0P (\text{ap } (\text{c_2Emin_2E_40 } A))))$

Let `ty_2Epair_2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \forall A 1. \text{nonempty } A 1 \Rightarrow \text{nonempty } (\text{ty_2Epair_2Eprod } A 0 A 1) \quad (1)$$

Let `ty_2Ellist_2Ellist` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \text{nonempty } (\text{ty_2Ellist_2Ellist } A 0) \quad (2)$$

Let `ty_2Epath_2Epath` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A 0. \text{nonempty } A 0 \Rightarrow \forall A 1. \text{nonempty } A 1 \Rightarrow \text{nonempty } (\text{ty_2Epath_2Epath } A 0 A 1) \quad (3)$$

Let `c_2Epath_2EfromPath` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \forall A. 27b. \text{nonempty } A. 27b \Rightarrow \text{c_2Epath_2EfromPath } A. 27a A. 27b \in ((\text{ty_2Epair_2Eprod } A. 27a (\text{ty_2Ellist_2Ellist } (\text{ty_2Epair_2Eprod } A. 27b A. 27a))))^{(\text{ty_2Epath_2Epath } A. 27a A. 27b)} \quad (4)$$

Let `c_2Epair_2ESND` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A. 27a. \text{nonempty } A. 27a \Rightarrow \forall A. 27b. \text{nonempty } A. 27b \Rightarrow \text{c_2Epair_2ESND } A. 27a A. 27b \in (A. 27b)^{(\text{ty_2Epair_2Eprod } A. 27a A. 27b)} \quad (5)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST \\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (6)$$

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o\ (p\ P \Rightarrow Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ (ap\ (c_2Emin_2E_3D\ (2^{A_27a})))$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (7)$$

Definition 8 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2E$

Definition 9 We define $c_2Epair_2E_23_23$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda A_27d : \iota.\lambda V0f \in (A_27c$

Let $c_2Ellist_2ELMAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Ellist_2ELMAP \\ A_27a\ A_27b \in (((ty_2Ellist_2Ellist\ A_27b)^{(ty_2Ellist_2Ellist\ A_27a)})^{(A_27b)^{A_27a}}) \end{aligned} \quad (8)$$

Let $c_2Epath_2EtoPath : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epath_2EtoPath \\ A_27a\ A_27b \in ((ty_2Epath_2Epath\ A_27a\ A_27b)^{(ty_2Epair_2Eprod\ A_27a\ (ty_2Ellist_2Ellist\ (ty_2Epair_2Eprod\ A_27a\ A_27b)))}) \end{aligned} \quad (9)$$

Definition 10 We define c_2Epath_2Epmap to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda A_27d : \iota.\lambda V0f \in (A_27c$

Definition 11 We define $c_2Epath_2Efirst$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0p \in (ty_2Epath_2Epath\ A_27a\ A$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (10)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (11)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (12)$$

Definition 12 We define c_Enum_2E0 to be $(ap\ c_Enum_2EABS_num\ c_Enum_2EZERO_REP)$.

Definition 13 We define $c_Earithmetic_2EZERO$ to be c_Enum_2E0 .

Let $c_Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (13)$$

Let $c_Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_Enum_2ESUC_REP \in (\omega^{\omega}) \quad (14)$$

Definition 14 We define c_Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_Enum_2EABS_num$

Let $c_Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (15)$$

Definition 15 We define $c_Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_Earithmetic$

Definition 16 We define $c_Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (16)$$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (17)$$

Let $c_Ellist_2Ellist_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_Ellist_2Ellist_rep\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{ty_2Enum_2Enum})^{(ty_2Ellist_2Ellist\ A_27a)} \quad (18)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (19)$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (20)$$

Let $c_Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (21)$$

Definition 17 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap (c_2Esum_2EABS$
Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Eoption_2Eoption_ABS A_27a \in ((ty_2Eoption_2Eoption A_27a)^{(ty_2Esum_2Esum A_27a ty_2Eone_2Eone)}) \quad (22)$$

Definition 18 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.(ap (c_2Eoption_2Eoption_ABS$

Definition 19 We define c_2Ebool_2E2F to be $(ap (c_2Ebool_2E21 2) (\lambda V0t \in 2.V0t))$.

Definition 20 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap$

Let $c_2Ellist_2Ellist_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ellist_2Ellist_abs A_27a \in ((ty_2Ellist_2Ellist A_27a)^{(ty_2Eoption_2Eoption A_27a)^{ty_2Enum_2Enum}}) \quad (23)$$

Definition 21 We define $c_2Ellist_2ELCONS$ to be $\lambda A_27a : \iota.\lambda V0h \in A_27a.\lambda V1t \in (ty_2Ellist_2Ellist A_27a$

Definition 22 We define c_2Epath_2Epcns to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1r \in A_27b.\lambda V2p \in A_27b$

Definition 23 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone$

Definition 24 We define c_2Ebool_2E7E to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E3D_3D_3E V0t) c_2Ebool_2E2F$

Definition 25 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap (c_2Esum_2EABS$

Definition 26 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota.(ap (c_2Eoption_2Eoption_ABS A_27a) (c_2Eoption_2Eoption_ABS$

Definition 27 We define $c_2Ellist_2ELNIL$ to be $\lambda A_27a : \iota.(ap (c_2Ellist_2Ellist_abs A_27a) (\lambda V0n \in ty_2Ellist_2Ellist_abs$

Definition 28 We define $c_2Epath_2Estopped_at$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.(ap (c_2Epath_2Epcns$

Definition 29 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x))$

Definition 30 We define $c_2Epair_2EUNCURRY$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c)^{A_27a \times A_27b})$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC A_27a A_27b \in ((2^{A_27a})^{((ty_2Epair_2Eprod A_27a 2)^{A_27b})}) \quad (24)$$

Definition 31 We define $c_2Epred_set_2EUNIV$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2E2F)$.

Definition 32 We define $c_2Ebool_2E5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E21 2) (\lambda V2t \in 2.V2t$

Definition 33 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap (c_2Ebool_2E2F$

Definition 34 We define $c_2Epath_2Eokpath_f$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in (((2^{A_27a})^{A_27b})^{A_27a})$.

Definition 35 We define $c_2Epred_set_2ESUBSET$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap$

Definition 36 We define $c_2Epred_set_2EBIGUNION$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{(2^{A_27a})}).(ap$

Definition 37 We define $c_2EfixedPoint_2Egfp$ to be $\lambda A_27a : \iota.\lambda V0f \in ((2^{A_27a})^{(2^{A_27a})}).(ap$

Definition 38 We define $c_2Epath_2Eokpath$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in (((2^{A_27a})^{A_27b})^{A_27a})$.

Assume the following.

$$True \tag{25}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \tag{26}$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p V0t))) \tag{27}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \tag{28}$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge ((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \tag{29}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(V0x = V0x)) \tag{30}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \tag{31}$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t)))))) \tag{32}$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in (2^{A_27a}).((\forall V2x \in A_27a.((p V0P) \vee (p (ap V1Q V2x)))) \Leftrightarrow ((p V0P) \vee (\forall V3x \in A_27a.(p (ap V1Q V3x))))))) \tag{33}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0x \in A_27a. (\forall V1r \in A_27b. (\forall V2p \in (ty_2Epath_2Epath \\
& \quad \quad A_27a\ A_27b). (\forall V3y \in A_27a. (\forall V4s \in A_27b. (\forall V5q \in \\
& \quad \quad (ty_2Epath_2Epath\ A_27a\ A_27b). (((ap\ (ap\ (ap\ (c_2Epath_2Epcons \\
& \quad \quad A_27a\ A_27b)\ V0x)\ V1r)\ V2p) = (ap\ (ap\ (ap\ (c_2Epath_2Epcons\ A_27a \\
& \quad \quad A_27b)\ V3y)\ V4s)\ V5q)) \Leftrightarrow ((V0x = V3y) \wedge ((V1r = V4s) \wedge (V2p = V5q))))))))))
\end{aligned} \tag{34}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0x \in A_27a. (\forall V1y \in A_27a. (\forall V2r \in A_27b. (\forall V3p \in \\
& \quad \quad (ty_2Epath_2Epath\ A_27a\ A_27b). ((\neg((ap\ (c_2Epath_2Estopped_at \\
& \quad \quad A_27a\ A_27b)\ V0x) = (ap\ (ap\ (ap\ (c_2Epath_2Epcons\ A_27a\ A_27b)\ V1y) \\
& \quad \quad V2r)\ V3p))) \wedge (\neg((ap\ (ap\ (ap\ (c_2Epath_2Epcons\ A_27a\ A_27b)\ V1y) \\
& \quad \quad V2r)\ V3p) = (ap\ (c_2Epath_2Estopped_at\ A_27a\ A_27b)\ V0x))))))
\end{aligned} \tag{35}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \quad \forall V0p \in (ty_2Epath_2Epath\ A_27a\ A_27b). ((\exists V1x \in A_27a. \\
& \quad \quad (V0p = (ap\ (c_2Epath_2Estopped_at\ A_27a\ A_27b)\ V1x))) \vee (\exists V2x \in \\
& \quad \quad A_27a. (\exists V3r \in A_27b. (\exists V4q \in (ty_2Epath_2Epath\ A_27a \\
& \quad \quad A_27b). (V0p = (ap\ (ap\ (ap\ (c_2Epath_2Epcons\ A_27a\ A_27b)\ V2x)\ V3r) \\
& \quad \quad \quad V4q))))))
\end{aligned} \tag{36}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& \quad nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0f \in (A_27b^{A_27a}). \\
& \quad \quad (\forall V1g \in (A_27c^{A_27d}). ((\forall V2x \in A_27a. ((ap\ (ap\ (ap\ (\\
& \quad \quad c_2Epath_2Epmmap\ A_27a\ A_27d\ A_27b\ A_27c)\ V0f)\ V1g) (ap\ (c_2Epath_2Estopped_at \\
& \quad \quad A_27a\ A_27d)\ V2x)) = (ap\ (c_2Epath_2Estopped_at\ A_27b\ A_27c) (\\
& \quad \quad \quad ap\ V0f\ V2x)))) \wedge (\forall V3x \in A_27a. (\forall V4r \in A_27d. (\forall V5p \in \\
& \quad \quad (ty_2Epath_2Epath\ A_27a\ A_27d). ((ap\ (ap\ (ap\ (c_2Epath_2Epmmap \\
& \quad \quad A_27a\ A_27d\ A_27b\ A_27c)\ V0f)\ V1g) (ap\ (ap\ (ap\ (c_2Epath_2Epcons \\
& \quad \quad A_27a\ A_27d)\ V3x)\ V4r)\ V5p)) = (ap\ (ap\ (ap\ (c_2Epath_2Epcons\ A_27b \\
& \quad \quad A_27c)\ (ap\ V0f\ V3x)) (ap\ V1g\ V4r)) (ap\ (ap\ (ap\ (c_2Epath_2Epmmap\ A_27a \\
& \quad \quad \quad A_27d\ A_27b\ A_27c)\ V0f)\ V1g)\ V5p))))))
\end{aligned} \tag{37}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0f \in (A_27c^{A_27a}). \\
& (\forall V1g \in (A_27d^{A_27b}). (\forall V2p \in (ty_2Epath_2Epath\ A_27a \\
& A_27b). ((ap\ (c_2Epath_2Efirst\ A_27c\ A_27d)\ (ap\ (ap\ (ap\ (c_2Epath_2Emap \\
& A_27a\ A_27b\ A_27c\ A_27d)\ V0f)\ V1g)\ V2p)) = (ap\ V0f\ (ap\ (c_2Epath_2Efirst \\
& A_27a\ A_27b)\ V2p))))))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \forall V0R \in (((2^{A_27a})^{A_27b})^{A_27a}). (\forall V1P \in (2^{(ty_2Epath_2Epath\ A_27a\ A_27b)}). \\
& ((\forall V2x \in A_27a. (\forall V3r \in A_27b. (\forall V4p \in (ty_2Epath_2Epath \\
& A_27a\ A_27b). ((p\ (ap\ V1P\ (ap\ (ap\ (ap\ (c_2Epath_2Epcons\ A_27a\ A_27b) \\
& V2x)\ V3r)\ V4p))) \Rightarrow ((p\ (ap\ (ap\ (ap\ V0R\ V2x)\ V3r)\ (ap\ (c_2Epath_2Efirst \\
& A_27a\ A_27b)\ V4p))) \wedge (p\ (ap\ V1P\ V4p)))))) \Rightarrow (\forall V5p \in (ty_2Epath_2Epath \\
& A_27a\ A_27b). ((p\ (ap\ V1P\ V5p)) \Rightarrow (p\ (ap\ (ap\ (c_2Epath_2Eokpath\ A_27a \\
& A_27b)\ V0R)\ V5p))))))
\end{aligned} \tag{39}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& \forall V0R \in (((2^{A_27a})^{A_27b})^{A_27a}). ((\forall V1x \in A_27a. (\\
& p\ (ap\ (ap\ (c_2Epath_2Eokpath\ A_27a\ A_27b)\ V0R)\ (ap\ (c_2Epath_2Estopped_at \\
& A_27a\ A_27b)\ V1x)))) \wedge (\forall V2x \in A_27a. (\forall V3r \in A_27b. \\
& (\forall V4p \in (ty_2Epath_2Epath\ A_27a\ A_27b). ((p\ (ap\ (ap\ (c_2Epath_2Eokpath \\
& A_27a\ A_27b)\ V0R)\ (ap\ (ap\ (ap\ (c_2Epath_2Epcons\ A_27a\ A_27b)\ V2x) \\
& V3r)\ V4p))) \Leftrightarrow ((p\ (ap\ (ap\ (ap\ V0R\ V2x)\ V3r)\ (ap\ (c_2Epath_2Efirst\ A_27a \\
& A_27b)\ V4p))) \wedge (p\ (ap\ (ap\ (c_2Epath_2Eokpath\ A_27a\ A_27b)\ V0R)\ V4p))))))
\end{aligned} \tag{40}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{41}$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{42}$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \tag{43}$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))) \tag{44}$$

Assume the following.

$$(\forall V0A \in 2.((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (45)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(\\ & p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (46)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \wedge (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q)) \vee (\neg(p V2r))) \wedge (((p V1q) \vee \\ & (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (47)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge \\ & ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (48)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\\ & \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))) \end{aligned} \quad (49)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee \\ & (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \end{aligned} \quad (50)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \quad (51)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (52)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \quad (53)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (54)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (55)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0R \in (((2^{A_27a})^{A_27b})^{A_27a}). (\forall V1f \in (A_27a^{A_27a}). \\ & \quad (\forall V2g \in (A_27b^{A_27b}). (\forall V3p \in (ty_2Epath_2Epath\ A_27a \\ & \quad A_27b). ((p\ (ap\ (ap\ (c_2Epath_2Eokpath\ A_27a\ A_27b)\ V0R)\ V3p))) \wedge \\ & \quad (\forall V4x \in A_27a. (\forall V5r \in A_27b. (\forall V6y \in A_27a. (\\ & \quad (p\ (ap\ (ap\ (ap\ V0R\ V4x)\ V5r)\ V6y))) \Rightarrow (p\ (ap\ (ap\ (ap\ V0R\ (ap\ V1f\ V4x))\ (ap \\ & \quad V2g\ V5r))\ (ap\ V1f\ V6y)))))) \Rightarrow (p\ (ap\ (ap\ (c_2Epath_2Eokpath\ A_27a \\ & \quad A_27b)\ V0R)\ (ap\ (ap\ (ap\ (c_2Epath_2Epmap\ A_27a\ A_27b\ A_27a\ A_27b) \\ & \quad V1f)\ V2g)\ V3p))))))))) \end{aligned}$$