

# thm\_2Epath\_2Econcat\_eq\_stopped (TMHSPugfcm4Jj4YaJ5DdMYAagrSxkLyswgE)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 2** We define `c_2Emin_2E_3D` to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define `c_2Ebool_2E_2T` to be  $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 4** We define `c_2Ebool_2E_21` to be  $\lambda A_{27a} : \iota.(\lambda V0P \in (2^{A_{27a}}).(ap (ap (c_2Emin_2E_3D (2^{A_{27a}}))$

**Definition 5** We define `c_2Ebool_2E_2F` to be  $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 6** We define `c_2Ebool_2E_27E` to be  $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

**Definition 7** We define `c_2Emin_2E_40` to be  $\lambda A.\lambda P \in 2^A.$ **if**  $(\exists x \in A.p (ap P x))$  **then**  $(the (\lambda x.x \in A \wedge p (ap P x)))$  of type  $\iota \Rightarrow \iota$ .

**Definition 8** We define `c_2Ebool_2E_3F` to be  $\lambda A_{27a} : \iota.(\lambda V0P \in (2^{A_{27a}}).(ap V0P (ap (c_2Emin_2E_40 A_{27a} P)))$

**Definition 9** We define `c_2Ebool_2E_5C_2F` to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let `ty_2Epair_2Eprod` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \tag{1}$$

Let `ty_2Ellist_2Ellist` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Ellist_2Ellist A0) \tag{2}$$

Let `ty_2Epath_2Epath` :  $\iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epath_2Epath A0 A1) \tag{3}$$

Let  $c\_2Epath\_2EfromPath : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epath\_2EfromPath \\ & A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ (ty\_2Ellist\_2Ellist\ (ty\_2Epair\_2Eprod \\ & \quad A\_27b\ A\_27a)))^{(ty\_2Epath\_2Epath\ A\_27a\ A\_27b)}) \end{aligned} \quad (4)$$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND \\ & A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (5)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST \\ & A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \end{aligned} \quad (6)$$

**Definition 10** We define  $c\_2Epath\_2Efirst$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0p \in (ty\_2Epath\_2Epath\ A\_27a\ A\_27b).$

**Definition 11** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2.))$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod \\ & A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \end{aligned} \quad (7)$$

**Definition 12** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b)\ (V0x\ V1y))$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (8)$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \quad (9)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (10)$$

**Definition 13** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 14** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (11)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (12)$$

**Definition 15** We define  $c\_Enum\_ESUC$  to be  $\lambda V0m \in ty\_Enum\_Enum.(ap\ c\_Enum\_EABS\_num$

Let  $c\_Earithmic\_E\_2B : \iota$  be given. Assume the following.

$$c\_Earithmic\_E\_2B \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum}) \quad (13)$$

**Definition 16** We define  $c\_Earithmic\_EBIT1$  to be  $\lambda V0n \in ty\_Enum\_Enum.(ap\ (ap\ c\_Earithmic\_E\_2B$

**Definition 17** We define  $c\_Earithmic\_ENUMERAL$  to be  $\lambda V0x \in ty\_Enum\_Enum.V0x$ .

Let  $c\_Earithmic\_E\_2D : \iota$  be given. Assume the following.

$$c\_Earithmic\_E\_2D \in ((ty\_Enum\_Enum^{ty\_Enum\_Enum})^{ty\_Enum\_Enum}) \quad (14)$$

Let  $ty\_Eoption\_Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_Eoption\_Eoption\ A0) \quad (15)$$

Let  $c\_Ellist\_Ellist\_rep : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_Ellist\_Ellist\_rep\ A\_27a \in \\ (((ty\_Eoption\_Eoption\ A\_27a)^{ty\_Enum\_Enum})^{(ty\_Ellist\_Ellist\ A\_27a)}) \quad (16)$$

Let  $ty\_Eone\_Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_Eone\_Eone \quad (17)$$

Let  $ty\_Esum\_Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_Esum\_Esum\ A0\ A1) \quad (18)$$

Let  $c\_Esum\_EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_Esum\_EABS\_sum\ A\_27a\ A\_27b \in ((ty\_Esum\_Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \quad (19)$$

**Definition 18** We define  $c\_Esum\_EINL$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27a.(ap\ (c\_Esum\_EABS\_sum$

Let  $c\_Eoption\_Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_Eoption\_Eoption\_ABS\ A\_27a \in \\ ((ty\_Eoption\_Eoption\ A\_27a)^{(ty\_Esum\_Esum\ A\_27a\ ty\_Eone\_Eone)}) \quad (20)$$

**Definition 19** We define  $c\_Eoption\_ESOME$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.(ap\ (c\_Eoption\_Eoption\_ABS$

**Definition 20** We define  $c\_Ebool\_ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

Let  $c\_2Ellist\_2Ellist\_abs : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ellist\_2Ellist\_abs\ A\_27a \in ((ty\_2Ellist\_2Ellist\ A\_27a)^{(ty\_2Eoption\_2Eoption\ A\_27a)^{ty\_2Enum\_2Enum}}) \quad (21)$$

**Definition 21** We define  $c\_2Ellist\_2ELCONS$  to be  $\lambda A\_27a : \iota.\lambda V0h \in A\_27a.\lambda V1t \in (ty\_2Ellist\_2Ellist\ A\_27a)$

Let  $c\_2Epath\_2EtoPath : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epath\_2EtoPath\ A\_27a\ A\_27b \in ((ty\_2Epath\_2Epath\ A\_27a\ A\_27b)^{(ty\_2Epair\_2Eprod\ A\_27a\ (ty\_2Ellist\_2Ellist\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)))}) \quad (22)$$

**Definition 22** We define  $c\_2Epath\_2Epcns$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1r \in A\_27b.\lambda V2p \in (ty\_2Epath\_2Epath\ A\_27a\ A\_27b)$

**Definition 23** We define  $c\_2Eone\_2Eone$  to be  $(ap\ (c\_2Emin\_2E\_40\ ty\_2Eone\_2Eone)\ (\lambda V0x \in ty\_2Eone\_2Eone))$

**Definition 24** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27b.(ap\ (c\_2Esum\_2EABS\ A\_27a)\ (\lambda V0e \in A\_27b))$

**Definition 25** We define  $c\_2Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota.(ap\ (c\_2Eoption\_2Eoption\_ABS\ A\_27a)\ (\lambda V0e \in A\_27a))$

**Definition 26** We define  $c\_2Ellist\_2ELNIL$  to be  $\lambda A\_27a : \iota.(ap\ (c\_2Ellist\_2Ellist\_abs\ A\_27a)\ (\lambda V0n \in ty\_2Ellist\_2Ellist\ A\_27a))$

**Definition 27** We define  $c\_2Epath\_2Estopped\_at$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.(ap\ (c\_2Epath\_2Epath\ A\_27a\ A\_27b)\ (\lambda V0x \in A\_27a))$

Let  $c\_2Ellist\_2ELAPPEND : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ellist\_2ELAPPEND\ A\_27a \in (((ty\_2Ellist\_2Ellist\ A\_27a)^{(ty\_2Ellist\_2Ellist\ A\_27a)})^{(ty\_2Ellist\_2Ellist\ A\_27a)}) \quad (23)$$

**Definition 28** We define  $c\_2Epath\_2Epcconcat$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0p1 \in (ty\_2Epath\_2Epath\ A\_27a\ A\_27b)$

Assume the following.

$$True \quad (24)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (25)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (26)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (27)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (28)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0x \in A\_27a. (\forall V1y \in A\_27a. (\forall V2r \in A\_27b. (\forall V3p \in \\ & \quad (ty\_2Epath\_2Epath\ A\_27a\ A\_27b). ((\neg((ap\ (c\_2Epath\_2Estopped\_at \\ & \quad A\_27a\ A\_27b)\ V0x) = (ap\ (ap\ (ap\ (c\_2Epath\_2Epcons\ A\_27a\ A\_27b)\ V1y) \\ & \quad V2r)\ V3p)))) \wedge (\neg((ap\ (ap\ (ap\ (c\_2Epath\_2Epcons\ A\_27a\ A\_27b)\ V1y) \\ & \quad V2r)\ V3p) = (ap\ (c\_2Epath\_2Estopped\_at\ A\_27a\ A\_27b)\ V0x)))))))))) \end{aligned} \quad (29)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0p \in (ty\_2Epath\_2Epath\ A\_27a\ A\_27b). ((\exists V1x \in A\_27a. \\ & \quad (V0p = (ap\ (c\_2Epath\_2Estopped\_at\ A\_27a\ A\_27b)\ V1x))) \vee (\exists V2x \in \\ & \quad A\_27a. (\exists V3r \in A\_27b. (\exists V4q \in (ty\_2Epath\_2Epath\ A\_27a \\ & \quad A\_27b). (V0p = (ap\ (ap\ (ap\ (c\_2Epath\_2Epcons\ A\_27a\ A\_27b)\ V2x)\ V3r) \\ & \quad V4q)))))))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\ & \quad nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow ((\forall V0x \in A\_27a. \\ & \quad (\forall V1lab \in A\_27b. (\forall V2p2 \in (ty\_2Epath\_2Epath\ A\_27a \\ & \quad A\_27b). ((ap\ (ap\ (ap\ (c\_2Epath\_2Epcat\ A\_27a\ A\_27b)\ (ap\ (c\_2Epath\_2Estopped\_at \\ & \quad A\_27a\ A\_27b)\ V0x))\ V1lab)\ V2p2) = (ap\ (ap\ (ap\ (c\_2Epath\_2Epcons\ A\_27a \\ & \quad A\_27b)\ V0x)\ V1lab)\ V2p2)))))) \wedge (\forall V3x \in A\_27c. (\forall V4r \in \\ & \quad A\_27d. (\forall V5p \in (ty\_2Epath\_2Epath\ A\_27c\ A\_27d). (\forall V6lab \in \\ & \quad A\_27d. (\forall V7p2 \in (ty\_2Epath\_2Epath\ A\_27c\ A\_27d). ((ap\ (ap \\ & \quad (ap\ (c\_2Epath\_2Epcat\ A\_27c\ A\_27d)\ (ap\ (ap\ (ap\ (c\_2Epath\_2Epcons \\ & \quad A\_27c\ A\_27d)\ V3x)\ V4r)\ V5p))\ V6lab)\ V7p2) = (ap\ (ap\ (ap\ (c\_2Epath\_2Epcons \\ & \quad A\_27c\ A\_27d)\ V3x)\ V4r)\ (ap\ (ap\ (ap\ (c\_2Epath\_2Epcat\ A\_27c\ A\_27d) \\ & \quad V5p)\ V6lab)\ V7p2)))))))))) \end{aligned} \quad (31)$$

**Theorem 1**

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\ & \quad \forall V0p1 \in (ty\_2Epath\_2Epath\ A\_27a\ A\_27b). (\forall V1lab \in \\ & \quad A\_27b. (\forall V2p2 \in (ty\_2Epath\_2Epath\ A\_27a\ A\_27b). (\forall V3x \in \\ & \quad A\_27a. ((\neg((ap\ (ap\ (ap\ (c\_2Epath\_2Epcat\ A\_27a\ A\_27b)\ V0p1)\ V1lab) \\ & \quad V2p2) = (ap\ (c\_2Epath\_2Estopped\_at\ A\_27a\ A\_27b)\ V3x))) \wedge (\neg((ap \\ & \quad (c\_2Epath\_2Estopped\_at\ A\_27a\ A\_27b)\ V3x) = (ap\ (ap\ (ap\ (c\_2Epath\_2Epcat \\ & \quad A\_27a\ A\_27b)\ V0p1)\ V1lab)\ V2p2)))))))))) \end{aligned}$$