

thm_2Epath_2Etake__def__compute
(TMaCHRrXpmQyJewGroeoQYi-
wvui4VWpuiuqH)

October 26, 2020

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \tag{1}$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{2}$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \tag{3}$$

Definition 1 We define c_2Emin_2E3D to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \tag{4}$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \tag{5}$$

Definition 3 We define c_2Ebool_2ET to be $(ap\ (ap\ (c_2Emin_2E3D\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1x))$

Definition 4 We define c_2Ebool_2E21 to be $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (ap\ (ap\ (c_2Emin_2E3D\ (2^{A-27a}))\ (\lambda V1x \in 2.V1x))\ (\lambda V2x \in 2.V2x)))$

Definition 5 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum. (ap\ c_2Enum_2EABS_num\ (c_2Enum_2ESUC_REP\ m))$

Let $c_2Earithmetic_2E2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \tag{6}$$

Definition 6 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2EBIT2))$

Definition 7 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (7)$$

Definition 8 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2EBIT2))$

Definition 9 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Definition 10 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Let $ty_2Epath_2Epath : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epath_2Epath A0 A1) \quad (8)$$

Let $c_2Epath_2Etail : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epath_2Etail A_27a A_27b \in ((ty_2Epath_2Epath A_27a A_27b)^{(ty_2Epath_2Epath A_27a A_27b)}) \quad (9)$$

Let $c_2Epath_2Efirst_label : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epath_2Efirst_label A_27a A_27b \in (A_27b)^{(ty_2Epath_2Epath A_27a A_27b)} \quad (10)$$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (11)$$

Let $ty_2Ellist_2Ellist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Ellist_2Ellist A0) \quad (12)$$

Let $c_2Epath_2EfromPath : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epath_2EfromPath A_27a A_27b \in ((ty_2Epair_2Eprod A_27a (ty_2Ellist_2Ellist (ty_2Epair_2Eprod A_27b A_27a)))^{(ty_2Epath_2Epath A_27a A_27b)}) \quad (13)$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND A_27a A_27b \in (A_27b)^{(ty_2Epair_2Eprod A_27a A_27b)} \quad (14)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EFST \\ A_27a\ A_27b \in (A_27a^{(ty_2Epair_2Eprod\ A_27a\ A_27b)}) \end{aligned} \quad (15)$$

Definition 11 We define $c_2Epath_2Efirst$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0p \in (ty_2Epath_2Epath\ A_27a\ A_27b)$

Definition 12 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2.))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod \\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \end{aligned} \quad (16)$$

Definition 13 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2E_2C\ x\ y))$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (17)$$

Let $c_2Ellist_2Ellist_rep : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_rep\ A_27a \in \\ (((ty_2Eoption_2Eoption\ A_27a)^{ty_2Enum_2Enum})^{(ty_2Ellist_2Ellist\ A_27a)}) \end{aligned} \quad (18)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (19)$$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum \\ A0\ A1) \end{aligned} \quad (20)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum \\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \end{aligned} \quad (21)$$

Definition 14 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap\ (c_2Esum_2EABS_sum\ e\ A_27b))$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in \\ ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \end{aligned} \quad (22)$$

Definition 15 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.(ap\ (c_2Eoption_2Eoption_ABS\ x))$

Definition 16 We define c_Ebool_2EF to be $(ap (c_Ebool_2E.21 2) (\lambda V0t \in 2.V0t))$.

Definition 17 We define $c_Emin_2E.40$ to be $\lambda A.\lambda P \in 2^A.\mathbf{if} (\exists x \in A.p (ap P x)) \mathbf{then}$ (the $(\lambda x.x \in A \wedge p x)$ of type $\iota \Rightarrow \iota$).

Definition 18 We define c_Ebool_2ECOND to be $\lambda A.27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.27a.(\lambda V2t2 \in A.27a.($

Let $c_2Ellist_2Ellist_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow c_2Ellist_2Ellist_abs A.27a \in \\ & ((ty_2Ellist_2Ellist A.27a)^{(ty_2Eoption_2Eoption A.27a)^{ty_2Enum_2Enum}}) \end{aligned} \quad (23)$$

Definition 19 We define $c_2Ellist_2ELCONS$ to be $\lambda A.27a : \iota.\lambda V0h \in A.27a.\lambda V1t \in (ty_2Ellist_2Ellist A.$

Let $c_2Epath_2EtoPath : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c_2Epath_2EtoPath \\ & A.27a A.27b \in ((ty_2Epath_2Epath A.27a A.27b)^{(ty_2Epair_2Eprod A.27a (ty_2Ellist_2Ellist (ty_2Epair_2Eprod} \\ & \hspace{15em} (24) \end{aligned}$$

Definition 20 We define c_2Epath_2Epcns to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0x \in A.27a.\lambda V1r \in A.27b.\lambda V2p$

Definition 21 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E.40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone.2$

Definition 22 We define $c_2Ebool_2E.7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E.3D.3D_3E V0t) c_2Ebool.2E$

Definition 23 We define c_2Esum_2EINR to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0e \in A.27b.(ap (c_2Esum.2EABS$

Definition 24 We define $c_2Eoption_2ENONE$ to be $\lambda A.27a : \iota.(ap (c_2Eoption_2Eoption_ABS A.27a) (a$

Definition 25 We define $c_2Ellist_2ELNIL$ to be $\lambda A.27a : \iota.(ap (c_2Ellist_2Ellist_abs A.27a) (\lambda V0n \in ty.$

Definition 26 We define $c_2Epath_2Estopped_at$ to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0x \in A.27a.(ap (c_2Epath$

Let $c_2Epath_2Etake : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c_2Epath_2Etake \\ & A.27a A.27b \in (((ty_2Epath_2Epath A.27a A.27b)^{(ty_2Epath_2Epath A.27a A.27b)^{ty_2Enum_2Enum}}) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty A.27a \Rightarrow (\forall V0f \in ((A.27a^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}). \\ & (\forall V1g \in (A.27a^{ty_2Enum_2Enum}).(\forall V2n \in ty_2Enum_2Enum. \\ & ((ap V1g (ap c_2Enum_2ESUC V2n)) = (ap (ap V0f V2n) (ap c_2Enum_2ESUC \\ & V2n)))) \Leftrightarrow ((\forall V3n \in ty_2Enum_2Enum.((ap V1g (ap c_2Earithmetic_2ENUMERAL \\ & (ap c_2Earithmetic_2EBIT1 V3n))) = (ap (ap V0f (ap (ap c_2Earithmetic_2E.2D \\ & (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 V3n))) \\ & (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))) \\ & (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 V3n)))))) \wedge \\ & (\forall V4n \in ty_2Enum_2Enum.((ap V1g (ap c_2Earithmetic_2ENUMERAL \\ & (ap c_2Earithmetic_2EBIT2 V4n))) = (ap (ap V0f (ap c_2Earithmetic_2ENUMERAL \\ & (ap c_2Earithmetic_2EBIT1 V4n))) (ap c_2Earithmetic_2ENUMERAL \\ & (ap c_2Earithmetic_2EBIT2 V4n))))))))) \end{aligned} \quad (26)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (27)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\ & (\forall V0p \in (ty_2Epath_2Epath A_27a A_27b).((ap (ap (c_2Epath_2Etake \\ & A_27a A_27b) c_2Enum_2E0) V0p) = (ap (c_2Epath_2Estopped_at A_27a \\ & A_27b) (ap (c_2Epath_2Efirst A_27a A_27b) V0p)))) \wedge (\forall V1n \in \\ & ty_2Enum_2Enum.(\forall V2p \in (ty_2Epath_2Epath A_27a A_27b). \\ & ((ap (ap (c_2Epath_2Etake A_27a A_27b) (ap c_2Enum_2ESUC V1n)) \\ & V2p) = (ap (ap (ap (c_2Epath_2Epcons A_27a A_27b) (ap (c_2Epath_2Efirst \\ & A_27a A_27b) V2p)) (ap (c_2Epath_2Efirst_label A_27a A_27b) V2p)) \\ & (ap (ap (c_2Epath_2Etake A_27a A_27b) V1n) (ap (c_2Epath_2Etail \\ & A_27a A_27b) V2p)))))))))) \quad (28) \end{aligned}$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\ & (\forall V0p \in (ty_2Epath_2Epath A_27a A_27b).((ap (ap (c_2Epath_2Etake \\ & A_27a A_27b) c_2Enum_2E0) V0p) = (ap (c_2Epath_2Estopped_at A_27a \\ & A_27b) (ap (c_2Epath_2Efirst A_27a A_27b) V0p)))) \wedge ((\forall V1n \in \\ & ty_2Enum_2Enum.(\forall V2p \in (ty_2Epath_2Epath A_27a A_27b). \\ & ((ap (ap (c_2Epath_2Etake A_27a A_27b) (ap c_2Earithmetic_2ENUMERAL \\ & (ap c_2Earithmetic_2EBIT1 V1n))) V2p) = (ap (ap (ap (c_2Epath_2Epcons \\ & A_27a A_27b) (ap (c_2Epath_2Efirst A_27a A_27b) V2p)) (ap (c_2Epath_2Efirst_label \\ & A_27a A_27b) V2p)) (ap (ap (c_2Epath_2Etake A_27a A_27b) (ap (ap \\ & c_2Earithmetic_2E_2D (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\ & V1n))) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\ & c_2Earithmetic_2EZERO)))) (ap (c_2Epath_2Etail A_27a A_27b) \\ & V2p)))))) \wedge (\forall V3n \in ty_2Enum_2Enum.(\forall V4p \in (ty_2Epath_2Epath \\ & A_27a A_27b).((ap (ap (c_2Epath_2Etake A_27a A_27b) (ap c_2Earithmetic_2ENUMERAL \\ & (ap c_2Earithmetic_2EBIT2 V3n))) V4p) = (ap (ap (ap (c_2Epath_2Epcons \\ & A_27a A_27b) (ap (c_2Epath_2Efirst A_27a A_27b) V4p)) (ap (c_2Epath_2Efirst_label \\ & A_27a A_27b) V4p)) (ap (ap (c_2Epath_2Etake A_27a A_27b) (ap c_2Earithmetic_2ENUMERAL \\ & (ap c_2Earithmetic_2EBIT1 V3n))) (ap (c_2Epath_2Etail A_27a A_27b) \\ & V4p)))))))))) \end{aligned}$$