

thm\_2Epath\_2Etrace\_\_machine\_\_thm  
(TMGDx556QNmtZwdxRzXwWJxUuFbcTSQYXD7)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \text{ of type } \iota \Rightarrow \iota).$

**Definition 2** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define `c_2Ebool_2ET` to be  $(\text{ap } (\text{ap } (c_2Emin_2E_3D \ (2^2)) \ (\lambda V0x \in 2.V0x)) \ (\lambda V1x \in 2.V1x))$

**Definition 4** We define `c_2Ebool_2EBOUNDED` to be  $(\lambda V0v \in 2. c_2Ebool_2ET)$ .

Let `ty_2Enum_2Enum` :  $\iota$  be given. Assume the following.

$$\text{nonempty } ty\_2Enum\_2Enum \tag{1}$$

Let `ty_2Elist_2Elist` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty } (ty\_2Elist\_2Elist \ A0) \tag{2}$$

Let `c_2Elist_2ELENGTH` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. \text{nonempty } A\_27a \Rightarrow c\_2Elist\_2ELENGTH \ A\_27a \in (ty\_2Enum\_2Enum^{(ty\_2Elist\_2Elist \ A\_27a)}) \tag{3}$$

Let `ty_2Eoption_2Eoption` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty } (ty\_2Eoption\_2Eoption \ A0) \tag{4}$$

Let `ty_2Ellist_2Ellist` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty } (ty\_2Ellist\_2Ellist \ A0) \tag{5}$$

Let `c_2Ellist_2ELTAKE` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. \text{nonempty } A\_27a \Rightarrow c\_2Ellist\_2ELTAKE \ A\_27a \in (((ty\_2Eoption\_2Eoption \ (ty\_2Elist\_2Elist \ A\_27a))^{(ty\_2Ellist\_2Ellist \ A\_27a)})^{ty\_2Enum\_2Enum}) \tag{6}$$

Let  $c\_2Ellist\_2ELAPPEND : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ellist\_2ELAPPEND\ A\_27a \in (((ty\_2Ellist\_2Ellist\ A\_27a)^{(ty\_2Ellist\_2Ellist\ A\_27a)})^{(ty\_2Ellist\_2Ellist\ A\_27a)}) \quad (7)$$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \quad (8)$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \quad (9)$$

**Definition 5** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 6** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (10)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (11)$$

**Definition 7** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota. (\lambda V0P \in (2^{A\_27a}). (ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A\_27a})))$

**Definition 8** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap\ c\_2Enum\_2EABS\_num\ (ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A\_27a})))$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (12)$$

**Definition 9** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum. (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ (ap\ (c\_2Emin\_2E\_3D\ (2^{A\_27a})))$

**Definition 10** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum. V0x$ .

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (13)$$

Let  $c\_2Ellist\_2Ellist\_rep : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ellist\_2Ellist\_rep\ A\_27a \in (((ty\_2Eoption\_2Eoption\ A\_27a)^{(ty\_2Enum\_2Enum)})^{(ty\_2Ellist\_2Ellist\ A\_27a)}) \quad (14)$$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \quad (15)$$





Let  $c\_2Eoption\_2EOPTION\_MAP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Eoption\_2EOPTION\_MAP\ A\_27a\ A\_27b \in (((ty\_2Eoption\_2Eoption\ A\_27b)^{(ty\_2Eoption\_2Eoption\ A\_27a)})^{(A\_27b^{A\_27a})}) \quad (26)$$

Let  $c\_2Eoption\_2ETHE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2ETHE\ A\_27a \in (A\_27a^{(ty\_2Eoption\_2Eoption\ A\_27a)}) \quad (27)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (28)$$

Let  $c\_2Epair\_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2ESND\ A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (29)$$

Let  $c\_2Epair\_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EFST\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (30)$$

**Definition 35** We define  $c\_2Epair\_2EUNCURRY$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0f \in ((A\_27c^{A\_27b})$

Let  $ty\_2Epath\_2Epath : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epath\_2Epath\ A0\ A1) \quad (31)$$

Let  $c\_2Epath\_2EfromPath : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epath\_2EfromPath\ A\_27a\ A\_27b \in (((ty\_2Epair\_2Eprod\ A\_27a\ (ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A\_27b\ A\_27a))))^{(ty\_2Epath\_2Epath\ A\_27a\ A\_27b)}) \quad (32)$$

**Definition 36** We define  $c\_2Epath\_2Efirst$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0p \in (ty\_2Epath\_2Epath\ A\_27a\ A\_27b)$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (33)$$

**Definition 37** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2E$



**Definition 49** We define  $c\_2Epred\_set\_2ESUBSET$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap$

**Definition 50** We define  $c\_2Epred\_set\_2EBIGUNION$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{(2^{A\_27a})}).(ap (c\_2Epred\_set$

**Definition 51** We define  $c\_2EfixedPoint\_2Egfp$  to be  $\lambda A\_27a : \iota.\lambda V0f \in ((2^{A\_27a})^{(2^{A\_27a})}).(ap (c\_2Epred\_set$

**Definition 52** We define  $c\_2Epath\_2Eokpath$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in (((2^{A\_27a})^{A\_27b})^{A\_27a}).(ap$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ENIL A\_27a \in (ty\_2Elist\_2Elist A\_27a) \quad (39)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ECONS A\_27a \in (((ty\_2Elist\_2Elist A\_27a)(ty\_2Elist\_2Elist A\_27a))^{A\_27a}) \quad (40)$$

Let  $c\_2Elist\_2EAPPEND : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2EAPPEND A\_27a \in (((ty\_2Elist\_2Elist A\_27a)(ty\_2Elist\_2Elist A\_27a))^{(ty\_2Elist\_2Elist A\_27a)}) \quad (41)$$

**Definition 53** We define  $c\_2Epath\_2Etrace\_machine$  to be  $\lambda A\_27a : \iota.\lambda V0P \in (2^{(ty\_2Elist\_2Elist A\_27a)}).\lambda V$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.( \\ & \forall V2p \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B V0m) \\ & (ap (ap c\_2Earithmetic\_2E\_2B V1n) V2p)) = (ap (ap c\_2Earithmetic\_2E\_2B \\ & (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n)) V2p)))) \end{aligned} \quad (42)$$

Assume the following.

$$(\forall V0n \in ty\_2Enum\_2Enum.(p (ap (ap c\_2Earithmetic\_2E\_3C\_3D c\_2Enum\_2E0) V0n))) \quad (43)$$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty\_2Enum\_2Enum.(\forall V1n \in ty\_2Enum\_2Enum.( \\ & ((ap (ap c\_2Earithmetic\_2E\_2A c\_2Enum\_2E0) V0m) = c\_2Enum\_2E0) \wedge \\ & (((ap (ap c\_2Earithmetic\_2E\_2A V0m) c\_2Enum\_2E0) = c\_2Enum\_2E0) \wedge \\ & (((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Earithmetic\_2ENUMERAL \\ & (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) V0m) = V0m) \wedge \\ & (((ap (ap c\_2Earithmetic\_2E\_2A V0m) (ap c\_2Earithmetic\_2ENUMERAL \\ & (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO))) = V0m) \wedge \\ & ((ap (ap c\_2Earithmetic\_2E\_2A (ap c\_2Enum\_2ESUC V0m)) V1n) = (ap \\ & (ap c\_2Earithmetic\_2E\_2B (ap (ap c\_2Earithmetic\_2E\_2A V0m) V1n)) \\ & V1n)) \wedge ((ap (ap c\_2Earithmetic\_2E\_2A V0m) (ap c\_2Enum\_2ESUC V1n)) = \\ & (ap (ap c\_2Earithmetic\_2E\_2B V0m) (ap (ap c\_2Earithmetic\_2E\_2A \\ & V0m) V1n)))))) \end{aligned} \quad (44)$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& \quad \forall V2p \in ty\_2Enum\_2Enum. (((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& \quad V0m) V1n)) \wedge (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V2p))) \Rightarrow (p ( \\
& \quad \quad ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V2p))))))
\end{aligned} \tag{45}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& \quad (V0m = V1n) \Leftrightarrow ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V0m) V1n)) \wedge (p ( \\
& \quad \quad ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V0m))))))
\end{aligned} \tag{46}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& \quad \forall V2p \in ty\_2Enum\_2Enum. ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& \quad (ap (ap c\_2Earithmetic\_2E\_2B V0m) V1n)) (ap (ap c\_2Earithmetic\_2E\_2B \\
& \quad V0m) V2p))) \Leftrightarrow (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D V1n) V2p))))))
\end{aligned} \tag{47}$$

Assume the following.

$$\begin{aligned}
& (\forall V0m \in ty\_2Enum\_2Enum. (\forall V1n \in ty\_2Enum\_2Enum. ( \\
& \quad (\neg(V0m = V1n)) \Leftrightarrow ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Enum\_2ESUC \\
& \quad V0m)) V1n)) \vee (p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Enum\_2ESUC \\
& \quad V1n)) V0m))))))
\end{aligned} \tag{48}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. ((ap c\_2Enum\_2ESUC V0n) = (ap (ap \\
& \quad c\_2Earithmetic\_2E\_2B (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
& \quad c\_2Earithmetic\_2EZERO))) V0n)))
\end{aligned} \tag{49}$$

Assume the following.

$$True \tag{50}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p \\
& \quad V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2))))))
\end{aligned} \tag{51}$$

Assume the following.

$$(\forall V0t \in 2. (False \Rightarrow (p V0t))) \tag{52}$$

Assume the following.

$$(\forall V0t \in 2. ((p V0t) \vee (\neg(p V0t)))) \tag{53}$$



Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A\_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (54)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (55)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \vee (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \vee True) \Leftrightarrow True) \wedge \\ & (((False \vee (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee False) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \vee \\ & (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (56)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (( \\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \end{aligned} \quad (57)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (58)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(V0x = V0x)) \quad (59)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow True)) \quad (60)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (61)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\ & p\ V0t)))))) \end{aligned} \quad (62)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t1 \in A\_27a.(\forall V1t2 \in \\ & A\_27a.(((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ c\_2Ebool\_2ET)\ V0t1) \\ & V1t2) = V0t1) \wedge ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ c\_2Ebool\_2EF) \\ & V0t1)\ V1t2) = V1t2)))) \end{aligned} \quad (63)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in (2^{A\_27a}). ((p\ V0P) \wedge (\forall V2x \in A\_27a. (p\ (ap\ V1Q\ V2x)))))) \Leftrightarrow (\forall V3x \in A\_27a. ((p\ V0P) \wedge (p\ (ap\ V1Q\ V3x)))))) \quad (64)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C)))))) \Leftrightarrow (((p\ V0A) \vee (p\ V1B)) \vee (p\ V2C))))) \quad (65)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \wedge (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \vee (\neg(p\ V1B)))))) \wedge ((\neg((p\ V0A) \vee (p\ V1B))) \Leftrightarrow ((\neg(p\ V0A) \wedge (\neg(p\ V1B)))))))))) \quad (66)$$

Assume the following.

$$(\forall V0t \in 2. (((p\ V0t) \Rightarrow False) \Leftrightarrow ((p\ V0t) \Leftrightarrow False))) \quad (67)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (68)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p\ V0t1) \Leftrightarrow (p\ V1t2)) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \vee ((\neg(p\ V0t1)) \wedge (\neg(p\ V1t2))))))) \quad (69)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x\_27 \in 2. (\forall V2y \in 2. (\forall V3y\_27 \in 2. (((p\ V0x) \Leftrightarrow (p\ V1x\_27)) \wedge ((p\ V1x\_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y\_27)))))) \Rightarrow (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x\_27) \Rightarrow (p\ V3y\_27)))))) \quad (70)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. (\forall V2x \in A\_27a. (\forall V3x\_27 \in A\_27a. (\forall V4y \in A\_27a. (\forall V5y\_27 \in A\_27a. (((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge (((p\ V1Q) \Rightarrow (V2x = V3x\_27)) \wedge ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y\_27)))))) \Rightarrow ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ V1Q)\ V3x\_27)\ V5y\_27)))))))))) \quad (71)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}). (\forall V1a \in A\_27a. ((\exists V2x \in A\_27a. ((V2x = V1a) \wedge (p\ (ap\ V0P\ V2x)))))) \Leftrightarrow (p\ (ap\ V0P\ V1a)))) \quad (72)$$

Assume the following.

$$(\forall V0v \in 2.((p (ap c\_2Ebool\_2EBOUNDED V0v)) \Leftrightarrow True)) \quad (73)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow & ((\forall V0l \in (ty\_2Elist\_2Elist \\ A\_27a).((ap (ap (c\_2Elist\_2EAPPEND A\_27a) (c\_2Elist\_2ENIL A\_27a)) \\ V0l) = V0l)) \wedge (\forall V1l1 \in (ty\_2Elist\_2Elist A\_27a).(\forall V2l2 \in \\ (ty\_2Elist\_2Elist A\_27a).(\forall V3h \in A\_27a.((ap (ap (c\_2Elist\_2EAPPEND \\ A\_27a) (ap (ap (c\_2Elist\_2ECONS A\_27a) V3h) V1l1)) V2l2) = (ap (ap \\ (c\_2Elist\_2ECONS A\_27a) V3h) (ap (ap (c\_2Elist\_2EAPPEND A\_27a) \\ V1l1) V2l2)))))))))) \end{aligned} \quad (74)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow & (((ap (c\_2Elist\_2ELENGTH A\_27a) \\ (c\_2Elist\_2ENIL A\_27a)) = c\_2Enum\_2E0) \wedge (\forall V0h \in A\_27a.( \\ \forall V1t \in (ty\_2Elist\_2Elist A\_27a).((ap (c\_2Elist\_2ELENGTH \\ A\_27a) (ap (ap (c\_2Elist\_2ECONS A\_27a) V0h) V1t)) = (ap c\_2Enum\_2ESUC \\ (ap (c\_2Elist\_2ELENGTH A\_27a) V1t))))))) \end{aligned} \quad (75)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow & (\forall V0P \in (2^{(ty\_2Elist\_2Elist A\_27a)}). \\ (((p (ap V0P (c\_2Elist\_2ENIL A\_27a))) \wedge (\forall V1t \in (ty\_2Elist\_2Elist \\ A\_27a).((p (ap V0P V1t)) \Rightarrow (\forall V2h \in A\_27a.(p (ap V0P (ap (ap ( \\ c\_2Elist\_2ECONS A\_27a) V2h) V1t)))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist \\ A\_27a).(p (ap V0P V3l)))))) \end{aligned} \quad (76)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow & (\forall V0a0 \in A\_27a.(\forall V1a1 \in \\ (ty\_2Elist\_2Elist A\_27a).(\forall V2a0\_27 \in A\_27a.(\forall V3a1\_27 \in \\ (ty\_2Elist\_2Elist A\_27a).(((ap (ap (c\_2Elist\_2ECONS A\_27a) V0a0) \\ V1a1) = (ap (ap (c\_2Elist\_2ECONS A\_27a) V2a0\_27) V3a1\_27)) \Leftrightarrow ((V0a0 = \\ V2a0\_27) \wedge (V1a1 = V3a1\_27)))))) \end{aligned} \quad (77)$$

Assume the following.

$$\begin{aligned} \forall A\_27a.nonempty A\_27a \Rightarrow & (\forall V0a1 \in (ty\_2Elist\_2Elist \\ A\_27a).(\forall V1a0 \in A\_27a.(\neg((c\_2Elist\_2ENIL A\_27a) = (ap ( \\ ap (c\_2Elist\_2ECONS A\_27a) V1a0) V0a1)))))) \end{aligned} \quad (78)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow ((\forall V0l1 \in (ty\_2Elist\_2Elist \\
& \quad A\_27a).(\forall V1l2 \in (ty\_2Elist\_2Elist\ A\_27a).(\forall V2l3 \in \\
& \quad (ty\_2Elist\_2Elist\ A\_27a).(((ap\ (ap\ (c\_2Elist\_2EAPPEND\ A\_27a) \\
& \quad V0l1)\ V1l2) = (ap\ (ap\ (c\_2Elist\_2EAPPEND\ A\_27a)\ V0l1)\ V2l3)) \Leftrightarrow (V1l2 = \\
& \quad V2l3)))))) \wedge (\forall V3l1 \in (ty\_2Elist\_2Elist\ A\_27a).(\forall V4l2 \in \\
& \quad (ty\_2Elist\_2Elist\ A\_27a).(\forall V5l3 \in (ty\_2Elist\_2Elist\ A\_27a). \\
& \quad (((ap\ (ap\ (c\_2Elist\_2EAPPEND\ A\_27a)\ V4l2)\ V3l1) = (ap\ (ap\ (c\_2Elist\_2EAPPEND \\
& \quad A\_27a)\ V5l3)\ V3l1)) \Leftrightarrow (V4l2 = V5l3))))))
\end{aligned} \tag{79}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0l \in (ty\_2Elist\_2Elist \\
& \quad A\_27a).((V0l = (c\_2Elist\_2ELNIL\ A\_27a)) \vee (\exists V1h \in A\_27a. \\
& \quad (\exists V2t \in (ty\_2Elist\_2Elist\ A\_27a).(V0l = (ap\ (ap\ (c\_2Elist\_2ELCONS \\
& \quad A\_27a)\ V1h)\ V2t))))))
\end{aligned} \tag{80}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad ((ap\ (c\_2Elist\_2ELHD\ A\_27a)\ (c\_2Elist\_2ELNIL\ A\_27a)) = (c\_2Eoption\_2ENONE \\
& \quad A\_27a)) \wedge (\forall V0h \in A\_27b.(\forall V1t \in (ty\_2Elist\_2Elist \\
& \quad A\_27b).((ap\ (c\_2Elist\_2ELHD\ A\_27b)\ (ap\ (ap\ (c\_2Elist\_2ELCONS \\
& \quad A\_27b)\ V0h)\ V1t)) = (ap\ (c\_2Eoption\_2ESOME\ A\_27b)\ V0h))))))
\end{aligned} \tag{81}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad ((ap\ (c\_2Elist\_2ELTL\ A\_27a)\ (c\_2Elist\_2ELNIL\ A\_27a)) = (c\_2Eoption\_2ENONE \\
& \quad (ty\_2Elist\_2Elist\ A\_27a))) \wedge (\forall V0h \in A\_27b.(\forall V1t \in \\
& \quad (ty\_2Elist\_2Elist\ A\_27b).((ap\ (c\_2Elist\_2ELTL\ A\_27b)\ (ap \\
& \quad (ap\ (c\_2Elist\_2ELCONS\ A\_27b)\ V0h)\ V1t)) = (ap\ (c\_2Eoption\_2ESOME \\
& \quad (ty\_2Elist\_2Elist\ A\_27b)\ V1t))))))
\end{aligned} \tag{82}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0h \in A\_27a.(\forall V1t \in \\
& \quad (ty\_2Elist\_2Elist\ A\_27a).((\neg((ap\ (ap\ (c\_2Elist\_2ELCONS\ A\_27a) \\
& \quad V0h)\ V1t) = (c\_2Elist\_2ELNIL\ A\_27a))) \wedge (\neg((c\_2Elist\_2ELNIL \\
& \quad A\_27a) = (ap\ (ap\ (c\_2Elist\_2ELCONS\ A\_27a)\ V0h)\ V1t))))))
\end{aligned} \tag{83}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0h1 \in A\_27a.(\forall V1t1 \in \\
& \quad (ty\_2Elist\_2Elist\ A\_27a).(\forall V2h2 \in A\_27a.(\forall V3t2 \in \\
& \quad (ty\_2Elist\_2Elist\ A\_27a).(((ap\ (ap\ (c\_2Elist\_2ELCONS\ A\_27a) \\
& \quad V0h1)\ V1t1) = (ap\ (ap\ (c\_2Elist\_2ELCONS\ A\_27a)\ V2h2)\ V3t2)) \Leftrightarrow (( \\
& \quad V0h1 = V2h2) \wedge (V1t1 = V3t2))))))
\end{aligned} \tag{84}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow \forall A\_27c. \\
& \quad \text{nonempty } A\_27c \Rightarrow ((\forall V0l \in (ty\_2Ellist\_2Ellist\ A\_27a).(( \\
ap\ (ap\ (c\_2Ellist\_2ELTAK E\ A\_27a)\ c\_2Enum\_2E0)\ V0l) = (ap\ (c\_2Eoption\_2ESOME \\
& \quad (ty\_2Elist\_2Elist\ A\_27a))\ (c\_2Elist\_2ENIL\ A\_27a)))) \wedge ((\forall V1n \in \\
ty\_2Enum\_2Enum.((ap\ (ap\ (c\_2Ellist\_2ELTAK E\ A\_27b)\ (ap\ c\_2Enum\_2ESUC \\
& \quad V1n))\ (c\_2Ellist\_2ELNIL\ A\_27b)) = (c\_2Eoption\_2ENONE\ (ty\_2Elist\_2Elist \\
& \quad A\_27b)))) \wedge (\forall V2n \in ty\_2Enum\_2Enum.(\forall V3h \in A\_27c. \\
& \quad (\forall V4t \in (ty\_2Ellist\_2Ellist\ A\_27c).((ap\ (ap\ (c\_2Ellist\_2ELTAK E \\
& \quad A\_27c)\ (ap\ c\_2Enum\_2ESUC\ V2n))\ (ap\ (ap\ (c\_2Ellist\_2ELCONS\ A\_27c) \\
& \quad V3h)\ V4t)) = (ap\ (ap\ (c\_2Eoption\_2EOPTION\_MAP\ (ty\_2Elist\_2Elist \\
& \quad A\_27c)\ (ty\_2Elist\_2Elist\ A\_27c))\ (ap\ (c\_2Elist\_2ECONS\ A\_27c) \\
& \quad V3h))\ (ap\ (ap\ (c\_2Ellist\_2ELTAK E\ A\_27c)\ V2n)\ V4t))))))))) \\
& \hspace{15em} (85)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0m \in ty\_2Enum\_2Enum.( \\
& \quad \forall V1h \in A\_27a.(\forall V2t \in (ty\_2Ellist\_2Ellist\ A\_27a). \\
& \quad (\forall V3l \in (ty\_2Elist\_2Elist\ A\_27a).(((ap\ (ap\ (c\_2Ellist\_2ELTAK E \\
& \quad A\_27a)\ V0m)\ (ap\ (ap\ (c\_2Ellist\_2ELCONS\ A\_27a)\ V1h)\ V2t)) = (ap\ (c\_2Eoption\_2ESOME \\
& \quad (ty\_2Elist\_2Elist\ A\_27a))\ V3l)) \Leftrightarrow (((V0m = c\_2Enum\_2E0) \wedge (V3l = \\
& \quad (c\_2Elist\_2ENIL\ A\_27a))) \vee (\exists V4n \in ty\_2Enum\_2Enum.(\exists V5l\_27 \in \\
& \quad (ty\_2Elist\_2Elist\ A\_27a).((V0m = (ap\ c\_2Enum\_2ESUC\ V4n)) \wedge ((( \\
& \quad ap\ (ap\ (c\_2Ellist\_2ELTAK E\ A\_27a)\ V4n)\ V2t) = (ap\ (c\_2Eoption\_2ESOME \\
& \quad (ty\_2Elist\_2Elist\ A\_27a))\ V5l\_27)) \wedge (V3l = (ap\ (ap\ (c\_2Elist\_2ECONS \\
& \quad A\_27a)\ V1h)\ V5l\_27))))))))))))) \\
& \hspace{15em} (86)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.\text{nonempty } A\_27a \Rightarrow ((\forall V0x \in (ty\_2Ellist\_2Ellist \\
& \quad A\_27a).((ap\ (ap\ (c\_2Ellist\_2ELAPPEND\ A\_27a)\ (c\_2Ellist\_2ELNIL \\
& \quad A\_27a))\ V0x) = V0x)) \wedge (\forall V1h \in A\_27a.(\forall V2t \in (ty\_2Ellist\_2Ellist \\
& \quad A\_27a).(\forall V3x \in (ty\_2Ellist\_2Ellist\ A\_27a).((ap\ (ap\ (c\_2Ellist\_2ELAPPEND \\
& \quad A\_27a)\ (ap\ (ap\ (c\_2Ellist\_2ELCONS\ A\_27a)\ V1h)\ V2t))\ V3x) = (ap\ (ap \\
& \quad (c\_2Ellist\_2ELCONS\ A\_27a)\ V1h)\ (ap\ (ap\ (c\_2Ellist\_2ELAPPEND\ A\_27a) \\
& \quad V2t)\ V3x))))))))) \\
& \hspace{15em} (87)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (((ap\ (c\_2Ellist\_2EfromList\ A\_27a) \\
& \quad (c\_2Elist\_2ENIL\ A\_27a)) = (c\_2Ellist\_2ELNIL\ A\_27a)) \wedge (\forall V0h \in \\
& \quad A\_27a.(\forall V1t \in (ty\_2Elist\_2Elist\ A\_27a).((ap\ (c\_2Ellist\_2EfromList \\
& \quad A\_27a)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V0h)\ V1t)) = (ap\ (ap\ (c\_2Ellist\_2ELCONS \\
& \quad A\_27a)\ V0h)\ (ap\ (c\_2Ellist\_2EfromList\ A\_27a)\ V1t)))))) \\
& \hspace{15em} (88)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ( \\
& \quad \forall V0R \in ((2^{(ty\_2Ellist\_2Ellist\ A\_27b)})^{A\_27a}). (\forall V1f \in \\
& ((ty\_2Eoption\_2Eoption\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b))^{A\_27a}). \\
& \quad (\forall V2s \in A\_27a. (\forall V3ll \in (ty\_2Ellist\_2Ellist\ A\_27b). \\
& \quad ((p\ (ap\ (ap\ V0R\ V2s)\ V3ll)) \wedge (\forall V4s \in A\_27a. (\forall V5ll \in \\
& \quad (ty\_2Ellist\_2Ellist\ A\_27b). ((p\ (ap\ (ap\ V0R\ V4s)\ V5ll)) \Rightarrow (((ap \\
& V1f\ V4s) = (c\_2Eoption\_2ENONE\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)))) \wedge \\
& \quad (V5ll = (c\_2Ellist\_2ELNIL\ A\_27b))) \vee (\exists V6s\_27 \in A\_27a. (\exists V7x \in \\
& \quad A\_27b. (\exists V8ll\_27 \in (ty\_2Ellist\_2Ellist\ A\_27b). (((ap\ V1f \\
& V4s) = (ap\ (c\_2Eoption\_2ESOME\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)) \\
& (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27b)\ V6s\_27)\ V7x))) \wedge (((ap\ (c\_2Ellist\_2ELHD \\
& A\_27b)\ V5ll) = (ap\ (c\_2Eoption\_2ESOME\ A\_27b)\ V7x)) \wedge (((ap\ (c\_2Ellist\_2ELTL \\
& A\_27b)\ V5ll) = (ap\ (c\_2Eoption\_2ESOME\ (ty\_2Ellist\_2Ellist\ A\_27b)) \\
& V8ll\_27)) \wedge (p\ (ap\ (ap\ V0R\ V6s\_27)\ V8ll\_27)))))))))) \Rightarrow ((ap\ (ap \\
& \quad (c\_2Ellist\_2ELUNFOLD\ A\_27b\ A\_27a)\ V1f)\ V2s) = V3ll)))))
\end{aligned} \tag{89}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B \\
& \quad c\_2Enum\_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty\_2Enum\_2Enum.((ap \\
& \quad (ap c\_2Earithmetic\_2E\_2B V1n) c\_2Enum\_2E0) = V1n)) \wedge ((\forall V2n \in \\
& \quad ty\_2Enum\_2Enum.(\forall V3m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2B \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V2n)) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V3m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Enumeral\_2EiZ (ap \\
& \quad (ap c\_2Earithmetic\_2E\_2B V2n) V3m)))))) \wedge ((\forall V4n \in ty\_2Enum\_2Enum. \\
& \quad ((ap (ap c\_2Earithmetic\_2E\_2A c\_2Enum\_2E0) V4n) = c\_2Enum\_2E0)) \wedge \\
& \quad ((\forall V5n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A \\
& \quad V5n) c\_2Enum\_2E0) = c\_2Enum\_2E0)) \wedge ((\forall V6n \in ty\_2Enum\_2Enum. \\
& \quad (\forall V7m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2A ( \\
& \quad ap c\_2Earithmetic\_2ENUMERAL V6n)) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V7m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2A \\
& \quad V6n) V7m)))))) \wedge ((\forall V8n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D \\
& \quad c\_2Enum\_2E0) V8n) = c\_2Enum\_2E0)) \wedge ((\forall V9n \in ty\_2Enum\_2Enum. \\
& \quad ((ap (ap c\_2Earithmetic\_2E\_2D V9n) c\_2Enum\_2E0) = V9n)) \wedge ((\forall V10n \in \\
& \quad ty\_2Enum\_2Enum.(\forall V11m \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2E\_2D \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V10n)) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V11m)) = (ap c\_2Earithmetic\_2ENUMERAL (ap (ap c\_2Earithmetic\_2E\_2D \\
& \quad V10n) V11m)))))) \wedge ((\forall V12n \in ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEXP \\
& \quad c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
& \quad V12n))) = c\_2Enum\_2E0)) \wedge ((\forall V13n \in ty\_2Enum\_2Enum.((ap \\
& \quad (ap c\_2Earithmetic\_2EEXP c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Earithmetic\_2EBIT2 V13n))) = c\_2Enum\_2E0)) \wedge ((\forall V14n \in \\
& \quad ty\_2Enum\_2Enum.((ap (ap c\_2Earithmetic\_2EEXP V14n) c\_2Enum\_2E0) = \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 c\_2Earithmetic\_2EZERO)))))) \wedge \\
& \quad ((\forall V15n \in ty\_2Enum\_2Enum.(\forall V16m \in ty\_2Enum\_2Enum. \\
& \quad ((ap (ap c\_2Earithmetic\_2EEXP (ap c\_2Earithmetic\_2ENUMERAL V15n)) \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V16m)) = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap (ap c\_2Earithmetic\_2EEXP V15n) V16m)))))) \wedge ((ap c\_2Enum\_2ESUC \\
& \quad c\_2Enum\_2E0) = (ap c\_2Earithmetic\_2ENUMERAL (ap c\_2Earithmetic\_2EBIT1 \\
& \quad c\_2Earithmetic\_2EZERO))) \wedge ((\forall V17n \in ty\_2Enum\_2Enum. ( \\
& \quad (ap c\_2Enum\_2ESUC (ap c\_2Earithmetic\_2ENUMERAL V17n)) = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Enum\_2ESUC V17n)))) \wedge ((ap c\_2Eprim\_rec\_2EPRE c\_2Enum\_2E0) = \\
& \quad c\_2Enum\_2E0) \wedge ((\forall V18n \in ty\_2Enum\_2Enum.((ap c\_2Eprim\_rec\_2EPRE \\
& \quad (ap c\_2Earithmetic\_2ENUMERAL V18n)) = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad (ap c\_2Eprim\_rec\_2EPRE V18n)))) \wedge ((\forall V19n \in ty\_2Enum\_2Enum. \\
& \quad (((ap c\_2Earithmetic\_2ENUMERAL V19n) = c\_2Enum\_2E0) \Leftrightarrow (V19n = c\_2Earithmetic\_2EZERO))) \wedge \\
& \quad ((\forall V20n \in ty\_2Enum\_2Enum.((c\_2Enum\_2E0 = (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V20n)) \Leftrightarrow (V20n = c\_2Earithmetic\_2EZERO))) \wedge ((\forall V21n \in ty\_2Enum\_2Enum. \\
& \quad (\forall V22m \in ty\_2Enum\_2Enum.(((ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V21n) = (ap c\_2Earithmetic\_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))) \wedge \\
& \quad ((\forall V23n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V23n) c\_2Enum\_2E0)) \Leftrightarrow False)) \wedge ((\forall V24n \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Enum\_2E0) (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V24n))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) \\
& \quad V24n)))) \wedge ((\forall V25n \in ty\_2Enum\_2Enum.(\forall V26m \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Eprim\_rec\_2E\_3C (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V25n)) (ap c\_2Earithmetic\_2ENUMERAL V26m))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V25n) V26m)))))) \wedge ((\forall V27n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3E \\
& \quad c\_2Enum\_2E0) V27n)) \Leftrightarrow False)) \wedge ((\forall V28n \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Earithmetic\_2E\_3E (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V28n)) c\_2Enum\_2E0)) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C c\_2Earithmetic\_2EZERO) \\
& \quad V28n)))) \wedge ((\forall V29n \in ty\_2Enum\_2Enum.(\forall V30m \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Earithmetic\_2E\_3E (ap c\_2Earithmetic\_2ENUMERAL \\
& \quad V29n)) (ap c\_2Earithmetic\_2ENUMERAL V30m))) \Leftrightarrow (p (ap (ap c\_2Eprim\_rec\_2E\_3C \\
& \quad V30m) V29n)))))) \wedge ((\forall V31n \in ty\_2Enum\_2Enum.((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D \\
& \quad c\_2Enum\_2E0) V31n)) \Leftrightarrow True)) \wedge ((\forall V32n \in ty\_2Enum\_2Enum. \\
& \quad ((p (ap (ap c\_2Earithmetic\_2E\_3C\_3D (ap c\_2Earithmetic\_2ENUMERAL
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\
& ((ap\ c\_2Enumeral\_2EiZ\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ c\_2Earithmetic\_2EZERO) \\
& V0n)) = V0n) \wedge (((ap\ c\_2Enumeral\_2EiZ\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& V0n)\ c\_2Earithmetic\_2EZERO)) = V0n) \wedge (((ap\ c\_2Enumeral\_2EiZ\ ( \\
& ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT1\ V0n))\ ( \\
& ap\ c\_2Earithmetic\_2EBIT1\ V1m))) = (ap\ c\_2Earithmetic\_2EBIT2\ ( \\
& ap\ c\_2Enumeral\_2EiZ\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ V1m)))) \wedge \\
& (((ap\ c\_2Enumeral\_2EiZ\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT1 \\
& V0n))\ (ap\ c\_2Earithmetic\_2EBIT2\ V1m))) = (ap\ c\_2Earithmetic\_2EBIT1 \\
& (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ V1m)))) \wedge ( \\
& ((ap\ c\_2Enumeral\_2EiZ\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT2 \\
& V0n))\ (ap\ c\_2Earithmetic\_2EBIT1\ V1m))) = (ap\ c\_2Earithmetic\_2EBIT1 \\
& (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ V1m)))) \wedge ( \\
& ((ap\ c\_2Enumeral\_2EiZ\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT2 \\
& V0n))\ (ap\ c\_2Earithmetic\_2EBIT2\ V1m))) = (ap\ c\_2Earithmetic\_2EBIT2 \\
& (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ V1m)))) \wedge ( \\
& ((ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ c\_2Earithmetic\_2EZERO) \\
& V0n)) = (ap\ c\_2Enum\_2ESUC\ V0n)) \wedge (((ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& V0n)\ c\_2Earithmetic\_2EZERO)) = (ap\ c\_2Enum\_2ESUC\ V0n)) \wedge (((ap \\
& c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT1 \\
& V0n))\ (ap\ c\_2Earithmetic\_2EBIT1\ V1m))) = (ap\ c\_2Earithmetic\_2EBIT1 \\
& (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ V1m)))) \wedge ( \\
& ((ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT1 \\
& V0n))\ (ap\ c\_2Earithmetic\_2EBIT2\ V1m))) = (ap\ c\_2Earithmetic\_2EBIT2 \\
& (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ V1m)))) \wedge ( \\
& ((ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT2 \\
& V0n))\ (ap\ c\_2Earithmetic\_2EBIT1\ V1m))) = (ap\ c\_2Earithmetic\_2EBIT2 \\
& (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ V1m)))) \wedge ( \\
& ((ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT2 \\
& V0n))\ (ap\ c\_2Earithmetic\_2EBIT2\ V1m))) = (ap\ c\_2Earithmetic\_2EBIT1 \\
& (ap\ c\_2Enumeral\_2EiiSUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ V1m)))) \wedge \\
& (((ap\ c\_2Enumeral\_2EiiSUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ c\_2Earithmetic\_2EZERO) \\
& V0n)) = (ap\ c\_2Enumeral\_2EiiSUC\ V0n)) \wedge (((ap\ c\_2Enumeral\_2EiiSUC \\
& (ap\ (ap\ c\_2Earithmetic\_2E\_2B\ V0n)\ c\_2Earithmetic\_2EZERO)) = ( \\
& ap\ c\_2Enumeral\_2EiiSUC\ V0n)) \wedge (((ap\ c\_2Enumeral\_2EiiSUC\ (ap\ ( \\
& ap\ c\_2Earithmetic\_2E\_2B\ (ap\ c\_2Earithmetic\_2EBIT1\ V0n))\ (ap\ c\_2Earithmetic\_2EBIT1 \\
& V1m))) = (ap\ c\_2Earithmetic\_2EBIT2\ (ap\ c\_2Enum\_2ESUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& V0n)\ V1m)))) \wedge (((ap\ c\_2Enumeral\_2EiiSUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& (ap\ c\_2Earithmetic\_2EBIT1\ V0n))\ (ap\ c\_2Earithmetic\_2EBIT2\ V1m))) = \\
& (ap\ c\_2Earithmetic\_2EBIT1\ (ap\ c\_2Enumeral\_2EiiSUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& V0n)\ V1m)))) \wedge (((ap\ c\_2Enumeral\_2EiiSUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& (ap\ c\_2Earithmetic\_2EBIT2\ V0n))\ (ap\ c\_2Earithmetic\_2EBIT1\ V1m))) = \\
& (ap\ c\_2Earithmetic\_2EBIT1\ (ap\ c\_2Enumeral\_2EiiSUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& V0n)\ V1m)))) \wedge (((ap\ c\_2Enumeral\_2EiiSUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& (ap\ c\_2Earithmetic\_2EBIT2\ V0n))\ (ap\ c\_2Earithmetic\_2EBIT2\ V1m))) = \\
& (ap\ c\_2Earithmetic\_2EBIT2\ (ap\ c\_2Enumeral\_2EiiSUC\ (ap\ (ap\ c\_2Earithmetic\_2E\_2B \\
& V0n)\ V1m))
\end{aligned}$$



Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\
& ((c\_2Earithmic\_2EZERO = (ap c\_2Earithmic\_2EBIT1 V0n)) \Leftrightarrow False) \wedge \\
& (((ap c\_2Earithmic\_2EBIT1 V0n) = c\_2Earithmic\_2EZERO) \Leftrightarrow \\
& False) \wedge (((c\_2Earithmic\_2EZERO = (ap c\_2Earithmic\_2EBIT2 \\
& V0n)) \Leftrightarrow False) \wedge (((ap c\_2Earithmic\_2EBIT2 V0n) = c\_2Earithmic\_2EZERO) \Leftrightarrow \\
& False) \wedge (((ap c\_2Earithmic\_2EBIT1 V0n) = (ap c\_2Earithmic\_2EBIT2 \\
& V1m)) \Leftrightarrow False) \wedge (((ap c\_2Earithmic\_2EBIT2 V0n) = (ap c\_2Earithmic\_2EBIT1 \\
& V1m)) \Leftrightarrow False) \wedge (((ap c\_2Earithmic\_2EBIT1 V0n) = (ap c\_2Earithmic\_2EBIT1 \\
& V1m)) \Leftrightarrow (V0n = V1m)) \wedge (((ap c\_2Earithmic\_2EBIT2 V0n) = (ap c\_2Earithmic\_2EBIT2 \\
& V1m)) \Leftrightarrow (V0n = V1m)))))))))
\end{aligned} \tag{92}$$

Assume the following.

$$\begin{aligned}
& (\forall V0n \in ty\_2Enum\_2Enum. (\forall V1m \in ty\_2Enum\_2Enum. ( \\
& ((p (ap (ap c\_2Earithmic\_2E\_3C\_3D c\_2Earithmic\_2EZERO) V0n)) \Leftrightarrow \\
& True) \wedge (((p (ap (ap c\_2Earithmic\_2E\_3C\_3D (ap c\_2Earithmic\_2EBIT1 \\
& V0n) c\_2Earithmic\_2EZERO)) \Leftrightarrow False) \wedge (((p (ap (ap c\_2Earithmic\_2E\_3C\_3D \\
& (ap c\_2Earithmic\_2EBIT2 V0n)) c\_2Earithmic\_2EZERO)) \Leftrightarrow False) \wedge \\
& (((p (ap (ap c\_2Earithmic\_2E\_3C\_3D (ap c\_2Earithmic\_2EBIT1 \\
& V0n) (ap c\_2Earithmic\_2EBIT1 V1m))) \Leftrightarrow (p (ap (ap c\_2Earithmic\_2E\_3C\_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c\_2Earithmic\_2E\_3C\_3D (ap c\_2Earithmic\_2EBIT1 \\
& V0n) (ap c\_2Earithmic\_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c\_2Earithmic\_2E\_3C\_3D \\
& V0n) V1m))) \wedge (((p (ap (ap c\_2Earithmic\_2E\_3C\_3D (ap c\_2Earithmic\_2EBIT2 \\
& V0n) (ap c\_2Earithmic\_2EBIT1 V1m))) \Leftrightarrow \neg (p (ap (ap c\_2Earithmic\_2E\_3C\_3D \\
& V1m) V0n))) \wedge (((p (ap (ap c\_2Earithmic\_2E\_3C\_3D (ap c\_2Earithmic\_2EBIT2 \\
& V0n) (ap c\_2Earithmic\_2EBIT2 V1m))) \Leftrightarrow (p (ap (ap c\_2Earithmic\_2E\_3C\_3D \\
& V0n) V1m)))))))))
\end{aligned} \tag{93}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty A\_27a \Rightarrow \forall A\_27b.nonempty A\_27b \Rightarrow ( \\
& (\forall V0v \in A\_27b. (\forall V1f \in (A\_27b^{A\_27a}). ((ap (ap (ap (c\_2Eoption\_2Eoption\_CASE \\
& A\_27a A\_27b) (c\_2Eoption\_2ENONE A\_27a) V0v) V1f) = V0v))) \wedge (\forall V2x \in \\
& A\_27a. (\forall V3v \in A\_27b. (\forall V4f \in (A\_27b^{A\_27a}). ((ap (ap \\
& (ap (c\_2Eoption\_2Eoption\_CASE A\_27a A\_27b) (ap (c\_2Eoption\_2ESOME \\
& A\_27a) V2x)) V3v) V4f) = (ap V4f V2x))))))
\end{aligned} \tag{94}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in \\
& A\_27a. (((ap (c\_2Eoption\_2ESOME A\_27a) V0x) = (ap (c\_2Eoption\_2ESOME \\
& A\_27a) V1y)) \Leftrightarrow (V0x = V1y))))
\end{aligned} \tag{95}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty A\_27a \Rightarrow (\forall V0x \in A\_27a. (\neg ((c\_2Eoption\_2ENONE \\
& A\_27a) = (ap (c\_2Eoption\_2ESOME A\_27a) V0x))))
\end{aligned} \tag{96}$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow ( \\ & (\forall V0f \in (A_{.27b}^{A_{.27a}}).(\forall V1x \in A_{.27a}.((ap\ (ap\ (c\_2Eoption\_2EOPTION\_MAP \\ & A_{.27a}\ A_{.27b})\ V0f)\ (ap\ (c\_2Eoption\_2ESOME\ A_{.27a})\ V1x)) = (ap\ (c\_2Eoption\_2ESOME \\ & A_{.27b})\ (ap\ V0f\ V1x)))))) \wedge (\forall V2f \in (A_{.27b}^{A_{.27a}}).((ap\ (ap\ (c\_2Eoption\_2EOPTION\_MAP \\ & A_{.27a}\ A_{.27b})\ V2f)\ (c\_2Eoption\_2ENONE\ A_{.27a})) = (c\_2Eoption\_2ENONE \\ & A_{.27b})))))) \end{aligned} \quad (97)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.((ap\ (c\_2Eoption\_2ETHE \\ & A_{.27a})\ (ap\ (c\_2Eoption\_2ESOME\ A_{.27a})\ V0x)) = V0x)) \end{aligned} \quad (98)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow (\forall V0P \in 2.(\forall V1x \in A_{.27a}. \\ & (\forall V2y \in A_{.27a}.(((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ (ty\_2Eoption\_2Eoption \\ & A_{.27a}))\ V0P)\ (ap\ (c\_2Eoption\_2ESOME\ A_{.27a})\ V1x))\ (c\_2Eoption\_2ENONE \\ & A_{.27a})) = (c\_2Eoption\_2ENONE\ A_{.27a})) \Leftrightarrow (\neg(p\ V0P))) \wedge (((ap\ (ap\ ( \\ & ap\ (c\_2Ebool\_2ECOND\ (ty\_2Eoption\_2Eoption\ A_{.27a}))\ V0P)\ (c\_2Eoption\_2ENONE \\ & A_{.27a}))\ (ap\ (c\_2Eoption\_2ESOME\ A_{.27a})\ V1x)) = (c\_2Eoption\_2ENONE \\ & A_{.27a})) \Leftrightarrow (p\ V0P))) \wedge (((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ (ty\_2Eoption\_2Eoption \\ & A_{.27a}))\ V0P)\ (ap\ (c\_2Eoption\_2ESOME\ A_{.27a})\ V1x))\ (c\_2Eoption\_2ENONE \\ & A_{.27a})) = (ap\ (c\_2Eoption\_2ESOME\ A_{.27a})\ V2y)) \Leftrightarrow ((p\ V0P) \wedge (V1x = V2y))) \wedge \\ & (((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ (ty\_2Eoption\_2Eoption\ A_{.27a})) \\ & V0P)\ (c\_2Eoption\_2ENONE\ A_{.27a}))\ (ap\ (c\_2Eoption\_2ESOME\ A_{.27a}) \\ & V1x)) = (ap\ (c\_2Eoption\_2ESOME\ A_{.27a})\ V2y)) \Leftrightarrow ((\neg(p\ V0P)) \wedge (V1x = \\ & V2y)))))))))) \end{aligned} \quad (99)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow ( \\ & \forall V0x \in A_{.27a}.(\forall V1y \in A_{.27b}.(\forall V2a \in A_{.27a}.(\forall V3b \in \\ & A_{.27b}.(((ap\ (ap\ (c\_2Epair\_2E\_2C\ A_{.27a}\ A_{.27b})\ V0x)\ V1y) = (ap\ (ap \\ & (c\_2Epair\_2E\_2C\ A_{.27a}\ A_{.27b})\ V2a)\ V3b)) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \end{aligned} \quad (100)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow \forall A_{.27b}.nonempty\ A_{.27b} \Rightarrow ( \\ & \forall V0x \in (ty\_2Epair\_2Eprod\ A_{.27a}\ A_{.27b}).(\exists V1q \in A_{.27a}. \\ & (\exists V2r \in A_{.27b}.(V0x = (ap\ (ap\ (c\_2Epair\_2E\_2C\ A_{.27a}\ A_{.27b}) \\ & V1q)\ V2r)))))) \end{aligned} \quad (101)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& \quad nonempty\ A.27c \Rightarrow (\forall V0f \in ((A.27c^{A.27b})^{A.27a}). (\forall V1x \in \\
& \quad A.27a. (\forall V2y \in A.27b. ((ap\ (ap\ (c.2Epair\_2EUNCURRY\ A.27a \\
& \quad A.27b\ A.27c)\ V0f)\ (ap\ (ap\ (c.2Epair\_2E\_2C\ A.27a\ A.27b)\ V1x)\ V2y))) = \\
& \quad (ap\ (ap\ V0f\ V1x)\ V2y))))))
\end{aligned} \tag{102}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& \quad nonempty\ A.27c \Rightarrow (\forall V0x \in A.27b. (\forall V1y \in A.27c. (\forall V2f \in \\
& \quad ((A.27a^{A.27c})^{A.27b}). ((ap\ (ap\ (c.2Epair\_2Epair\_CASE\ A.27a\ A.27b \\
& \quad A.27c)\ (ap\ (ap\ (c.2Epair\_2E\_2C\ A.27b\ A.27c)\ V0x)\ V1y))\ V2f) = (ap \\
& \quad (ap\ V2f\ V0x)\ V1y))))))
\end{aligned} \tag{103}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& (\forall V0x \in A.27a. ((ap\ (c.2Epath\_2Efirst\ A.27a\ A.27b)\ (ap\ (c.2Epath\_2Estopped\_at \\
& \quad A.27a\ A.27b)\ V0x)) = V0x)) \wedge (\forall V1x \in A.27a. (\forall V2r \in A.27b. \\
& \quad (\forall V3p \in (ty\_2Epath\_2Epath\ A.27a\ A.27b). ((ap\ (c.2Epath\_2Efirst \\
& \quad A.27a\ A.27b)\ (ap\ (ap\ (ap\ (c.2Epath\_2Epcns\ A.27a\ A.27b)\ V1x)\ V2r) \\
& \quad V3p)) = V1x))))))
\end{aligned} \tag{104}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& \quad nonempty\ A.27c \Rightarrow (\forall V0proj \in (A.27b^{A.27a}). (\forall V1f \in ( \\
& \quad (ty\_2Eoption\_2Eoption\ (ty\_2Epair\_2Eprod\ A.27a\ A.27c))^{A.27a}). \\
& \quad (\forall V2s \in A.27a. ((ap\ (ap\ (ap\ (c.2Epath\_2Eunfold\ A.27b\ A.27c \\
& \quad A.27a)\ V0proj)\ V1f)\ V2s) = (ap\ (ap\ (ap\ (c.2Eoption\_2Eoption\_CASE \\
& \quad (ty\_2Epair\_2Eprod\ A.27a\ A.27c)\ (ty\_2Epath\_2Epath\ A.27b\ A.27c)) \\
& \quad (ap\ V1f\ V2s))\ (ap\ (c.2Epath\_2Estopped\_at\ A.27b\ A.27c)\ (ap\ V0proj \\
& \quad V2s)))\ (\lambda V3v \in (ty\_2Epair\_2Eprod\ A.27a\ A.27c). (ap\ (ap\ (c.2Epair\_2Epair\_CASE \\
& \quad (ty\_2Epath\_2Epath\ A.27b\ A.27c)\ A.27a\ A.27c)\ V3v)\ (\lambda V4s.27 \in \\
& \quad A.27a. (\lambda V5l \in A.27c. (ap\ (ap\ (ap\ (c.2Epath\_2Epcns\ A.27b\ A.27c) \\
& \quad (ap\ V0proj\ V2s))\ V5l)\ (ap\ (ap\ (ap\ (c.2Epath\_2Eunfold\ A.27b\ A.27c \\
& \quad A.27a)\ V0proj)\ V1f)\ V4s.27))))))))))
\end{aligned} \tag{105}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& \quad nonempty\ A.27c \Rightarrow (\forall V0proj \in (A.27b^{A.27a}). (\forall V1f \in ( \\
& \quad (ty\_2Eoption\_2Eoption\ (ty\_2Epair\_2Eprod\ A.27a\ A.27c))^{A.27a}). \\
& \quad (\forall V2s \in A.27a. ((ap\ (c.2Epath\_2Elabels\ A.27b\ A.27c)\ (ap\ ( \\
& \quad ap\ (ap\ (c.2Epath\_2Eunfold\ A.27b\ A.27c\ A.27a)\ V0proj)\ V1f)\ V2s)) = \\
& \quad (ap\ (ap\ (c.2Ellist\_2ELUNFOLD\ A.27c\ A.27a)\ V1f)\ V2s))))))
\end{aligned} \tag{106}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\
& nonempty\ A\_27c \Rightarrow (\forall V0P \in (2^{A\_27a}). (\forall V1m \in (((2^{A\_27b})^{A\_27c})^{A\_27b}). \\
& (\forall V2proj \in (A\_27b^{A\_27a}). (\forall V3f \in ((ty\_2Eoption\_2Eoption \\
& (ty\_2Epair\_2Eprod\ A\_27a\ A\_27c))^{A\_27a}). (\forall V4s \in A\_27a. ( \\
& ((p\ (ap\ V0P\ V4s)) \wedge ((\forall V5s \in A\_27a. (\forall V6s\_27 \in A\_27a. \\
& (\forall V7l \in A\_27c. (((p\ (ap\ V0P\ V5s)) \wedge ((ap\ V3f\ V5s) = (ap\ (c\_2Eoption\_2ESOME \\
& (ty\_2Epair\_2Eprod\ A\_27a\ A\_27c))\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a \\
& A\_27c)\ V6s\_27)\ V7l)))))) \Rightarrow (p\ (ap\ V0P\ V6s\_27)))))) \wedge (\forall V8s \in A\_27a. \\
& (\forall V9s\_27 \in A\_27a. (\forall V10l \in A\_27c. (((p\ (ap\ V0P\ V8s)) \wedge \\
& ((ap\ V3f\ V8s) = (ap\ (c\_2Eoption\_2ESOME\ (ty\_2Epair\_2Eprod\ A\_27a \\
& A\_27c))\ (ap\ (ap\ (c\_2Epair\_2E\_2C\ A\_27a\ A\_27c)\ V9s\_27)\ V10l)))))) \Rightarrow \\
& (p\ (ap\ (ap\ (ap\ V1m\ (ap\ V2proj\ V8s))\ V10l)\ (ap\ V2proj\ V9s\_27)))))) \Rightarrow \\
& (p\ (ap\ (ap\ (c\_2Epath\_2Eokpath\ A\_27b\ A\_27c)\ V1m)\ (ap\ (ap\ (ap\ (c\_2Epath\_2Eunfold \\
& A\_27b\ A\_27c\ A\_27a)\ V2proj)\ V3f)\ V4s)))))))))
\end{aligned} \tag{107}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{108}$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{109}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))))
\end{aligned} \tag{110}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))))
\end{aligned} \tag{111}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \tag{112}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ( \\
& (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee ((\neg \\
& p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee ((\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\
& ((\neg(p\ V1q)) \vee (\neg(p\ V0p))))))))))
\end{aligned} \tag{113}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ( \\
& (p\ V1q) \wedge (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((\neg(p\ V1q)) \vee (\neg(p\ V2r)))) \wedge (((p\ V1q) \vee \\
& (\neg(p\ V0p))) \wedge ((p\ V2r) \vee (\neg(p\ V0p))))))))))
\end{aligned} \tag{114}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \vee (p V2r))) \Leftrightarrow (((p V0p) \vee \neg(p V1q)) \wedge (((p V0p) \vee \neg(p V2r))) \wedge \\
& ((p V1q) \vee ((p V2r) \vee \neg(p V0p)))))))))) \\
& \tag{115}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow ( \\
& (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee \neg(p V2r))) \wedge (( \\
& \neg(p V1q) \vee ((p V2r) \vee \neg(p V0p)))))))))) \\
& \tag{116}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow \neg(p V1q)) \Leftrightarrow (((p V0p) \vee \\
& (p V1q)) \wedge (\neg(p V1q) \vee \neg(p V0p)))))) \\
& \tag{117}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \\
& \tag{118}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow \neg(p V1q))) \\
& \tag{119}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \vee (p V1q))) \Rightarrow \neg(p V0p))) \\
& \tag{120}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \vee (p V1q))) \Rightarrow \neg(p V1q))) \\
& \tag{121}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\neg(\neg(p V0p))) \Rightarrow (p V0p)) \\
& \tag{122}
\end{aligned}$$

**Theorem 1**

$$\begin{aligned}
& \forall A\_27a. nonempty A\_27a \Rightarrow (\forall V0P \in (2^{(ty\_2Elist\_2Elist A\_27a)}). \\
& (\forall V1tr \in (ty\_2Elist\_2Elist A\_27a). ((\forall V2n \in ty\_2Enum\_2Enum. \\
& (\forall V3l \in (ty\_2Elist\_2Elist A\_27a). (((ap (ap (c\_2Elist\_2ELTAKE \\
& A\_27a) V2n) V1tr) = (ap (c\_2Eoption\_2ESOME (ty\_2Elist\_2Elist A\_27a) \\
& V3l)) \Rightarrow (p (ap V0P V3l)))))) \Rightarrow (\exists V4p \in (ty\_2Epath\_2Epath (ty\_2Elist\_2Elist \\
& A\_27a) A\_27a). (V1tr = (ap (c\_2Epath\_2Elabels (ty\_2Elist\_2Elist \\
& A\_27a) A\_27a) V4p)) \wedge ((p (ap (ap (c\_2Epath\_2Eokpath (ty\_2Elist\_2Elist \\
& A\_27a) A\_27a) (ap (c\_2Epath\_2Etrace\_machine A\_27a) V0P)) V4p)) \wedge \\
& ((ap (c\_2Epath\_2Efirst (ty\_2Elist\_2Elist A\_27a) A\_27a) V4p) = \\
& (c\_2Elist\_2ENIL A\_27a)))))))))
\end{aligned}$$