

thm_2Epath_2Eunfold__thm (TM- SomHKy8g5T5ybnCSL2Uj86uZQ8YiuyPyY)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj_o } (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2E_2T` to be $(\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^2))) (\lambda V0x \in 2. V0x)) (\lambda V1x \in 2. V1x)$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D } (2^{A_27a}))))$

Definition 4 We define `c_2Ebool_2E_2F` to be $(\text{ap } (\text{c_2Ebool_2E_21 } 2)) (\lambda V0t \in 2. V0t)$.

Definition 5 We define `c_2Ebool_2EBOUNDED` to be $(\lambda V0v \in 2. \text{c_2Ebool_2E_2T})$.

Definition 6 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2. \lambda Q \in 2. \text{inj_o } (p \Rightarrow q)$ of type ι .

Definition 7 We define `c_2Ebool_2E_5C_2E_2F` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (\text{c_2Ebool_2E_21 } 2)) (\lambda V2t \in 2. V2t)))$

Let `ty_2Eoption_2Eoption` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. \text{nonempty } A0 \Rightarrow \text{nonempty } (\text{ty_2Eoption_2Eoption } A0) \quad (1)$$

Let `c_2Eoption_2Eoption_CASE` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. \text{nonempty } A_27a \Rightarrow \forall A_27b. \text{nonempty } A_27b \Rightarrow \text{c_2Eoption_2Eoption_CASE } A_27a \ A_27b \in (((A_27b^{(A_27b^{A_27a})})^{A_27b}) (\text{ty_2Eoption_2Eoption } A_27a)) \quad (2)$$

Let `ty_2Eone_2Eone` : ι be given. Assume the following.

$$\text{nonempty } \text{ty_2Eone_2Eone} \quad (3)$$

Definition 8 We define `c_2Emin_2E_40` to be $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p (\text{ap } P \ x)) \text{ then } (\text{the } (\lambda x. x \in A \wedge p \ x))$ of type $\iota \Rightarrow \iota$.

Definition 9 We define `c_2Eone_2Eone` to be $(\text{ap } (\text{c_2Emin_2E_40 } \text{ty_2Eone_2Eone})) (\lambda V0x \in \text{ty_2Eone_2Eone})$

Definition 10 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2. (\text{ap } (\text{ap } (\text{c_2Emin_2E_3D_3D_3E } V0t)) \text{c_2Ebool_2E_2F}))$

Definition 11 We define $c_Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_Ebool_2E_21 2) (\lambda V2t \in$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Esum_2Esum A0 A1) \quad (4)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Esum_2EABS_sum A_27a A_27b \in ((ty_2Esum_2Esum A_27a A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (5)$$

Definition 12 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap (c_2Esum_2EABS$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Eoption_2Eoption_ABS A_27a \in ((ty_2Eoption_2Eoption A_27a)^{(ty_2Esum_2Esum A_27a ty_2Eone_2Eone)}) \quad (6)$$

Definition 13 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota.(ap (c_2Eoption_2Eoption_ABS A_27a) ($

Definition 14 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap (c_2Esum_2EABS$

Definition 15 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.(ap (c_2Eoption_2Eoption_ABS$

Definition 16 We define $c_Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (7)$$

Let $c_2Epair_2ESND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2ESND A_27a A_27b \in (A_27b^{(ty_2Epair_2Eprod A_27a A_27b)}) \quad (8)$$

Let $c_2Epair_2EFST : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EFST A_27a A_27b \in (A_27a^{(ty_2Epair_2Eprod A_27a A_27b)}) \quad (9)$$

Definition 17 We define $c_2Epair_2Epair_CASE$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0p \in (ty_2Epair_2Eprod$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty ty_2Enum_2Enum \quad (10)$$

Let $ty_2Ellist_2Ellist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Ellist_2Ellist\ A0) \quad (11)$$

Let $c_2Ellist_2Ellist_abs : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ellist_2Ellist_abs\ A_27a \in ((ty_2Ellist_2Ellist\ A_27a)^{(ty_2Eoption_2Eoption\ A_27a)^{ty_2Enum_2Enum}}) \quad (12)$$

Definition 18 We define $c_2Ellist_2ELNIL$ to be $\lambda A_27a : \iota.(ap\ (c_2Ellist_2Ellist_abs\ A_27a)\ (\lambda V0n \in ty_2Enum))$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (13)$$

Definition 19 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap\ (c_2Epair_2EABS_prod\ A_27a\ A_27b)\ (V0x\ V1y))$

Let $ty_2Epath_2Epath : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epath_2Epath\ A0\ A1) \quad (14)$$

Let $c_2Epath_2EtoPath : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epath_2EtoPath\ A_27a\ A_27b \in ((ty_2Epath_2Epath\ A_27a\ A_27b)^{(ty_2Epair_2Eprod\ A_27a\ A_27b)\ (ty_2Ellist_2Ellist\ (ty_2Epair_2Eprod\ A_27a\ A_27b))}) \quad (15)$$

Definition 20 We define $c_2Epath_2Estopped_at$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.(ap\ (c_2Epath_2EtoPath\ A_27a\ A_27b)\ (V0x\ A_27b))$

Let $c_2Epath_2EfromPath : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epath_2EfromPath\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)\ (ty_2Ellist_2Ellist\ (ty_2Epair_2Eprod\ A_27a\ A_27b)))^{(ty_2Epath_2Epath\ A_27a\ A_27b)} \quad (16)$$

Definition 21 We define $c_2Epath_2Efirst$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0p \in (ty_2Epath_2Epath\ A_27a\ A_27b)$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (17)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (18)$$

Definition 22 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 23 We define $c_2\text{Earithmetic_2EZERO}$ to be $c_2\text{Enum_2E0}$.

Let $c_2\text{Enum_2EREP_num} : \iota$ be given. Assume the following.

$$c_2\text{Enum_2EREP_num} \in (\text{omega}^{ty_2\text{Enum_2Enum}}) \quad (19)$$

Let $c_2\text{Enum_2ESUC_REP} : \iota$ be given. Assume the following.

$$c_2\text{Enum_2ESUC_REP} \in (\text{omega}^{\text{omega}}) \quad (20)$$

Definition 24 We define $c_2\text{Enum_2ESUC}$ to be $\lambda V0m \in ty_2\text{Enum_2Enum}.$ (ap $c_2\text{Enum_2EABS_num}$

Let $c_2\text{Earithmetic_2E_2B} : \iota$ be given. Assume the following.

$$c_2\text{Earithmetic_2E_2B} \in ((ty_2\text{Enum_2Enum}^{ty_2\text{Enum_2Enum}})^{ty_2\text{Enum_2Enum}}) \quad (21)$$

Definition 25 We define $c_2\text{Earithmetic_2EBIT1}$ to be $\lambda V0n \in ty_2\text{Enum_2Enum}.$ (ap (ap $c_2\text{Earithmetic}$

Definition 26 We define $c_2\text{Earithmetic_2ENUMERAL}$ to be $\lambda V0x \in ty_2\text{Enum_2Enum}.V0x$.

Let $c_2\text{Earithmetic_2E_2D} : \iota$ be given. Assume the following.

$$c_2\text{Earithmetic_2E_2D} \in ((ty_2\text{Enum_2Enum}^{ty_2\text{Enum_2Enum}})^{ty_2\text{Enum_2Enum}}) \quad (22)$$

Let $c_2\text{Ellist_2Ellist_rep} : \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow c_2\text{Ellist_2Ellist_rep } A_27a \in \\ & (((ty_2\text{Eoption_2Eoption } A_27a)^{ty_2\text{Enum_2Enum}})^{(ty_2\text{Ellist_2Ellist } A_27a)}) \end{aligned} \quad (23)$$

Definition 27 We define $c_2\text{Ebool_2ECOND}$ to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.$

Definition 28 We define $c_2\text{Ellist_2ELCONS}$ to be $\lambda A_27a : \iota.\lambda V0h \in A_27a.\lambda V1t \in (ty_2\text{Ellist_2Ellist } A_27a.$

Definition 29 We define $c_2\text{Epath_2Epcons}$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1r \in A_27b.\lambda V2p$

Definition 30 We define $c_2\text{Epair_2EUNCURRY}$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in ((A_27c^{A_27a}$

Let $c_2\text{Eoption_2EOPTION_MAP} : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow \forall A_27b.\text{nonempty } A_27b \Rightarrow c_2\text{Eoption_2EOPTION_MAP} \\ & A_27a A_27b \in (((ty_2\text{Eoption_2Eoption } A_27b)^{(ty_2\text{Eoption_2Eoption } A_27a)})^{(A_27b^{A_27a})}) \end{aligned} \quad (24)$$

Definition 31 We define $c_2\text{Ecombin_2EK}$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x)$

Definition 32 We define $c_2\text{Ecombin_2Eo}$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0f \in (A_27b^{A_27c}).\lambda V1g$

Let $c_2Eoption_2EOPTION_BIND : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Eoption_2EOPTION_BIND \\ & A_27a\ A_27b \in (((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Eoption_2Eoption\ A_27a)^{A_27b}})^{(ty_2Eoption_2Eoption\ A_27b)}) \end{aligned} \quad (25)$$

Let $c_2Earithmetic_2EFUNPOW : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Earithmetic_2EFUNPOW\ A_27a \in (((A_27a)^{A_27a})^{ty_2Enum_2Enum})^{(A_27a)^{A_27a}} \quad (26)$$

Definition 33 We define $c_2Ellist_2ELUNFOLD$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in ((ty_2Eoption_2Eoption$

Definition 34 We define $c_2Epath_2Eunfold$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V0proj \in (A_27a)^{A_27c}$

Assume the following.

$$True \quad (27)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (28)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (29)$$

Assume the following.

$$(\forall V0v \in 2.((p\ (ap\ c_2Ebool_2EBOUNDED\ V0v)) \Leftrightarrow True)) \quad (30)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0h1 \in A_27a.(\forall V1t1 \in \\ & (ty_2Ellist_2Ellist\ A_27a).(\forall V2h2 \in A_27a.(\forall V3t2 \in \\ & (ty_2Ellist_2Ellist\ A_27a).(((ap\ (ap\ (c_2Ellist_2ELCONS\ A_27a) \\ & V0h1)\ V1t1) = (ap\ (ap\ (c_2Ellist_2ELCONS\ A_27a)\ V2h2)\ V3t2)) \Leftrightarrow ((\\ & V0h1 = V2h2) \wedge (V1t1 = V3t2)))))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \forall V0f \in ((ty_2Eoption_2Eoption\ (ty_2Epair_2Eprod\ A_27a \\ & A_27b))^{A_27a}).(\forall V1x \in A_27a.((ap\ (ap\ (c_2Ellist_2ELUNFOLD \\ & A_27b\ A_27a)\ V0f)\ V1x) = (ap\ (ap\ (ap\ (c_2Eoption_2Eoption_CASE \\ & (ty_2Epair_2Eprod\ A_27a\ A_27b)\ (ty_2Ellist_2Ellist\ A_27b))\ (\\ & ap\ V0f\ V1x))\ (c_2Ellist_2ELNIL\ A_27b))\ (\lambda V2v \in (ty_2Epair_2Eprod \\ & A_27a\ A_27b).(ap\ (ap\ (c_2Epair_2Epair_CASE\ (ty_2Ellist_2Ellist \\ & A_27b)\ A_27a\ A_27b)\ V2v)\ (\lambda V3v1 \in A_27a.(\lambda V4v2 \in A_27b.(ap \\ & (ap\ (c_2Ellist_2ELCONS\ A_27b)\ V4v2)\ (ap\ (ap\ (c_2Ellist_2ELUNFOLD \\ & A_27b\ A_27a)\ V0f)\ V3v1)))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0opt \in (ty_2Eoption_2Eoption \\ A_27a).((V0opt = (c_2Eoption_2ENONE\ A_27a)) \vee (\exists V1x \in A_27a. \\ (V0opt = (ap\ (c_2Eoption_2ESOME\ A_27a)\ V1x)))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ (\forall V0v \in A_27b.(\forall V1f \in (A_27b^{A_27a}).((ap\ (ap\ (ap\ (c_2Eoption_2Eoption_CASE \\ A_27a\ A_27b)\ (c_2Eoption_2ENONE\ A_27a))\ V0v)\ V1f) = V0v))) \wedge (\forall V2x \in \\ A_27a.(\forall V3v \in A_27b.(\forall V4f \in (A_27b^{A_27a}).((ap\ (ap \\ (ap\ (c_2Eoption_2Eoption_CASE\ A_27a\ A_27b)\ (ap\ (c_2Eoption_2ESOME \\ A_27a)\ V2x))\ V3v)\ V4f) = (ap\ V4f\ V2x))))))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ (\forall V0f \in (A_27b^{A_27a}).(\forall V1x \in A_27a.((ap\ (ap\ (c_2Eoption_2EOPTION_MAP \\ A_27a\ A_27b)\ V0f)\ (ap\ (c_2Eoption_2ESOME\ A_27a)\ V1x)) = (ap\ (c_2Eoption_2ESOME \\ A_27b)\ (ap\ V0f\ V1x)))))) \wedge (\forall V2f \in (A_27b^{A_27a}).((ap\ (ap\ (c_2Eoption_2EOPTION_MAP \\ A_27a\ A_27b)\ V2f)\ (c_2Eoption_2ENONE\ A_27a)) = (c_2Eoption_2ENONE \\ A_27b)))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ \forall V0x \in A_27a.(\forall V1y \in A_27b.(\forall V2a \in A_27a.(\forall V3b \in \\ A_27b.(((ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y) = (ap\ (ap \\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V2a)\ V3b))) \Leftrightarrow ((V0x = V2a) \wedge (V1y = V3b)))))) \end{aligned} \quad (36)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ \forall V0x \in (ty_2Epair_2Eprod\ A_27a\ A_27b).(\exists V1q \in A_27a. \\ (\exists V2r \in A_27b.(V0x = (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b) \\ V1q)\ V2r)))))) \end{aligned} \quad (37)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ \forall V0x \in A_27a.(\forall V1y \in A_27b.((ap\ (c_2Epair_2EFST\ A_27a \\ A_27b)\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y)) = V0x))) \end{aligned} \quad (38)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ \forall V0x \in A_27a.(\forall V1y \in A_27b.((ap\ (c_2Epair_2ESND\ A_27a \\ A_27b)\ (ap\ (ap\ (c_2Epair_2E_2C\ A_27a\ A_27b)\ V0x)\ V1y)) = V1y))) \end{aligned} \quad (39)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& \quad nonempty\ A.27c \Rightarrow (\forall V0f \in ((A.27c^{A.27b})^{A.27a}). (\forall V1x \in \\
& \quad A.27a. (\forall V2y \in A.27b. ((ap\ (ap\ (c.2Epair_2EUNCURRY\ A.27a \\
& \quad A.27b\ A.27c)\ V0f)\ (ap\ (ap\ (c.2Epair_2E_2C\ A.27a\ A.27b)\ V1x)\ V2y))) = \\
& \quad (ap\ (ap\ V0f\ V1x)\ V2y))))))
\end{aligned} \tag{40}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& \quad nonempty\ A.27c \Rightarrow (\forall V0x \in A.27b. (\forall V1y \in A.27c. (\forall V2f \in \\
& \quad ((A.27a^{A.27c})^{A.27b}). ((ap\ (ap\ (c.2Epair_2Epair_CASE\ A.27a\ A.27b \\
& \quad A.27c)\ (ap\ (ap\ (c.2Epair_2E_2C\ A.27b\ A.27c)\ V0x)\ V1y))\ V2f) = (ap \\
& \quad (ap\ V2f\ V0x)\ V1y))))))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad (\forall V0a \in (ty_2Epath_2Epath\ A.27a\ A.27b). ((ap\ (c.2Epath_2EtoPath \\
& \quad A.27a\ A.27b)\ (ap\ (c.2Epath_2EfromPath\ A.27a\ A.27b)\ V0a)) = V0a)) \wedge \\
& \quad (\forall V1r \in (ty_2Epair_2Eprod\ A.27a\ (ty_2Ellist_2Ellist\ (ty_2Epair_2Eprod \\
& \quad A.27b\ A.27a))). ((ap\ (c.2Epath_2EfromPath\ A.27a\ A.27b)\ (ap\ (c.2Epath_2EtoPath \\
& \quad A.27a\ A.27b)\ V1r)) = V1r)))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad \forall V0r \in (ty_2Epair_2Eprod\ A.27a\ (ty_2Ellist_2Ellist\ (ty_2Epair_2Eprod \\
& \quad A.27b\ A.27a))). (\forall V1r.27 \in (ty_2Epair_2Eprod\ A.27a\ (ty_2Ellist_2Ellist \\
& \quad (ty_2Epair_2Eprod\ A.27b\ A.27a))). (((ap\ (c.2Epath_2EtoPath\ A.27a \\
& \quad A.27b)\ V0r) = (ap\ (c.2Epath_2EtoPath\ A.27a\ A.27b)\ V1r.27)) \Leftrightarrow (V0r = \\
& \quad V1r.27)))
\end{aligned} \tag{43}$$

Theorem 1

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& \quad nonempty\ A.27c \Rightarrow (\forall V0proj \in (A.27b^{A.27a}). (\forall V1f \in (\\
& \quad (ty_2Eoption_2Eoption\ (ty_2Epair_2Eprod\ A.27a\ A.27c))^{A.27a}). \\
& \quad (\forall V2s \in A.27a. ((ap\ (ap\ (ap\ (c.2Epath_2Eunfold\ A.27b\ A.27c \\
& \quad A.27a)\ V0proj)\ V1f)\ V2s) = (ap\ (ap\ (ap\ (c.2Eoption_2Eoption_CASE \\
& \quad (ty_2Epair_2Eprod\ A.27a\ A.27c)\ (ty_2Epath_2Epath\ A.27b\ A.27c)) \\
& \quad (ap\ V1f\ V2s))\ (ap\ (c.2Epath_2Estopped_at\ A.27b\ A.27c)\ (ap\ V0proj \\
& \quad V2s))) (\lambda V3v \in (ty_2Epair_2Eprod\ A.27a\ A.27c). (ap\ (ap\ (c.2Epair_2Epair_CASE \\
& \quad (ty_2Epath_2Epath\ A.27b\ A.27c)\ A.27a\ A.27c)\ V3v) (\lambda V4s.27 \in \\
& \quad A.27a. (\lambda V5l \in A.27c. (ap\ (ap\ (ap\ (c.2Epath_2Epcons\ A.27b\ A.27c) \\
& \quad (ap\ V0proj\ V2s))\ V5l)\ (ap\ (ap\ (ap\ (c.2Epath_2Eunfold\ A.27b\ A.27c \\
& \quad A.27a)\ V0proj)\ V1f)\ V4s.27))))))))))
\end{aligned}$$