

thm_2Epatricia_2EADD_INSERT (TMZBqTXn2vJxFUIdgSD4BTRZj3UbsmJ5jkv)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_ET$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \tag{1}$$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ then $(the (\lambda x.x \in A \wedge p))$ of type $\iota \Rightarrow \iota$.

Definition 4 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone))$

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \tag{2}$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \tag{3}$$

Definition 8 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2E$

Let $ty_2Epatricia_2Eptree : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Epatricia_2Eptree\ A0) \quad (4)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (5)$$

Let $c_2Epatricia_2EADD : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Epatricia_2EADD\ A_27a \in (((ty_2Epatricia_2Eptree\ A_27a)\ (ty_2Epair_2Eprod\ ty_2Enum_2Enum\ A_27a))\ (ty_2Epatricia_2Eptree\ A_27a)) \quad (6)$$

Definition 9 We define $c_2Epatricia_2EINSERT_PTREE$ to be $\lambda V0n \in ty_2Enum_2Enum.\lambda V1t \in (ty_2Eptree$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (7)$$

Assume the following.

$$(\forall V0v \in ty_2Eone_2Eone.(V0v = c_2Eone_2Eone)) \quad (8)$$

Theorem 1

$$(\forall V0v \in ty_2Eone_2Eone.(\forall V1t \in (ty_2Epatricia_2Eptree\ ty_2Eone_2Eone).(\forall V2n \in ty_2Enum_2Enum.((ap\ (ap\ (c_2Epatricia_2EADD\ ty_2Eone_2Eone)\ V1t)\ (ap\ (ap\ (c_2Epair_2E2C\ ty_2Enum_2Enum\ ty_2Eone_2Eone)\ V2n)\ V0v)) = (ap\ (ap\ c_2Epatricia_2EINSERT_PTREE\ V2n)\ V1t))))))$$