

thm\_2Epatricia\_2EIN\_\_PTREE\_\_OF\_\_NUMSET  
 (TMHiVUZWSJyVmNMD-  
 SLB5q5PRkXseHu8qnnu)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 4** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define  $c\_2Ebool\_2E\_27E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \tag{1}$$

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Eoption\_2Eoption\ A0) \tag{2}$$

Let  $ty\_2Eenum\_2Eenum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eenum\_2Eenum \tag{3}$$

Let  $ty\_2Epatricia\_2Eptree : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Epatricia\_2Eptree\ A0) \tag{4}$$

Let  $c\_2Epatricia\_2EPEEK : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Epatricia\_2EPEEK\ A\_27a \in (((ty\_2Eoption\_2Eoption\ A\_27a)^{ty\_2Eenum\_2Eenum})(ty\_2Epatricia\_2Eptree\ A\_27a)) \tag{5}$$

Let  $c\_2Eoption\_2EIS\_SOME : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2EIS\_SOME\ A\_27a \in (2^{(ty\_2Eoption\_2Eoption\ A\_27a)}) \tag{6}$$

**Definition 7** We define  $c\_2Epatricia\_2EIN\_PTREE$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.\lambda V1t \in (ty\_2Epatricia\_2EIN\_PTREE)$ .  
Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Elist\_2Elist\ A0) \quad (7)$$

Let  $c\_2Ebool\_2EARB : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ebool\_2EARB\ A\_27a \in A\_27a \quad (8)$$

Let  $c\_2Epred\_set\_2ECHOICE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Epred\_set\_2ECHOICE\ A\_27a \in (A\_27a)^{(2^{A\_27a})} \quad (9)$$

**Definition 8** We define  $c\_2Epred\_set\_2EEMPTY$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.c\_2Ebool\_2EF)$ .

**Definition 9** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(\text{ap } V1f\ V0x)))$

**Definition 10** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(\text{ap } (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2))))$

**Definition 11** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(\text{ap } (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2))))$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (10)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b))^{((2^{A\_27b})^{A\_27a})} \quad (11)$$

**Definition 12** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(\text{ap } (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2z \in 2)))$

Let  $c\_2Epred\_set\_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epred\_set\_2EGSPEC\ A\_27a\ A\_27b \in ((2^{A\_27a})^{((ty\_2Epair\_2Eprod\ A\_27a\ 2)^{A\_27b})}) \quad (12)$$

**Definition 13** We define  $c\_2Epred\_set\_2EINSERT$  to be  $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.\lambda V1s \in (2^{A\_27a}).(\text{ap } (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2)))$

**Definition 14** We define  $c\_2Epred\_set\_2EDIFF$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(\text{ap } (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2u \in 2)))$

**Definition 15** We define  $c\_2Epred\_set\_2EDELETE$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1x \in A\_27a.(\text{ap } (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in 2)))$

**Definition 16** We define  $c\_2Epred\_set\_2EREST$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).(\text{ap } (\text{ap } (c\_2Epred\_set\_2EDELETE)\ (\lambda V1t \in 2))))$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ECONS\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27a}) \quad (13)$$

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ENIL\ A\_27a \in (ty\_2Elist\_2Elist\ A\_27a) \quad (14)$$

**Definition 17** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A$ .if  $(\exists x \in A.p (ap\ P\ x))$  then (the  $(\lambda x.x \in A \wedge$  of type  $\iota \Rightarrow \iota$ ).

**Definition 18** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.$

**Definition 19** We define  $c\_2Epred\_set\_2EFINITE$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).(ap\ (c\_2Ebool\_2E\_21\ (2$

**Definition 20** We define  $c\_2Ecombin\_2EK$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0x \in A\_27a.(\lambda V1y \in A\_27b.V0x)$

**Definition 21** We define  $c\_2Ecombin\_2ES$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.(\lambda V0f \in ((A\_27c^{A\_27b})^{A\_27a})$

**Definition 22** We define  $c\_2Ecombin\_2EI$  to be  $\lambda A\_27a : \iota.(ap\ (ap\ (c\_2Ecombin\_2ES\ A\_27a\ (A\_27a^{A\_27a})\ A$

**Definition 23** We define  $c\_2Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (c\_2Emin\_2E\_40$

**Definition 24** We define  $c\_2Erelation\_2EWF$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).(ap\ (c\_2Ebool\_2E\_21$

**Definition 25** We define  $c\_2Erelation\_2ERESTRICT$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0f \in (A\_27b^{A\_27a}).\lambda V1$

**Definition 26** We define  $c\_2Erelation\_2ETC$  to be  $\lambda A\_27a : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).\lambda V1a \in A\_27a.\lambda V2b$

**Definition 27** We define  $c\_2Erelation\_2Eapprox$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).\lambda V1M$

**Definition 28** We define  $c\_2Erelation\_2Ethe\_fun$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).\lambda V1M$

**Definition 29** We define  $c\_2Erelation\_2EWFREC$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0R \in ((2^{A\_27a})^{A\_27a}).\lambda V1M$

**Definition 30** We define  $c\_2Elist\_2ESET\_TO\_LIST$  to be  $\lambda A\_27a : \iota.(ap\ (ap\ (c\_2Erelation\_2EWFREC\ (2^{A\_27a})$

**Definition 31** We define  $c\_2Eone\_2Eone$  to be  $(ap\ (c\_2Emin\_2E\_40\ ty\_2Eone\_2Eone)\ (\lambda V0x \in ty\_2Eone\_2Eone$

Let  $c\_2Epatricia\_2EADD : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Epatricia\_2EADD\ A\_27a \in (((ty\_2Epatricia\_2Eptree\ A\_27a)^{(ty\_2Epair\_2Eprod\ ty\_2Eenum\_2Eenum\ A\_27a)})^{(ty\_2Epatricia\_2Eptree\ A\_27a)}) \quad (15)$$

**Definition 32** We define  $c\_2Epatricia\_2INSERT\_PTREE$  to be  $\lambda V0n \in ty\_2Enum\_2Enum.\lambda V1t \in (ty\_2E$

**Definition 33** We define  $c\_2Ecombin\_2EC$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.(\lambda V0f \in ((A\_27c^{A\_27b})^{A\_27a})^{A\_27b})$

Let  $c\_2Elist\_2EFOLDL : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Elist\_2EFOLDL\ A\_27a\ A\_27b \in (((A\_27b)^{ty\_2Elist\_2Elist\ A\_27a})^{A\_27b})^{((A\_27b)^{A\_27a})^{A\_27b}} \quad (16)$$

**Definition 34** We define  $c\_2Epatricia\_2EPTREE\_OF\_NUMSET$  to be  $\lambda V0t \in (ty\_2Epatricia\_2Eptree\ ty\_2E$

Let  $c\_2Epatricia\_2ETRAVERSE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Epatricia\_2ETRAVERSE\ A\_27a \in ((ty\_2Elist\_2Elist\ ty\_2Enum\_2Enum)^{ty\_2Epatricia\_2Eptree\ A\_27a}) \quad (17)$$

Let  $c\_2Elist\_2ELIST\_TO\_SET : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ELIST\_TO\_SET\ A\_27a \in (2^{A\_27a})^{(ty\_2Elist\_2Elist\ A\_27a)} \quad (18)$$

**Definition 35** We define  $c\_2Epatricia\_2ENUMSET\_OF\_PTREE$  to be  $\lambda V0t \in (ty\_2Epatricia\_2Eptree\ ty\_2E$

Let  $c\_2Epatricia\_2EIS\_PTREE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Epatricia\_2EIS\_PTREE\ A\_27a \in (2^{(ty\_2Epatricia\_2Eptree\ A\_27a)}) \quad (19)$$

**Definition 36** We define  $c\_2Epred\_set\_2EUNION$  to be  $\lambda A\_27a : \iota.\lambda V0s \in (2^{A\_27a}).\lambda V1t \in (2^{A\_27a}).(ap\ (c$

Let  $c\_2Elist\_2EFILTER : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EFILTER\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{ty\_2Elist\_2Elist\ A\_27a})^{2^{A\_27a}}) \quad (20)$$

**Definition 37** We define  $c\_2Esorting\_2EPERM$  to be  $\lambda A\_27a : \iota.\lambda V0L1 \in (ty\_2Elist\_2Elist\ A\_27a).\lambda V1L2$

Assume the following.

$$True \quad (21)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (23)$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow \neg(p V0t)) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow \neg( \\
& p V0t))))))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow \\
& ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in 2.(\forall V1x_{27} \in 2.(\forall V2y \in 2.(\forall V3y_{27} \in \\
& 2.(((p V0x) \Leftrightarrow (p V1x_{27})) \wedge ((p V1x_{27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{27})))) \Rightarrow \\
& ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{27}) \Rightarrow (p V3y_{27}))))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0s \in (2^{A_{27a}}).((p (ap \\
& (c_{2E}pred\_set\_2EFINITE A_{27a}) V0s)) \Rightarrow (\forall V1x \in A_{27a}.(( \\
& p (ap (ap (c_{2E}bool\_2EIN A_{27a}) V1x) V0s)) \Leftrightarrow (p (ap (ap (c_{2E}bool\_2EIN \\
& A_{27a}) V1x) (ap (c_{2E}list\_2ELIST\_TO\_SET A_{27a}) (ap (c_{2E}list\_2ESET\_TO\_LIST \\
& A_{27a}) V0s))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& \forall A_{27a}.nonempty A_{27a} \Rightarrow (\forall V0t \in (ty_{2E}patricia_{2E}ptree \\
& A_{27a}).(\forall V1k \in ty_{2E}enum_{2E}enum.((p (ap (c_{2E}patricia_{2E}eis\_ptree \\
& A_{27a}) V0t)) \Rightarrow ((p (ap (ap (c_{2E}bool\_2EIN ty_{2E}enum_{2E}enum) V1k) ( \\
& ap (c_{2E}list\_2ELIST\_TO\_SET ty_{2E}enum_{2E}enum) (ap (c_{2E}patricia_{2E}etaverse \\
& A_{27a}) V0t)))) \Leftrightarrow (p (ap (c_{2E}option_{2E}eis\_some A_{27a}) (ap (ap (c_{2E}patricia_{2E}peek \\
& A_{27a}) V0t) V1k))))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in (ty_{2E}patricia_{2E}ptree ty_{2E}eone_{2E}eone).(\forall V1s \in \\
& (2^{ty_{2E}enum_{2E}enum}).((p (ap (c_{2E}patricia_{2E}eis\_ptree ty_{2E}eone_{2E}eone) \\
& V0t)) \Rightarrow (p (ap (c_{2E}patricia_{2E}eis\_ptree ty_{2E}eone_{2E}eone) (ap ( \\
& ap c_{2E}patricia_{2E}eptree\_of\_numset V0t) V1s))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in (ty_{2E}patricia_{2E}ptree ty_{2E}eone_{2E}eone).(\forall V1k \in \\
& ty_{2E}enum_{2E}enum.((p (ap (c_{2E}patricia_{2E}eis\_ptree ty_{2E}eone_{2E}eone) \\
& V0t)) \Rightarrow ((p (ap (ap (c_{2E}bool\_2EIN ty_{2E}enum_{2E}enum) V1k) (ap (c_{2E}list\_2ELIST\_TO\_SET \\
& ty_{2E}enum_{2E}enum) (ap (c_{2E}patricia_{2E}etaverse ty_{2E}eone_{2E}eone) \\
& V0t)))) \Leftrightarrow (p (ap (ap (c_{2E}bool\_2EIN ty_{2E}enum_{2E}enum) V1k) (ap c_{2E}patricia_{2E}enumset\_of\_ptree \\
& V0t))))))
\end{aligned} \tag{30}$$

Assume the following.

$$(\forall V0t \in (ty\_2Epatricia\_2Eptree\ ty\_2Eone\_2Eone).(p\ (ap\ (c\_2Epred\_set\_2EFINITE\ ty\_2Enum\_2Enum)\ (ap\ c\_2Epatricia\_2ENUMSET\_OF\_PTREE\ V0t)))) \quad (31)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in (ty\_2Epatricia\_2Eptree\ ty\_2Eone\_2Eone).(\forall V1s \in \\ & (2^{ty\_2Enum\_2Enum}).((p\ (ap\ (c\_2Epred\_set\_2EFINITE\ ty\_2Enum\_2Enum)\ V1s)) \Rightarrow ((p\ (ap\ (c\_2Epatricia\_2EIS\_PTREE\ ty\_2Eone\_2Eone)\ V0t)) \Rightarrow \\ & (p\ (ap\ (ap\ (c\_2Esorting\_2Eperm\ ty\_2Enum\_2Enum)\ (ap\ (c\_2Epatricia\_2ETRAVERSE\ ty\_2Eone\_2Eone)\ (ap\ (ap\ (ap\ (c\_2Elist\_2EFOLDL\ ty\_2Enum\_2Enum\ ty\_2Epatricia\_2Eptree\ ty\_2Eone\_2Eone))\ (ap\ (c\_2Ecombin\_2EC\ ty\_2Enum\_2Enum\ ty\_2Epatricia\_2Eptree\ ty\_2Eone\_2Eone)\ ty\_2Epatricia\_2Eptree\ ty\_2Eone\_2Eone))\ c\_2Epatricia\_2EINSERT\_PTREE))\ V0t)\ (ap\ (c\_2Elist\_2ESET\_TO\_LIST\ ty\_2Enum\_2Enum)\ V1s))))))\ (ap\ (c\_2Elist\_2ESET\_TO\_LIST\ ty\_2Enum\_2Enum)\ V0t)\ V1s)))))) \quad (32) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}).(\forall V1t \in \\ & (2^{A\_27a}).(\forall V2x \in A\_27a.((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V2x)\ (ap\ (ap\ (c\_2Epred\_set\_2EUNION\ A\_27a)\ V0s)\ V1t)))) \Leftrightarrow ((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V2x)\ V0s)) \vee (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V2x)\ V1t)))))) \quad (33) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0s \in (2^{A\_27a}).(\forall V1t \in \\ & (2^{A\_27a}).((p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A\_27a)\ (ap\ (ap\ (c\_2Epred\_set\_2EUNION\ A\_27a)\ V0s)\ V1t)))) \Leftrightarrow ((p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A\_27a)\ V0s)) \wedge \\ & (p\ (ap\ (c\_2Epred\_set\_2EFINITE\ A\_27a)\ V1t)))))) \quad (34) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0l1 \in (ty\_2Elist\_2Elist\ A\_27a).(\forall V1l2 \in (ty\_2Elist\_2Elist\ A\_27a).((p\ (ap\ (ap\ (c\_2Esorting\_2Eperm\ A\_27a)\ V0l1)\ V1l2)) \Rightarrow (\forall V2x \in A\_27a.((p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V2x)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET\ A\_27a)\ V0l1)))) \Leftrightarrow (p\ (ap\ (ap\ (c\_2Ebool\_2EIN\ A\_27a)\ V2x)\ (ap\ (c\_2Elist\_2ELIST\_TO\_SET\ A\_27a)\ V1l2)))))) \quad (35) \end{aligned}$$

**Theorem 1**

$$\begin{aligned} & (\forall V0t \in (ty\_2Epatricia\_2Eptree\ ty\_2Eone\_2Eone).(\forall V1s \in \\ & (2^{ty\_2Enum\_2Enum}).(\forall V2n \in ty\_2Enum\_2Enum.(((p (ap (c\_2Epatricia\_2EIS\_PTREE \\ & ty\_2Eone\_2Eone) V0t)) \wedge (p (ap (c\_2Epred\_set\_2EFINITE\ ty\_2Enum\_2Enum) \\ & V1s))) \Rightarrow ((p (ap (ap\ c\_2Epatricia\_2EIN\_PTREE\ V2n) (ap (ap\ c\_2Epatricia\_2EPTREE\_OF\_NUMSET \\ & V0t) V1s))) \Leftrightarrow ((p (ap (ap\ c\_2Epatricia\_2EIN\_PTREE\ V2n) V0t)) \vee ( \\ & p (ap (ap (c\_2Ebool\_2EIN\ ty\_2Enum\_2Enum) V2n) V1s)))))))))) \end{aligned}$$