

# thm\_2Epatricia\_2EKEYS\_PEEK (TMKubmT- THefM22EHU7hFymWezWQG6J6EScy)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_40` to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. p \text{ (ap } P \ x)) \text{ then (the } (\lambda x. x \in A \wedge p \ x)) \text{ of type } \iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Emin_2E_3D` to be  $\lambda A. \lambda x \in A. \lambda y \in A. \text{inj\_o } (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 3** We define `c_2Ebool_2E_3F` to be  $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } V0P \text{ (ap } (c_2Emin_2E_40 \ A \ P))$

**Definition 4** We define `c_2Ebool_2E_T` to be  $(\text{ap } (\text{ap } (c_2Emin_2E_3D \ (2^2)) \ (\lambda V0x \in 2. V0x)) \ (\lambda V1x \in 2. V1x))$

**Definition 5** We define `c_2Ebool_2E_21` to be  $\lambda A. 27a : \iota. (\lambda V0P \in (2^{A-27a}). (\text{ap } (\text{ap } (c_2Emin_2E_3D \ (2^{A-27a}) \ P))$

**Definition 6** We define `c_2Ebool_2E_F` to be  $(\text{ap } (c_2Ebool_2E_21 \ 2) \ (\lambda V0t \in 2. V0t))$ .

**Definition 7** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2. \lambda Q \in 2. \text{inj\_o } (p \Rightarrow q)$  of type  $\iota$ .

**Definition 8** We define `c_2Ebool_2E_7E` to be  $(\lambda V0t \in 2. (\text{ap } (\text{ap } c_2Emin_2E_3D_3D_3E \ V0t) \ c_2Ebool_2E_F))$

**Definition 9** We define `c_2Ebool_2E_2F_5C` to be  $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (\text{ap } (c_2Ebool_2E_21 \ 2) \ (\lambda V2t \in 2. V2t))$

Let `ty_2Enum_2Enum` :  $\iota$  be given. Assume the following.

$$\text{nonempty } ty\_2Enum\_2Enum \tag{1}$$

Let `c_2Enum_2EREP_num` :  $\iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\text{omega}^{ty\_2Enum\_2Enum}) \tag{2}$$

Let `c_2Enum_2ESUC_REP` :  $\iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\text{omega}^{\text{omega}}) \tag{3}$$

Let `c_2Enum_2EABS_num` :  $\iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\text{omega}}) \tag{4}$$

**Definition 10** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.(ap\ c\_2Enum\_2EABS\_num$

**Definition 11** We define  $c\_2Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Elist\_2Elist\ A0) \quad (5)$$

Let  $ty\_2Epatricia\_2Eptree : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Epatricia\_2Eptree\ A0) \quad (6)$$

Let  $c\_2Epatricia\_2ETRAVERSE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Epatricia\_2ETRAVERSE\ A\_27a \in \left( (ty\_2Elist\_2Elist\ ty\_2Enum\_2Enum)^{(ty\_2Epatricia\_2Eptree\ A\_27a)} \right) \quad (7)$$

Let  $c\_2Esorting\_2EQSORT : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Esorting\_2EQSORT\ A\_27a \in \left( (ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)} \right)^{(2^{A\_27a})^{A\_27a}} \quad (8)$$

**Definition 12** We define  $c\_2Epatricia\_2EKEYS$  to be  $\lambda A\_27a : \iota.\lambda V0t \in (ty\_2Epatricia\_2Eptree\ A\_27a).(ap$

Let  $c\_2Epatricia\_2EIS\_PTREE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Epatricia\_2EIS\_PTREE\ A\_27a \in \left( 2^{(ty\_2Epatricia\_2Eptree\ A\_27a)} \right) \quad (9)$$

Let  $c\_2Elist\_2ELIST\_TO\_SET : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ELIST\_TO\_SET\ A\_27a \in \left( (2^{A\_27a})^{(ty\_2Elist\_2Elist\ A\_27a)} \right) \quad (10)$$

**Definition 13** We define  $c\_2Ebool\_2EIN$  to be  $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap\ V1f\ V0x))$

**Definition 14** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

Assume the following.

$$True \quad (11)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (12)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (( \\ & (p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t)))))) \end{aligned} \quad (13)$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg True) \Leftrightarrow False) \wedge ((\neg False) \Leftrightarrow True))) \quad (14)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0x \in A.27a. (\forall V1y \in A.27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (15)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Leftrightarrow True) \Leftrightarrow (p V0t)) \wedge (((False \Leftrightarrow (p V0t)) \Leftrightarrow (\neg(p V0t))) \wedge (((p V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p V0t))))) \quad (16)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0P \in (2^{A-27a}). (\forall V1Q \in 2. (((\forall V2x \in A.27a. (p (ap V0P V2x))) \wedge (p V1Q)) \Leftrightarrow (\forall V3x \in A.27a. ((p (ap V0P V3x)) \wedge (p V1Q))))) \quad (17)$$

Assume the following.

$$\forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0Q \in 2. (\forall V1P \in (2^{A-27a}). ((\forall V2x \in A.27a. ((p (ap V1P V2x)) \vee (p V0Q))) \Leftrightarrow ((\forall V3x \in A.27a. (p (ap V1P V3x)) \vee (p V0Q))))) \quad (18)$$

Assume the following.

$$(\forall V0A \in 2. (\forall V1B \in 2. (\forall V2C \in 2. (((p V1B) \wedge (p V2C)) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A))))) \quad (19)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))) \quad (20)$$

Assume the following.

$$(\forall V0x \in 2. (\forall V1x_{.27} \in 2. (\forall V2y \in 2. (\forall V3y_{.27} \in 2. (((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27}))) \Rightarrow (((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (21)$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.\text{nonempty } A\_27a \Rightarrow \forall A\_27b.\text{nonempty } A\_27b \Rightarrow ( \\
& \quad \forall V0t1 \in (\text{ty\_2Epatricia\_2Eptree } A\_27a). (\forall V1t2 \in ( \\
& \quad \text{ty\_2Epatricia\_2Eptree } A\_27b). ((p \text{ (ap (c\_2Epatricia\_2EIS\_PTREE } \\
& \quad \text{A\_27a) V0t1))} \wedge (p \text{ (ap (c\_2Epatricia\_2EIS\_PTREE } A\_27b) V1t2))) \Rightarrow \\
& \quad ((\forall V2k \in \text{ty\_2Enum\_2Enum}. ((p \text{ (ap (ap (c\_2Ebool\_2EIN } \text{ty\_2Enum\_2Enum) } \\
V2k) \text{ (ap (c\_2Elist\_2ELIST\_TO\_SET } \text{ty\_2Enum\_2Enum) (ap (c\_2Epatricia\_2ETRAVERSE} \\
& \quad \text{A\_27a) V0t1))))} \Leftrightarrow (p \text{ (ap (ap (c\_2Ebool\_2EIN } \text{ty\_2Enum\_2Enum) } V2k) \\
& \quad \text{(ap (c\_2Elist\_2ELIST\_TO\_SET } \text{ty\_2Enum\_2Enum) (ap (c\_2Epatricia\_2ETRAVERSE} \\
& \quad \text{A\_27b) V1t2)))))) \Leftrightarrow ((\text{ap (c\_2Epatricia\_2ETRAVERSE } A\_27a) V0t1) = \\
& \quad \text{(ap (c\_2Epatricia\_2ETRAVERSE } A\_27b) V1t2)))))) \\
& \hspace{15em} (22)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.\text{nonempty } A\_27a \Rightarrow (\forall V0l2 \in (\text{ty\_2Elist\_2Elist} \\
& \quad \text{A\_27a}). (\forall V1l1 \in (\text{ty\_2Elist\_2Elist } A\_27a). (\forall V2R \in \\
& \quad ((2^{A\_27a})^{A\_27a}). (((\text{ap (ap (c\_2Esorting\_2EQSORT } A\_27a) V2R) } \\
& \quad \text{V1l1) = (ap (ap (c\_2Esorting\_2EQSORT } A\_27a) V2R) V0l2)) \Rightarrow (\forall V3x \in \\
& \quad \text{A\_27a}. ((p \text{ (ap (ap (c\_2Ebool\_2EIN } A\_27a) V3x) (ap (c\_2Elist\_2ELIST\_TO\_SET} \\
& \quad \text{A\_27a) V1l1))))} \Leftrightarrow (p \text{ (ap (ap (c\_2Ebool\_2EIN } A\_27a) V3x) (ap (c\_2Elist\_2ELIST\_TO\_SET} \\
& \quad \text{A\_27a) V0l2)))))) \\
& \hspace{15em} (23)
\end{aligned}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p \text{ V0t}))) \Leftrightarrow (p \text{ V0t}))) \quad (24)$$

Assume the following.

$$(\forall V0A \in 2. ((p \text{ V0A}) \Rightarrow ((\neg(p \text{ V0A})) \Rightarrow \text{False}))) \quad (25)$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p \text{ V0A}) \vee (p \text{ V1B}))) \Rightarrow \text{False}) \Leftrightarrow \\
& \quad ((p \text{ V0A}) \Rightarrow \text{False}) \Rightarrow ((\neg(p \text{ V1B})) \Rightarrow \text{False})))) \\
& \hspace{15em} (26)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg((p \text{ V0A}) \vee (p \text{ V1B}))) \Rightarrow \text{False}) \Leftrightarrow \\
& \quad ((p \text{ V0A}) \Rightarrow ((\neg(p \text{ V1B})) \Rightarrow \text{False})))))) \\
& \hspace{15em} (27)
\end{aligned}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p \text{ V0A})) \Rightarrow \text{False}) \Rightarrow (((p \text{ V0A}) \Rightarrow \text{False}) \Rightarrow \text{False}))) \quad (28)$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \text{ V0p}) \Leftrightarrow ( \\
& \quad (p \text{ V1q}) \Leftrightarrow (p \text{ V2r}))) \Leftrightarrow (((p \text{ V0p}) \vee ((p \text{ V1q}) \vee (p \text{ V2r}))) \wedge (((p \text{ V0p}) \vee (\neg( \\
& \quad p \text{ V2r})) \vee (\neg(p \text{ V1q})))) \wedge (((p \text{ V1q}) \vee (\neg(p \text{ V2r})) \vee (\neg(p \text{ V0p}))) \wedge ((p \text{ V2r}) \vee \\
& \quad ((\neg(p \text{ V1q})) \vee (\neg(p \text{ V0p})))))))))) \\
& \hspace{15em} (29)
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \wedge (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (\neg(p \ V1q)) \vee (\neg(p \ V2r)))) \wedge (((p \ V1q) \vee \\
& (\neg(p \ V0p))) \wedge ((p \ V2r) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \vee (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (\neg(p \ V1q))) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge \\
& ((p \ V1q) \vee ((p \ V2r) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{31}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p \ V0p) \Leftrightarrow ( \\
& (p \ V1q) \Rightarrow (p \ V2r))) \Leftrightarrow (((p \ V0p) \vee (p \ V1q)) \wedge (((p \ V0p) \vee (\neg(p \ V2r))) \wedge ( \\
& \neg(p \ V1q)) \vee ((p \ V2r) \vee (\neg(p \ V0p))))))))))
\end{aligned} \tag{32}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (((p \ V0p) \Leftrightarrow (\neg(p \ V1q))) \Leftrightarrow (((p \ V0p) \vee \\
& (p \ V1q)) \wedge ((\neg(p \ V1q)) \vee (\neg(p \ V0p))))))
\end{aligned} \tag{33}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (p \ V0p))) \tag{34}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \Rightarrow (p \ V1q))) \Rightarrow (\neg(p \ V1q)))) \tag{35}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \vee (p \ V1q))) \Rightarrow (\neg(p \ V0p)))) \tag{36}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. ((\neg((p \ V0p) \vee (p \ V1q))) \Rightarrow (\neg(p \ V1q)))) \tag{37}$$

Assume the following.

$$(\forall V0p \in 2. ((\neg(\neg(p \ V0p))) \Rightarrow (p \ V0p))) \tag{38}$$

**Theorem 1**

$$\begin{aligned}
& \forall A\_27a.nonempty \ A\_27a \Rightarrow \forall A\_27b.nonempty \ A\_27b \Rightarrow ( \\
& \forall V0t1 \in (ty\_2Epatricia\_2Eptree \ A\_27a). (\forall V1t2 \in ( \\
& ty\_2Epatricia\_2Eptree \ A\_27b). (((p \ (ap \ (c\_2Epatricia\_2EIS\_PTREE \\
& A\_27a) \ V0t1)) \wedge (p \ (ap \ (c\_2Epatricia\_2EIS\_PTREE \ A\_27b) \ V1t2))) \Rightarrow \\
& (((ap \ (c\_2Epatricia\_2EKEYS \ A\_27a) \ V0t1) = (ap \ (c\_2Epatricia\_2EKEYS \\
& A\_27b) \ V1t2)) \Leftrightarrow ((ap \ (c\_2Epatricia\_2ETRAVERSE \ A\_27a) \ V0t1) = (ap \\
& (c\_2Epatricia\_2ETRAVERSE \ A\_27b) \ V1t2))))))
\end{aligned}$$