

thm\_2Epatricia\_2ENOT\_\_KEY\_\_LEFT\_\_AND\_\_RIGHT  
 (TMJWX-  
 egkQSBA56UmKNn29uGHA7hxDAezBSP)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A. \lambda x \in A. \lambda y \in A. inj\_to (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ecombin\_2EK$  to be  $\lambda A. \lambda a : \iota. \lambda A. \lambda b : \iota. (\lambda V0 x \in A. \lambda V1 y \in A. \lambda V0 x)$

**Definition 3** We define  $c\_2Ecombin\_2ES$  to be  $\lambda A. \lambda a : \iota. \lambda A. \lambda b : \iota. \lambda A. \lambda c : \iota. (\lambda V0 f \in ((A. \lambda c^{A. \lambda b})^{A. \lambda a}))$

**Definition 4** We define  $c\_2Ecombin\_2EC$  to be  $\lambda A. \lambda a : \iota. \lambda A. \lambda b : \iota. \lambda A. \lambda c : \iota. (\lambda V0 f \in ((A. \lambda c^{A. \lambda b})^{A. \lambda a}))$

**Definition 5** We define  $c\_2Ecombin\_2EI$  to be  $\lambda A. \lambda a : \iota. (ap (ap (c\_2Ecombin\_2ES A. \lambda a (A. \lambda a^{A. \lambda a})) A. \lambda a))$

**Definition 6** We define  $c\_2Ebool\_2ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0 x \in 2. V0 x)) (\lambda V1 x \in 2. V1 x))$

**Definition 7** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A. \lambda a : \iota. (\lambda V0 P \in (2^{A. \lambda a}). (ap (ap (c\_2Emin\_2E\_3D (2^{A. \lambda a}))))$

**Definition 8** We define  $c\_2Ecombin\_2Eo$  to be  $\lambda A. \lambda a : \iota. \lambda A. \lambda b : \iota. \lambda A. \lambda c : \iota. \lambda V0 f \in (A. \lambda b^{A. \lambda c}). \lambda V1 g$

Let  $c\_2Enum\_2EZERO\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2EZERO\_REP \in \omega \tag{1}$$

Let  $ty\_2Enum\_2Enum : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Enum\_2Enum \tag{2}$$

Let  $c\_2Enum\_2EABS\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EABS\_num \in (ty\_2Enum\_2Enum^{\omega}) \tag{3}$$

**Definition 9** We define  $c\_2Enum\_2E0$  to be  $(ap\ c\_2Enum\_2EABS\_num\ c\_2Enum\_2EZERO\_REP)$ .

**Definition 10** We define  $c\_2Earithmetic\_2EZERO$  to be  $c\_2Enum\_2E0$ .

Let  $c\_2Enum\_2EREP\_num : \iota$  be given. Assume the following.

$$c\_2Enum\_2EREP\_num \in (\omega^{ty\_2Enum\_2Enum}) \quad (4)$$

Let  $c\_2Enum\_2ESUC\_REP : \iota$  be given. Assume the following.

$$c\_2Enum\_2ESUC\_REP \in (\omega^{\omega}) \quad (5)$$

**Definition 11** We define  $c\_2Enum\_2ESUC$  to be  $\lambda V0m \in ty\_2Enum\_2Enum. (ap\ c\_2Enum\_2EABS\_num$

Let  $c\_2Earithmetic\_2E\_2B : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2B \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (6)$$

**Definition 12** We define  $c\_2Earithmetic\_2EBIT1$  to be  $\lambda V0n \in ty\_2Enum\_2Enum. (ap\ (ap\ c\_2Earithmetic$

**Definition 13** We define  $c\_2Earithmetic\_2ENUMERAL$  to be  $\lambda V0x \in ty\_2Enum\_2Enum. V0x$ .

**Definition 14** We define  $c\_2Earithmetic\_2EBIT2$  to be  $\lambda V0n \in ty\_2Enum\_2Enum. (ap\ (ap\ c\_2Earithmetic$

Let  $c\_2Earithmetic\_2EEXP : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EEXP \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (7)$$

Let  $c\_2Earithmetic\_2EDIV : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EDIV \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (8)$$

**Definition 15** We define  $c\_2Ebit\_2EDIV\_2EXP$  to be  $\lambda V0x \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum$

Let  $c\_2Earithmetic\_2E\_2D : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2E\_2D \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (9)$$

Let  $c\_2Earithmetic\_2EMOD : \iota$  be given. Assume the following.

$$c\_2Earithmetic\_2EMOD \in ((ty\_2Enum\_2Enum^{ty\_2Enum\_2Enum})^{ty\_2Enum\_2Enum}) \quad (10)$$

**Definition 16** We define  $c\_2Ebit\_2EMOD\_2EXP$  to be  $\lambda V0x \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum$

**Definition 17** We define  $c\_2Ebit\_2EBITS$  to be  $\lambda V0h \in ty\_2Enum\_2Enum. \lambda V1l \in ty\_2Enum\_2Enum. \lambda V$

**Definition 18** We define  $c\_2Ebit\_2EBIT$  to be  $\lambda V0b \in ty\_2Enum\_2Enum. \lambda V1n \in ty\_2Enum\_2Enum. (ap$

**Definition 19** We define  $c\_2Ebit\_2EMOD\_2EXP\_EQ$  to be  $\lambda V0n \in ty\_2Enum\_2Enum. \lambda V1a \in ty\_2Enum$

**Definition 20** We define  $c\_2Ebool\_2EF$  to be  $(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V0t \in 2.V0t))$ .

**Definition 21** We define  $c\_Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 22** We define  $c\_Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_Emin\_2E\_3D\_3D\_3E V0t) c\_Ebool\_2E\_7E))$

**Definition 23** We define  $c\_Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

**Definition 24** We define  $c\_Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$  then (the  $(\lambda x.x \in A \wedge P x)$ ) of type  $\iota \Rightarrow \iota$ .

**Definition 25** We define  $c\_Ebool\_2E\_3F$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap V0P (ap (c\_Emin\_2E\_40 A\_27a) P)))$

**Definition 26** We define  $c\_Eprim\_rec\_2E\_3C$  to be  $\lambda V0m \in ty\_2Enum\_2Enum.\lambda V1n \in ty\_2Enum\_2Enum.$

Let  $ty\_2Epatricia\_2Eptree : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Epatricia\_2Eptree A0) \quad (11)$$

Let  $c\_2Epatricia\_2EBranch : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Epatricia\_2EBranch A\_27a \in ( (((ty\_2Epatricia\_2Eptree A\_27a)^{(ty\_2Epatricia\_2Eptree A\_27a)})^{(ty\_2Epatricia\_2Eptree A\_27a)})^{ty\_2Enum\_2Enum} ) \quad (12)$$

Let  $c\_2Epatricia\_2ELeaf : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Epatricia\_2ELeaf A\_27a \in ( (((ty\_2Epatricia\_2Eptree A\_27a)^{A\_27a})^{ty\_2Enum\_2Enum} ) \quad (13)$$

Let  $c\_2Epatricia\_2EEmpty : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Epatricia\_2EEmpty A\_27a \in (ty\_2Epatricia\_2Eptree A\_27a) \quad (14)$$

Let  $c\_2Epatricia\_2EIS\_PTREE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Epatricia\_2EIS\_PTREE A\_27a \in (2^{(ty\_2Epatricia\_2Eptree A\_27a)}) \quad (15)$$

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Eoption\_2Eoption A0) \quad (16)$$

Let  $c\_2Eoption\_2EETHE : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Eoption\_2EETHE A\_27a \in (A\_27a^{(ty\_2Eoption\_2Eoption A\_27a)}) \quad (17)$$

Let  $c\_2Epatricia\_2EPEEK : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Epatricia\_2EPEEK A\_27a \in ( (((ty\_2Eoption\_2Eoption A\_27a)^{ty\_2Enum\_2Enum})^{(ty\_2Epatricia\_2Eptree A\_27a)}) \quad (18)$$

Let  $c\_2Eoption\_2EIS\_SOME : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2EIS\_SOME\ A\_27a \in ( \quad (19)$$

$$2^{(ty\_2Eoption\_2Eoption\ A\_27a)})$$

Let  $c\_2Epatricia\_2EEVERY\_LEAF : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Epatricia\_2EEVERY\_LEAF\ A\_27a \in \quad (20)$$

$$((2^{(ty\_2Epatricia\_2Eptree\ A\_27a)})(2^{A\_27a})^{ty\_2Enum\_2Enum}))$$

**Definition 27** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c\_2Ebool\_2E\_21\ 2)\ (\lambda V2t \in$

Assume the following.

$$True \quad (21)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1) \Rightarrow (p\ V1t2)) \Rightarrow (((p\ V1t2) \Rightarrow (p\ V0t1)) \Rightarrow ((p\ V0t1) \Leftrightarrow (p\ V1t2)))))) \quad (22)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in \quad (23)$$

$$A\_27a.(p\ V0t) \Leftrightarrow (p\ V0t)))$$

Assume the following.

$$(\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \quad (24)$$

$$True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg(p\ V0t))))))$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \quad (25)$$

$$((\neg False) \Leftrightarrow True)))$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow \quad (26)$$

$$True))$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in \quad (27)$$

$$A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x))))$$

Assume the following.

$$(\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \quad (28)$$

$$(p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg(p\ V0t))))))$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(\forall V2C \in 2.(((p V1B) \wedge (p V2C)) \vee (p V0A)) \Leftrightarrow (((p V1B) \vee (p V0A)) \wedge ((p V2C) \vee (p V0A)))))) \quad (29)$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p V0t1) \Rightarrow ((p V1t2) \Rightarrow (p V2t3))) \Leftrightarrow (((p V0t1) \wedge (p V1t2)) \Rightarrow (p V2t3)))))) \quad (30)$$

Assume the following.

$$(\forall V0x \in 2.(\forall V1x_{.27} \in 2.(\forall V2y \in 2.(\forall V3y_{.27} \in 2.(((p V0x) \Leftrightarrow (p V1x_{.27})) \wedge ((p V1x_{.27}) \Rightarrow ((p V2y) \Leftrightarrow (p V3y_{.27})))))) \Rightarrow ((p V0x) \Rightarrow (p V2y)) \Leftrightarrow ((p V1x_{.27}) \Rightarrow (p V3y_{.27})))))) \quad (31)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}.((ap (c_{.2}Ecombin_{.2EI} A_{.27a}) V0x) = V0x)) \quad (32)$$

Assume the following.

$$\forall A_{.27a}.nonempty A_{.27a} \Rightarrow \forall A_{.27b}.nonempty A_{.27b} \Rightarrow (\forall V0f \in (A_{.27b}^{A_{.27a}}).(((ap (ap (c_{.2}Ecombin_{.2Eo} A_{.27a} A_{.27b}) A_{.27b}) (c_{.2}Ecombin_{.2EI} A_{.27b})) V0f) = V0f) \wedge ((ap (ap (c_{.2}Ecombin_{.2Eo} A_{.27a} A_{.27b} A_{.27a}) V0f) (c_{.2}Ecombin_{.2EI} A_{.27a})) = V0f))) \quad (33)$$

Assume the following.

$$\begin{aligned} & \forall A_{.27a}.nonempty A_{.27a} \Rightarrow (((p (ap (c_{.2}Epatricia_{.2EIS\_PTREE} A_{.27a}) (c_{.2}Epatricia_{.2EEmpty} A_{.27a}))) \Leftrightarrow True) \wedge ((\forall V0k \in \\ & ty_{.2Enum_{.2Enum}}.(\forall V1d \in A_{.27a}.((p (ap (c_{.2}Epatricia_{.2EIS\_PTREE} A_{.27a}) (ap (ap (c_{.2}Epatricia_{.2ELeaf} A_{.27a}) V0k) V1d))) \Leftrightarrow True))) \wedge \\ & (\forall V2p \in ty_{.2Enum_{.2Enum}}.(\forall V3m \in ty_{.2Enum_{.2Enum}}.(\forall V4l \in (ty_{.2Epatricia_{.2Eptree} A_{.27a}).(\forall V5r \in (ty_{.2Epatricia_{.2Eptree} A_{.27a}).((p (ap (c_{.2}Epatricia_{.2EIS\_PTREE} A_{.27a}) (ap (ap (ap (ap \\ & (c_{.2}Epatricia_{.2EBranch} A_{.27a}) V2p) V3m) V4l) V5r))) \Leftrightarrow ((p (ap (ap \\ & c_{.2Eprim\_rec_{.2E\_3C} V2p) (ap (ap c_{.2Earithmetic_{.2EEXP} (ap c_{.2Earithmetic_{.2ENUMERAL} \\ & (ap c_{.2Earithmetic_{.2EBIT2} c_{.2Earithmetic_{.2EZERO}))) V3m)))) \wedge \\ & ((p (ap (c_{.2}Epatricia_{.2EIS\_PTREE} A_{.27a}) V4l)) \wedge ((p (ap (c_{.2}Epatricia_{.2EIS\_PTREE} A_{.27a}) V5r)) \wedge ((\neg (V4l = (c_{.2}Epatricia_{.2EEmpty} A_{.27a}))) \wedge ((\neg (V5r = \\ & (c_{.2}Epatricia_{.2EEmpty} A_{.27a}))) \wedge ((p (ap (ap (c_{.2}Epatricia_{.2EVERY\_LEAF} A_{.27a}) (\lambda V6k \in ty_{.2Enum_{.2Enum}}.(\lambda V7d \in A_{.27a}.(ap (ap c_{.2Ebool_{.2E\_2F\_5C} \\ & (ap (ap (ap c_{.2Ebit_{.2EMOD\_2EXP\_EQ} V3m) V6k) V2p)) (ap (ap c_{.2Ebit_{.2EBIT} V3m) V6k)))))) V4l)) \wedge (p (ap (ap (c_{.2}Epatricia_{.2EVERY\_LEAF} A_{.27a}) \\ & (\lambda V8k \in ty_{.2Enum_{.2Enum}}.(\lambda V9d \in A_{.27a}.(ap (ap c_{.2Ebool_{.2E\_2F\_5C} (ap (ap (ap c_{.2Ebit_{.2EMOD\_2EXP\_EQ} V3m) V8k) V2p)) (ap c_{.2Ebool_{.2E\_7E} \\ & (ap (ap c_{.2Ebit_{.2EBIT} V3m) V8k)))))) V5r)))))))))) \quad (34) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in ((2^{A\_27a})_{ty\_2Enum\_2Enum}). \\
& (\forall V1t \in (ty\_2Epatricia\_2Eptree\ A\_27a). (\forall V2k \in ty\_2Enum\_2Enum. \\
& (((p\ (ap\ (ap\ (c\_2Epatricia\_2EVERY\_LEAF\ A\_27a)\ V0P)\ V1t)) \wedge (p \\
& (ap\ (c\_2Eoption\_2EIS\_SOME\ A\_27a)\ (ap\ (ap\ (c\_2Epatricia\_2EPEEK \\
& A\_27a)\ V1t)\ V2k)))) \Rightarrow (p\ (ap\ (ap\ V0P\ V2k)\ (ap\ (c\_2Eoption\_2ETHE\ A\_27a) \\
& (ap\ (ap\ (c\_2Epatricia\_2EPEEK\ A\_27a)\ V1t)\ V2k))))))
\end{aligned} \tag{35}$$

Assume the following.

$$(\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \tag{36}$$

Assume the following.

$$(\forall V0A \in 2. ((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \tag{37}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))
\end{aligned} \tag{38}$$

Assume the following.

$$\begin{aligned}
& (\forall V0A \in 2. (\forall V1B \in 2. (((\neg(\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\
& ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False))))
\end{aligned} \tag{39}$$

Assume the following.

$$(\forall V0A \in 2. (((\neg(p\ V0A)) \Rightarrow False) \Rightarrow (((p\ V0A) \Rightarrow False) \Rightarrow False))) \tag{40}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ( \\
& (p\ V1q) \Leftrightarrow (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee ((p\ V1q) \vee (p\ V2r))) \wedge (((p\ V0p) \vee (\neg( \\
& p\ V2r)) \vee (\neg(p\ V1q)))) \wedge (((p\ V1q) \vee (\neg(p\ V2r)) \vee (\neg(p\ V0p)))) \wedge ((p\ V2r) \vee \\
& ((\neg(p\ V1q)) \vee (\neg(p\ V0p))))))))))
\end{aligned} \tag{41}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ( \\
& (p\ V1q) \wedge (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee (\neg(p\ V1q)) \vee (\neg(p\ V2r))) \wedge (((p\ V1q) \vee \\
& (\neg(p\ V0p))) \wedge ((p\ V2r) \vee (\neg(p\ V0p))))))))
\end{aligned} \tag{42}$$

Assume the following.

$$\begin{aligned}
& (\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p\ V0p) \Leftrightarrow ( \\
& (p\ V1q) \vee (p\ V2r))) \Leftrightarrow (((p\ V0p) \vee (\neg(p\ V1q))) \wedge (((p\ V0p) \vee (\neg(p\ V2r))) \wedge \\
& ((p\ V1q) \vee ((p\ V2r) \vee (\neg(p\ V0p))))))))))
\end{aligned} \tag{43}$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\forall V2r \in 2. (((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee \neg(p V2r))) \wedge (\neg(p V1q) \vee ((p V2r) \vee \neg(p V0p)))))))))) \quad (44)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (((p V0p) \Leftrightarrow \neg(p V1q)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (\neg(p V1q) \vee \neg(p V0p)))))) \quad (45)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p))) \quad (46)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow \neg(p V1q))) \quad (47)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \vee (p V1q))) \Rightarrow \neg(p V0p))) \quad (48)$$

Assume the following.

$$(\forall V0p \in 2. (\forall V1q \in 2. (\neg((p V0p) \vee (p V1q))) \Rightarrow \neg(p V1q))) \quad (49)$$

Assume the following.

$$(\forall V0p \in 2. (\neg(\neg(p V0p))) \Rightarrow (p V0p)) \quad (50)$$

**Theorem 1**

$$\forall A\_27a. \text{nonempty } A\_27a \Rightarrow (\forall V0p \in \text{ty\_2Enum\_2Enum}. (\forall V1m \in \text{ty\_2Enum\_2Enum}. (\forall V2l \in (\text{ty\_2Epatricia\_2Eptree } A\_27a). (\forall V3r \in (\text{ty\_2Epatricia\_2Eptree } A\_27a). (\forall V4k \in \text{ty\_2Enum\_2Enum}. (\forall V5j \in \text{ty\_2Enum\_2Enum}. (((p (ap (c\_2Epatricia\_2EIS\_PTREE } A\_27a) (ap (ap (ap (ap (c\_2Epatricia\_2EBranch } A\_27a) V0p) V1m) V2l) V3r))) \wedge ((p (ap (c\_2Eoption\_2EIS\_SOME } A\_27a) (ap (ap (c\_2Epatricia\_2EPEEK } A\_27a) V2l) V4k))) \wedge (p (ap (c\_2Eoption\_2EIS\_SOME } A\_27a) (ap (ap (c\_2Epatricia\_2EPEEK } A\_27a) V3r) V5j)))))) \Rightarrow (\neg(V4k = V5j))))))))))$$