

thm_2Epatricia_2ENUMSET_OF_PTREE_EMPTY
(TMKZpRL-
WWSm3WmoNH8uXsMQrcYfsqTQp5fH)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.(\lambda V1f \in (2^{A_27a}).(ap V1f V0x)))$

Definition 4 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p \Rightarrow q)$ of type ι .

Definition 5 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 6 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty_2Epair_2Eprod A0 A1) \quad (1)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epair_2EABS_prod A_27a A_27b \in ((ty_2Epair_2Eprod A_27a A_27b)^{(2^{A_27b})^{A_27a}}) \quad (2)$$

Definition 8 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0x \in A_27a.\lambda V1y \in A_27b.(ap (c_2E$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Epred_set_2EGSPEC A_27a A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod A_27a 2)^{A_27b}}) \quad (3)$$

Definition 9 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1s \in (2^{A_27a}). (ap (c_2$

Definition 10 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E21 2) (\lambda V0t \in 2.V0t))$.

Definition 11 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. c_2Ebool_2EF)$.

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (4)$$

Let $c_2Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Elist_2EAPPEND A_27a \in (((ty_2Elist_2Elist A_27a)_{(ty_2Elist_2Elist A_27a)})_{(ty_2Elist_2Elist A_27a)}) \quad (5)$$

Let $ty_2Epatricia_2Eptree : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty_2Epatricia_2Eptree A0) \quad (6)$$

Let $ty_2Eenum_2Eenum : \iota$ be given. Assume the following.

$$nonempty ty_2Eenum_2Eenum \quad (7)$$

Let $c_2Epatricia_2EBRANCH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Epatricia_2EBRANCH A_27a \in ((((ty_2Epatricia_2Eptree A_27a)_{(ty_2Epatricia_2Eptree A_27a)})_{(ty_2Epatricia_2Eptree A_27a)})_{ty_2Eenum_2Eenum}) \quad (8)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)_{(ty_2Elist_2Elist A_27a)})_{A_27a}) \quad (9)$$

Let $c_2Epatricia_2Eleaf : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Epatricia_2Eleaf A_27a \in (((ty_2Epatricia_2Eptree A_27a)_{A_27a})_{ty_2Eenum_2Eenum}) \quad (10)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (11)$$

Let $c_2Epatricia_2Eempty : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Epatricia_2Eempty A_27a \in (ty_2Epatricia_2Eptree A_27a) \quad (12)$$

Let $c_2Epatricia_2ETRAVERSE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Epatricia_2ETRAVERSE\ A_27a \in ((ty_2Elist_2Elist\ ty_2Enum_2Enum)^{(ty_2Epatricia_2Eptree\ A_27a)}) \quad (13)$$

Let $c_2Elist_2ELIST_TO_SET : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELIST_TO_SET\ A_27a \in ((2^{A_27a})^{(ty_2Elist_2Elist\ A_27a)}) \quad (14)$$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (15)$$

Definition 12 We define $c_2Epatricia_2ENUMSET_OF_PTREE$ to be $\lambda V0t \in (ty_2Epatricia_2Eptree\ ty_2Enum_2Enum)$

Assume the following.

$$True \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (17)$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (& \\ \forall V0h \in A_27b. (\forall V1t \in (ty_2Elist_2Elist\ A_27b). (& \\ (ap\ (c_2Elist_2ELIST_TO_SET\ A_27a)\ (c_2Elist_2ENIL\ A_27a)) = & \\ (c_2Epred_set_2EEMPTY\ A_27a)) \wedge ((ap\ (c_2Elist_2ELIST_TO_SET & \\ A_27b)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27b)\ V0h)\ V1t)) = (ap\ (ap\ (c_2Epred_set_2EINSERT & \\ A_27b)\ V0h)\ (ap\ (c_2Elist_2ELIST_TO_SET\ A_27b)\ V1t)))))) & \\ (18) & \end{aligned}$$

Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow (((ap\ (c_2Epatricia_2ETRAVERSE & \\ A_27a)\ (c_2Epatricia_2EEMPTY\ A_27a)) = (c_2Elist_2ENIL\ ty_2Enum_2Enum)) \wedge & \\ ((\forall V0j \in ty_2Enum_2Enum. (\forall V1d \in A_27a. ((ap\ (c_2Epatricia_2ETRAVERSE & \\ A_27a)\ (ap\ (ap\ (c_2Epatricia_2ELeaf\ A_27a)\ V0j)\ V1d)) = (ap\ (ap\ (& \\ c_2Elist_2ECONS\ ty_2Enum_2Enum)\ V0j)\ (c_2Elist_2ENIL\ ty_2Enum_2Enum)))))) \wedge & \\ (\forall V2p \in ty_2Enum_2Enum. (\forall V3m \in ty_2Enum_2Enum. (& \\ \forall V4l \in (ty_2Epatricia_2Eptree\ A_27a). (\forall V5r \in (ty_2Epatricia_2Eptree & \\ A_27a). ((ap\ (c_2Epatricia_2ETRAVERSE\ A_27a)\ (ap\ (ap\ (ap\ (ap\ (c_2Epatricia_2EBranch & \\ A_27a)\ V2p)\ V3m)\ V4l)\ V5r)) = (ap\ (ap\ (c_2Elist_2EAPPEND\ ty_2Enum_2Enum) & \\ (ap\ (c_2Epatricia_2ETRAVERSE\ A_27a)\ V4l))\ (ap\ (c_2Epatricia_2ETRAVERSE & \\ A_27a)\ V5r)))))))))) & \\ (19) & \end{aligned}$$

Theorem 1

$$((ap\ c_2Epatricia_2ENUMSET_OF_PTREE\ (c_2Epatricia_2EEMPTY\ ty_2Eone_2Eone)) = (c_2Epred_set_2EEMPTY\ ty_2Enum_2Enum))$$