

thm_2Epatricia_2ENUMSET_OF_PTREE_PTREE_OF_NUMS
 (TMHJwPrnY-
 dqNN8Jt9AnS4M88wrQFYY3tQDY)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{1}$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \tag{2}$$

Let $c_2Ebool_2EARB : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ebool_2EARB\ A_27a \in A_27a \tag{3}$$

Let $c_2Epred_set_2ECHOICE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Epred_set_2ECHOICE\ A_27a \in (A_27a^{(2^{A_27a})}) \tag{4}$$

Definition 7 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota.(\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 8 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap\ V1f\ V0x)))$

Definition 9 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2)))$

Definition 10 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2)))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (5)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (6)$$

Definition 11 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2))$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{(ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b}}) \quad (7)$$

Definition 12 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1s \in (2^{A_27a}). (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2))$

Definition 13 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2))$

Definition 14 We define $c_2Epred_set_2EDELETE$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1x \in A_27a. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2))$

Definition 15 We define $c_2Epred_set_2EREST$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). (ap\ (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2))\ (\lambda V3t \in 2))$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a) \in ((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a})) \quad (8)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (9)$$

Definition 16 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \mathbf{if}\ (\exists x \in A. p\ (ap\ P\ x))\ \mathbf{then}\ (the\ (\lambda x. x \in A) \cap P)$ of type $\iota \Rightarrow \iota$.

Definition 17 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A_27a. (\lambda V2t2 \in A_27a. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V3t \in 2))))$

Definition 18 We define $c_2Epred_set_2EFINITE$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V1t \in 2))$

Definition 33 We define $c_2Epatricia_2EPTREE_OF_NUMSET$ to be $\lambda V0t \in (ty_2Epatricia_2Eptree\ ty_2Eptree)$

Let $c_2Epatricia_2EIS_PTREE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Epatricia_2EIS_PTREE\ A_27a \in (2^{(ty_2Epatricia_2Eptree\ A_27a)}) \quad (14)$$

Let $c_2Epatricia_2EEmpty : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Epatricia_2EEmpty\ A_27a \in (ty_2Epatricia_2Eptree\ A_27a) \quad (15)$$

Let $c_2Epatricia_2ETRAVERSE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Epatricia_2ETRAVERSE\ A_27a \in ((ty_2Elist_2Elist\ ty_2Enum_2Enum)^{(ty_2Epatricia_2Eptree\ A_27a)}) \quad (16)$$

Let $c_2Elist_2ELIST_TO_SET : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELIST_TO_SET\ A_27a \in ((2^{A_27a})^{(ty_2Elist_2Elist\ A_27a)}) \quad (17)$$

Definition 34 We define $c_2Epatricia_2ENUMSET_OF_PTREE$ to be $\lambda V0t \in (ty_2Epatricia_2Eptree\ ty_2Eptree)$

Definition 35 We define $c_2Epred_set_2EUNION$ to be $\lambda A_27a : \iota.\lambda V0s \in (2^{A_27a}).\lambda V1t \in (2^{A_27a}).(ap\ (c_2Epatricia_2EPTREE_OF_NUMSET\ A_27a)\ V0s\ V1t)$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (19)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p\ V0t)))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \Rightarrow \\ & (p\ V1t2) \Rightarrow (p\ V2t3)) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in \\ & 2.(((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow \\ & (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow (p (ap (c_{2E} \text{ Patricia}_{2EIS_PTREE} A_{27a}) (c_{2E} \text{ Patricia}_{2E} \text{ Empty } A_{27a}))) \quad (23)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in (ty_{2E} \text{ Patricia}_{2E} \text{ Eptree } ty_{2E} \text{ Eone}_{2E} \text{ Eone}). (\forall V1s \in \\ & (2^{ty_{2E} \text{ Enum}_{2E} \text{ Enum}}). ((p (ap (c_{2E} \text{ Patricia}_{2EIS_PTREE} ty_{2E} \text{ Eone}_{2E} \text{ Eone}) \\ & V0t)) \wedge (p (ap (c_{2E} \text{ Pred_set}_{2E} \text{ FINITE } ty_{2E} \text{ Enum}_{2E} \text{ Enum}) V1s)))) \Rightarrow \\ & ((ap c_{2E} \text{ Patricia}_{2E} \text{ ENUMSET_OF_PTREE } (ap (ap c_{2E} \text{ Patricia}_{2E} \text{ EPTREE_OF_NUMSET} \\ & V0t) V1s)) = (ap (ap (c_{2E} \text{ Pred_set}_{2E} \text{ UNION } ty_{2E} \text{ Enum}_{2E} \text{ Enum}) (ap \\ & c_{2E} \text{ Patricia}_{2E} \text{ ENUMSET_OF_PTREE } V0t)) V1s)))) \quad (24) \end{aligned}$$

Assume the following.

$$((ap c_{2E} \text{ Patricia}_{2E} \text{ ENUMSET_OF_PTREE } (c_{2E} \text{ Patricia}_{2E} \text{ Empty } ty_{2E} \text{ Eone}_{2E} \text{ Eone})) = (c_{2E} \text{ Pred_set}_{2E} \text{ EMPTY } ty_{2E} \text{ Enum}_{2E} \text{ Enum})) \quad (25)$$

Assume the following.

$$\begin{aligned} & \forall A_{27a}. \text{nonempty } A_{27a} \Rightarrow ((\forall V0s \in (2^{A_{27a}}). ((ap (\\ & ap (c_{2E} \text{ Pred_set}_{2E} \text{ UNION } A_{27a}) (c_{2E} \text{ Pred_set}_{2E} \text{ EMPTY } A_{27a})) \\ & V0s) = V0s)) \wedge (\forall V1s \in (2^{A_{27a}}). ((ap (ap (c_{2E} \text{ Pred_set}_{2E} \text{ UNION} \\ & A_{27a}) V1s) (c_{2E} \text{ Pred_set}_{2E} \text{ EMPTY } A_{27a})) = V1s))) \quad (26) \end{aligned}$$

Theorem 1

$$\begin{aligned} & (\forall V0s \in (2^{ty_{2E} \text{ Enum}_{2E} \text{ Enum}}). ((p (ap (c_{2E} \text{ Pred_set}_{2E} \text{ FINITE} \\ & ty_{2E} \text{ Enum}_{2E} \text{ Enum}) V0s)) \Rightarrow ((ap c_{2E} \text{ Patricia}_{2E} \text{ ENUMSET_OF_PTREE} \\ & (ap (ap c_{2E} \text{ Patricia}_{2E} \text{ EPTREE_OF_NUMSET } (c_{2E} \text{ Patricia}_{2E} \text{ Empty } \\ & ty_{2E} \text{ Eone}_{2E} \text{ Eone})) V0s)) = V0s))) \end{aligned}$$