

thm\_2Epatricia\_2Eperm\_\_NOT\_\_ADD  
(TMUZd-  
cuVZ7c6XiN8BoZmNquYzUbF4nP3Z9r)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_2T$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \tag{1}$$

**Definition 3** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 4** We define  $c\_2Eone\_2Eone$  to be  $(ap (c\_2Emin\_2E\_40 ty\_2Eone\_2Eone) (\lambda V0x \in ty\_2Eone\_2Eone.V0x))$

**Definition 5** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A-27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A-27a})) P) V0P))$

**Definition 6** We define  $c\_2Ebool\_2E\_2F$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 7** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 8** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2.(ap (ap c\_2Emin\_2E\_3D\_3D\_3E V0t) c\_2Ebool\_2E\_2F))$

**Definition 9** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t))) V0t1)$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \tag{2}$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A-27b})^{A-27a})^2}) \tag{3}$$

**Definition 10** We define  $c\_Esum\_2EINR$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27b. (ap (c\_Esum\_2EABS$   
Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty\_2Eoption\_2Eoption A0) \quad (4)$$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS A\_27a \in ((ty\_2Eoption\_2Eoption A\_27a)^{(ty\_2Esum\_2Esum A\_27a ty\_2Eone\_2Eone)}) \quad (5)$$

**Definition 11** We define  $c\_2Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota. (ap (c\_2Eoption\_2Eoption\_ABS A\_27a) (c$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow \forall A1. nonempty A1 \Rightarrow nonempty (ty\_2Epair\_2Eprod A0 A1) \quad (6)$$

**Definition 12** We define  $c\_Esum\_2EINL$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27a. (ap (c\_Esum\_2EABS$

**Definition 13** We define  $c\_2Eoption\_2ESOME$  to be  $\lambda A\_27a : \iota. \lambda V0x \in A\_27a. (ap (c\_2Eoption\_2Eoption\_ABS$

**Definition 14** We define  $c\_2Ebool\_2ECOND$  to be  $\lambda A\_27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A\_27a. (\lambda V2t2 \in A\_27a. ($

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow \forall A\_27b. nonempty A\_27b \Rightarrow c\_2Epair\_2EABS\_prod A\_27a A\_27b \in ((ty\_2Epair\_2Eprod A\_27a A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (7)$$

**Definition 15** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0x \in A\_27a. \lambda V1y \in A\_27b. (ap (c\_2Epair$

Let  $ty\_2Epatricia\_2Eptree : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty\_2Epatricia\_2Eptree A0) \quad (8)$$

Let  $ty\_2Eenum\_2Eenum : \iota$  be given. Assume the following.

$$nonempty ty\_2Eenum\_2Eenum \quad (9)$$

Let  $c\_2Epatricia\_2EADD : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Epatricia\_2EADD A\_27a \in (((ty\_2Epatricia\_2Eptree A\_27a)^{(ty\_2Epair\_2Eprod ty\_2Eenum\_2Eenum A\_27a)})^{(ty\_2Epatricia\_2Eptree A\_27a)}) \quad (10)$$

Let  $c\_2Epatricia\_2EPEEK : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a. nonempty A\_27a \Rightarrow c\_2Epatricia\_2EPEEK A\_27a \in (((ty\_2Eoption\_2Eoption A\_27a)^{(ty\_2Eenum\_2Eenum)})^{(ty\_2Epatricia\_2Eptree A\_27a)}) \quad (11)$$



Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \vee (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \vee True) \Leftrightarrow True) \wedge \\
& (((False \vee (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee False) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \vee \\
& (p \ V0t)) \Leftrightarrow (p \ V0t))))))
\end{aligned} \tag{22}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Rightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Rightarrow True) \Leftrightarrow \\
& True) \wedge (((False \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (((p \ V0t) \Rightarrow (p \ V0t)) \Leftrightarrow True) \wedge (( \\
& (p \ V0t) \Rightarrow False) \Leftrightarrow (\neg (p \ V0t))))))
\end{aligned} \tag{23}$$

Assume the following.

$$\begin{aligned}
& ((\forall V0t \in 2.((\neg(\neg(p \ V0t))) \Leftrightarrow (p \ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\
& ((\neg False) \Leftrightarrow True)))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.((V0x = V0x) \Leftrightarrow \\
& True))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0x \in A\_27a.(\forall V1y \in \\
& A\_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x))))
\end{aligned} \tag{26}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t \in 2.(((True \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow True) \Leftrightarrow \\
& (p \ V0t)) \wedge (((False \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg (p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\
& p \ V0t))))))
\end{aligned} \tag{27}$$

Assume the following.

$$\begin{aligned}
& \forall A\_27a.nonempty \ A\_27a \Rightarrow (\forall V0t1 \in A\_27a.(\forall V1t2 \in \\
& A\_27a.(((ap \ (ap \ (ap \ (c\_2Ebool\_2ECOND \ A\_27a) \ c\_2Ebool\_2ET) \ V0t1) \\
& V1t2) = V0t1) \wedge ((ap \ (ap \ (ap \ (c\_2Ebool\_2ECOND \ A\_27a) \ c\_2Ebool\_2EF) \\
& V0t1) \ V1t2) = V1t2))))))
\end{aligned} \tag{28}$$

Assume the following.

$$\begin{aligned}
& (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p \ V0t1) \Rightarrow \\
& ((p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3))))))
\end{aligned} \tag{29}$$

Assume the following.

$$\begin{aligned}
& (\forall V0x \in 2.(\forall V1x\_27 \in 2.(\forall V2y \in 2.(\forall V3y\_27 \in \\
& 2.(((p \ V0x) \Leftrightarrow (p \ V1x\_27)) \wedge ((p \ V1x\_27) \Rightarrow ((p \ V2y) \Leftrightarrow (p \ V3y\_27)))))) \Rightarrow \\
& (((p \ V0x) \Rightarrow (p \ V2y)) \Leftrightarrow ((p \ V1x\_27) \Rightarrow (p \ V3y\_27))))))
\end{aligned} \tag{30}$$

Assume the following.

$$\begin{aligned} \forall A\_27a. \text{nonempty } A\_27a \Rightarrow & ((\forall V0x \in A\_27a. ((p (ap (c\_2Eoption\_2EIS\_SOME \\ A\_27a) (ap (c\_2Eoption\_2ESOME A\_27a) V0x))) \Leftrightarrow \text{True})) \wedge & ((p (ap (c\_2Eoption\_2EIS\_SOME \\ A\_27a) (c\_2Eoption\_2ENONE A\_27a))) \Leftrightarrow \text{False})) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} \forall A\_27a. \text{nonempty } A\_27a \Rightarrow & (\forall V0t \in (ty\_2Epatricia\_2Eptree \\ A\_27a). (\forall V1x \in (ty\_2Epair\_2Eprod ty\_2Enum\_2Enum A\_27a). \\ ((p (ap (c\_2Epatricia\_2EIS\_PTREE A\_27a) V0t)) \Rightarrow & (p (ap (c\_2Epatricia\_2EIS\_PTREE \\ A\_27a) (ap (ap (c\_2Epatricia\_2EADD A\_27a) V0t) V1x)))))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} \forall A\_27a. \text{nonempty } A\_27a \Rightarrow & (\forall V0t \in (ty\_2Epatricia\_2Eptree \\ A\_27a). (\forall V1k \in ty\_2Enum\_2Enum. (\forall V2d \in A\_27a. (\forall V3j \in \\ ty\_2Enum\_2Enum. ((p (ap (c\_2Epatricia\_2EIS\_PTREE A\_27a) V0t)) \Rightarrow \\ ((ap (ap (c\_2Epatricia\_2EPEEK A\_27a) (ap (ap (c\_2Epatricia\_2EADD \\ A\_27a) V0t) (ap (ap (c\_2Epair\_2E2C ty\_2Enum\_2Enum A\_27a) V1k) \\ V2d))) V3j) = (ap (ap (ap (c\_2Ebool\_2ECOND (ty\_2Eoption\_2Eoption \\ A\_27a) (ap (ap (c\_2Emin\_2E3D ty\_2Enum\_2Enum) V1k) V3j)) (ap ( \\ c\_2Eoption\_2ESOME A\_27a) V2d)) (ap (ap (c\_2Epatricia\_2EPEEK A\_27a) \\ V0t) V3j)))))))))) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} \forall A\_27a. \text{nonempty } A\_27a \Rightarrow & (\forall V0t \in (ty\_2Epatricia\_2Eptree \\ A\_27a). (\forall V1k \in ty\_2Enum\_2Enum. ((p (ap (c\_2Epatricia\_2EIS\_PTREE \\ A\_27a) V0t)) \Rightarrow & ((p (ap (ap (c\_2Ebool\_2EIN ty\_2Enum\_2Enum) V1k) ( \\ ap (c\_2Elist\_2ELIST\_TO\_SET ty\_2Enum\_2Enum) (ap (c\_2Epatricia\_2ETRAVERSE \\ A\_27a) V0t)))) \Leftrightarrow & (p (ap (c\_2Eoption\_2EIS\_SOME A\_27a) (ap (ap (c\_2Epatricia\_2EPEEK \\ A\_27a) V0t) V1k)))))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} \forall A\_27a. \text{nonempty } A\_27a \Rightarrow & \forall A\_27b. \text{nonempty } A\_27b \Rightarrow ( \\ \forall V0t1 \in (ty\_2Epatricia\_2Eptree A\_27a). (\forall V1t2 \in & ( \\ ty\_2Epatricia\_2Eptree A\_27b). (((p (ap (c\_2Epatricia\_2EIS\_PTREE \\ A\_27a) V0t1)) \wedge & (p (ap (c\_2Epatricia\_2EIS\_PTREE A\_27b) V1t2))) \Rightarrow \\ ((\forall V2k \in ty\_2Enum\_2Enum. ((p (ap (ap (c\_2Ebool\_2EIN ty\_2Enum\_2Enum) \\ V2k) (ap (c\_2Elist\_2ELIST\_TO\_SET ty\_2Enum\_2Enum) (ap (c\_2Epatricia\_2ETRAVERSE \\ A\_27a) V0t1))) \Leftrightarrow & (p (ap (ap (c\_2Ebool\_2EIN ty\_2Enum\_2Enum) V2k) \\ (ap (c\_2Elist\_2ELIST\_TO\_SET ty\_2Enum\_2Enum) (ap (c\_2Epatricia\_2ETRAVERSE \\ A\_27b) V1t2)))))) \Leftrightarrow & ((ap (c\_2Epatricia\_2ETRAVERSE A\_27a) V0t1) = \\ (ap (c\_2Epatricia\_2ETRAVERSE A\_27b) V1t2)))))) \end{aligned} \quad (35)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p V0t))) \Leftrightarrow (p V0t))) \quad (36)$$

Assume the following.

$$(\forall V0A \in 2.((p V0A) \Rightarrow ((\neg(p V0A)) \Rightarrow \text{False}))) \quad (37)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p V0A) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow \text{False}) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (38)$$

Assume the following.

$$(\forall V0A \in 2.(\forall V1B \in 2.(((\neg(\neg(\neg(p V0A)) \vee (p V1B))) \Rightarrow \text{False}) \Leftrightarrow ((p V0A) \Rightarrow ((\neg(p V1B)) \Rightarrow \text{False})))))) \quad (39)$$

Assume the following.

$$(\forall V0A \in 2.(((\neg(p V0A)) \Rightarrow \text{False}) \Rightarrow (((p V0A) \Rightarrow \text{False}) \Rightarrow \text{False}))) \quad (40)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee ((\neg(p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \quad (41)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \wedge (p V2r)) \Leftrightarrow (((p V0p) \vee ((\neg(p V1q)) \vee (\neg(p V2r)))) \wedge (((p V1q) \vee (\neg(p V0p))) \wedge ((p V2r) \vee (\neg(p V0p)))))))))) \quad (42)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \vee (p V2r)) \Leftrightarrow (((p V0p) \vee (\neg(p V1q))) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((p V1q) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (43)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (p V1q) \Rightarrow (p V2r)) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge ((\neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \quad (44)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.(((p V0p) \Leftrightarrow (\neg(p V1q))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge ((\neg(p V1q)) \vee (\neg(p V0p)))))) \quad (45)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (46)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q))))) \quad (47)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p))))) \quad (48)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q))))) \quad (49)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (50)$$

**Theorem 1**

$$\begin{aligned} & \forall A.27a.nonempty \ A.27a \Rightarrow (\forall V0t \in (ty\_2Epatricia\_2Eptree \\ & \quad A.27a).(\forall V1k \in ty\_2Enum\_2Enum.(\forall V2d \in A.27a.((( \\ & \quad p \ (ap \ (c.2Epatricia\_2EIS\_PTREE \ A.27a) \ V0t)) \wedge \ (ap \ (ap \ (c.2Ebool\_2EIN \\ & \quad ty\_2Enum\_2Enum) \ V1k) \ (ap \ (c.2Elist\_2ELIST\_TO\_SET \ ty\_2Enum\_2Enum) \\ & \quad (ap \ (c.2Epatricia\_2ETRAVERSE \ A.27a) \ V0t)))))) \Rightarrow ((ap \ (c.2Epatricia\_2ETRAVERSE \\ & \quad A.27a) \ (ap \ (ap \ (c.2Epatricia\_2EADD \ A.27a) \ V0t) \ (ap \ (ap \ (c.2Epair\_2E\_2C \\ & \quad ty\_2Enum\_2Enum \ A.27a) \ V1k) \ V2d))) = (ap \ (c.2Epatricia\_2ETRAVERSE \\ & \quad A.27a) \ V0t)))))) \end{aligned}$$