

thm_2Epatricia_2EPTREE_OF_NUMSET_IS_PTREE (TMG6R4wRYStSoK4QCd9vMsF7yYApAk2SacS)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2E$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_2E$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2E$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (2)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (3)$$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty ty_2Eone_2Eone \quad (4)$$

Definition 8 We define `c.2Emin.2E.40` to be $\lambda A.\lambda P \in 2^A.$ **if** $(\exists x \in A.p (ap P x))$ **then** $(the (\lambda x.x \in A \wedge p$
of type $\iota \Rightarrow \iota$.

Definition 9 We define `c.2Eone.2Eone` to be $(ap (c.2Emin.2E.40 ty.2Eone.2Eone) (\lambda V0x \in ty.2Eone.2Eone$

Let `ty.2Epair.2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow \forall A1.nonempty A1 \Rightarrow nonempty (ty.2Epair.2Eprod A0 A1) \quad (5)$$

Let `c.2Epair.2EABS.2Eprod` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c.2Epair.2EABS.2Eprod A.27a A.27b \in ((ty.2Epair.2Eprod A.27a A.27b)^{(2^{A.27b})^{A.27a}}) \quad (6)$$

Definition 10 We define `c.2Epair.2E.2C` to be $\lambda A.27a : \iota.\lambda A.27b : \iota.\lambda V0x \in A.27a.\lambda V1y \in A.27b.(ap (c.2$

Let `c.2Ebool.2EARB` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow c.2Ebool.2EARB A.27a \in A.27a \quad (7)$$

Let `c.2Epred.2Eset.2ECHOICE` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow c.2Epred.2Eset.2ECHOICE A.27a \in (A.27a^{(2^{A.27a})}) \quad (8)$$

Definition 11 We define `c.2Epred.2Eset.2EEMPTY` to be $\lambda A.27a : \iota.(\lambda V0x \in A.27a.c.2Ebool.2EF)$.

Definition 12 We define `c.2Ebool.2EIN` to be $\lambda A.27a : \iota.(\lambda V0x \in A.27a.(\lambda V1f \in (2^{A.27a}).(ap V1f V0x))$

Definition 13 We define `c.2Ebool.2E.5C.2F` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c.2Ebool.2E.21 2) (\lambda V2t \in$

Let `c.2Epred.2Eset.2EGSPEC` : $\iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow \forall A.27b.nonempty A.27b \Rightarrow c.2Epred.2Eset.2EGSPEC A.27a A.27b \in ((2^{A.27a})^{((ty.2Epair.2Eprod A.27a 2)^{A.27b})}) \quad (9)$$

Definition 14 We define `c.2Epred.2Eset.2EINSERT` to be $\lambda A.27a : \iota.\lambda V0x \in A.27a.\lambda V1s \in (2^{A.27a}).(ap (c.$

Definition 15 We define `c.2Epred.2Eset.2EDIFF` to be $\lambda A.27a : \iota.\lambda V0s \in (2^{A.27a}).\lambda V1t \in (2^{A.27a}).(ap (c.2$

Definition 16 We define `c.2Epred.2Eset.2EDELETE` to be $\lambda A.27a : \iota.\lambda V0s \in (2^{A.27a}).\lambda V1x \in A.27a.(ap (ap$

Definition 17 We define `c.2Epred.2Eset.2EREST` to be $\lambda A.27a : \iota.\lambda V0s \in (2^{A.27a}).(ap (ap (c.2Epred.2Eset.2$

Definition 18 We define `c.2Ebool.2ECOND` to be $\lambda A.27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.27a.(\lambda V2t2 \in A.27a.(\lambda V3t3 \in$

Definition 19 We define `c.2Epred.2Eset.2EFINITE` to be $\lambda A.27a : \iota.\lambda V0s \in (2^{A.27a}).(ap (c.2Ebool.2E.21 2)$

Definition 20 We define $c_Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$

Definition 21 We define $c_Ecombin_2ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

Definition 22 We define $c_Ecombin_2EI$ to be $\lambda A_27a : \iota.(ap (ap (c_Ecombin_2ES A_27a (A_27a^{A_27a})) A_27a))$

Definition 23 We define $c_Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_Emin_2E_40 A_27a P))))$

Definition 24 We define $c_ERelation_2EWF$ to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).(ap (c_Ebool_2E_21 A_27a R))$

Definition 25 We define $c_ERelation_2ERESTRICT$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0f \in (A_27b^{A_27a}).\lambda V1A \in (A_27a^{A_27b}).(ap (ap (c_Emin_2E_40 A_27a (A_27a^{A_27a})) A_27a) f))$

Definition 26 We define $c_ERelation_2ETC$ to be $\lambda A_27a : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1a \in A_27a.\lambda V2b \in A_27a.(ap (ap (c_Emin_2E_40 A_27a (A_27a^{A_27a})) A_27a) R))$

Definition 27 We define $c_ERelation_2Eapprox$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1M \in (A_27a^{A_27b}).(ap (ap (c_Emin_2E_40 A_27a (A_27a^{A_27a})) A_27a) R))$

Definition 28 We define $c_ERelation_2Ethe_fun$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1M \in (A_27a^{A_27b}).(ap (ap (c_Emin_2E_40 A_27a (A_27a^{A_27a})) A_27a) R))$

Definition 29 We define $c_ERelation_2EWFREC$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0R \in ((2^{A_27a})^{A_27a}).\lambda V1M \in (A_27a^{A_27b}).(ap (ap (c_Emin_2E_40 A_27a (A_27a^{A_27a})) A_27a) R))$

Definition 30 We define $c_Elist_2ESET_TO_LIST$ to be $\lambda A_27a : \iota.(ap (ap (c_ERelation_2EWFREC (2^{A_27a})^{A_27a}) A_27a) A_27a))$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \tag{10}$$

Let $ty_2Epatricia_2Eptree : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Epatricia_2Eptree\ A0) \tag{11}$$

Let $c_2Epatricia_2EADD : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Epatricia_2EADD\ A_27a \in (((ty_2Epatricia_2Eptree\ A_27a)^{(ty_2Epair_2Eprod\ ty_2Enum_2Enum\ A_27a)})^{(ty_2Epatricia_2Eptree\ A_27a)}) \tag{12}$$

Definition 31 We define $c_2Epatricia_2EINSERT_PTREE$ to be $\lambda V0n \in ty_2Enum_2Enum.\lambda V1t \in (ty_2Epatricia_2Eptree\ n)$

Definition 32 We define $c_Ecombin_2EC$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

Let $c_2Elist_2EFOLDL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Elist_2EFOLDL\ A_27a\ A_27b \in (((A_27b^{(ty_2Elist_2Elist\ A_27a)})^{A_27b})^{((A_27b^{A_27a})^{A_27b})}) \tag{13}$$

Definition 33 We define $c_2Epatricia_2EPTREE_OF_NUMSET$ to be $\lambda V0t \in (ty_2Epatricia_2Eptree\ ty_2Enum_2Enum)$

Let $c_2Epatricia_2EIS_PTREE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Epatricia_2EIS_PTREE\ A_27a \in (2^{(ty_2Epatricia_2Etree\ A_27a)}) \quad (14)$$

Assume the following.

$$True \quad (15)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p\ V0t) \Leftrightarrow (p\ V0t))) \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (17) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge \\ & ((p\ V0t) \Rightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \quad (18) \end{aligned}$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (19)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p\ V0t)))))) \quad (20) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \Rightarrow \\ & (p\ V1t2) \Rightarrow (p\ V2t3)) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (21) \end{aligned}$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2.(\forall V1x_27 \in 2.(\forall V2y \in 2.(\forall V3y_27 \in \\ & 2.(((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow \\ & (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \quad (22) \end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\ & nonempty\ A_27c \Rightarrow (\forall V0f \in ((A_27c^{A_27b})^{A_27a}).(\forall V1x \in \\ & A_27b.(\forall V2y \in A_27a.((ap\ (ap\ (ap\ (c_2Ecombin_2EC\ A_27a\ A_27b \\ & A_27c)\ V0f)\ V1x)\ V2y) = (ap\ (ap\ V0f\ V2y)\ V1x)))))) \quad (23) \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow (\\
& \quad (\forall V0f \in ((A.27b^{A.27a})^{A.27b}).(\forall V1e \in A.27b.((ap\ (\\
& \quad ap\ (ap\ (c.2Elist.2EFOLDL\ A.27a\ A.27b)\ V0f)\ V1e)\ (c.2Elist.2ENIL \\
& \quad A.27a)) = V1e))) \wedge (\forall V2f \in ((A.27b^{A.27a})^{A.27b}).(\forall V3e \in \\
& \quad A.27b.(\forall V4x \in A.27a.(\forall V5l \in (ty.2Elist.2Elist\ A.27a). \\
& \quad ((ap\ (ap\ (ap\ (c.2Elist.2EFOLDL\ A.27a\ A.27b)\ V2f)\ V3e)\ (ap\ (ap\ (c.2Elist.2ECONS \\
& \quad A.27a)\ V4x)\ V5l)) = (ap\ (ap\ (ap\ (c.2Elist.2EFOLDL\ A.27a\ A.27b)\ V2f) \\
& \quad (ap\ (ap\ V2f\ V3e)\ V4x))\ V5l))))))
\end{aligned} \tag{24}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0P \in (2^{(ty.2Elist.2Elist\ A.27a)}). \\
& \quad (((p\ (ap\ V0P\ (c.2Elist.2ENIL\ A.27a))) \wedge (\forall V1t \in (ty.2Elist.2Elist \\
& \quad A.27a).((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A.27a.(p\ (ap\ V0P\ (ap\ (ap\ (\\
& \quad c.2Elist.2ECONS\ A.27a)\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty.2Elist.2Elist \\
& \quad A.27a).(p\ (ap\ V0P\ V3l))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0t \in (ty.2Epatricia.2Eptree \\
& \quad A.27a).(\forall V1x \in (ty.2Epair.2Eprod\ ty.2Enum.2Enum\ A.27a). \\
& \quad ((p\ (ap\ (c.2Epatricia.2EIS_PTREE\ A.27a)\ V0t)) \Rightarrow (p\ (ap\ (c.2Epatricia.2EIS_PTREE \\
& \quad A.27a)\ (ap\ (ap\ (c.2Epatricia.2EADD\ A.27a)\ V0t)\ V1x))))))
\end{aligned} \tag{26}$$

Theorem 1

$$\begin{aligned}
& (\forall V0t \in (ty.2Epatricia.2Eptree\ ty.2Eone.2Eone).(\forall V1s \in \\
& \quad (2^{ty.2Enum.2Enum}).((p\ (ap\ (c.2Epatricia.2EIS_PTREE\ ty.2Eone.2Eone) \\
& \quad V0t)) \Rightarrow (p\ (ap\ (c.2Epatricia.2EIS_PTREE\ ty.2Eone.2Eone)\ (ap\ (\\
& \quad ap\ c.2Epatricia.2EPTREE_OF_NUMSET\ V0t)\ V1s))))))
\end{aligned}$$