

thm_2Epatricia_2EPTREE__TRAVERSE__EQ (TMLWd8RkR7Ab7dfChKemTWgu6oR9i7xut3a)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2ET$ to be $(ap (ap (c_2Emin_2E_3D (2^2))) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x)$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \tag{1}$$

Definition 3 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x))$ then (the $(\lambda x.x \in A \wedge p)$ of type $\iota \Rightarrow \iota$).

Definition 4 We define c_2Eone_2Eone to be $(ap (c_2Emin_2E_40 ty_2Eone_2Eone) (\lambda V0x \in ty_2Eone_2Eone))$

Definition 5 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40 A_27a))))$

Definition 6 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))))$

Definition 7 We define $c_2Ebool_2E_2EF$ to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 8 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 9 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2EF))$

Definition 10 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))))$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \tag{2}$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \tag{3}$$

Definition 11 We define c_Esum_2EINR to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27b. (ap (c_Esum_2EABS$
Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty_2Eoption_2Eoption A0) \quad (4)$$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Eoption_2Eoption_ABS A_27a \in ((ty_2Eoption_2Eoption A_27a)^{(ty_2Esum_2Esum A_27a ty_2Eone_2Eone)}) \quad (5)$$

Definition 12 We define $c_2Eoption_2ENONE$ to be $\lambda A_27a : \iota. (ap (c_2Eoption_2Eoption_ABS A_27a))$

Definition 13 We define c_Esum_2EINL to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0e \in A_27a. (ap (c_Esum_2EABS$

Definition 14 We define $c_2Eoption_2ESOME$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. (ap (c_2Eoption_2Eoption_ABS$

Let $ty_2Epatricia_2Eptree : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty_2Epatricia_2Eptree A0) \quad (6)$$

Let $c_2Epatricia_2ETRANSFORM : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow \forall A_27b. nonempty A_27b \Rightarrow c_2Epatricia_2ETRANSFORM A_27a A_27b \in (((ty_2Epatricia_2Eptree A_27a)^{(ty_2Epatricia_2Eptree A_27b)})^{(A_27a^{A_27b})}) \quad (7)$$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0. nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (8)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty ty_2Enum_2Enum \quad (9)$$

Let $c_2Epatricia_2EPEEK : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Epatricia_2EPEEK A_27a \in (((ty_2Eoption_2Eoption A_27a)^{(ty_2Enum_2Enum)}(ty_2Epatricia_2Eptree A_27a)) \quad (10)$$

Let $c_2Eoption_2EIS_SOME : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Eoption_2EIS_SOME A_27a \in (\quad (11)$$

Let $c_2Epatricia_2ETRAVERSE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Epatricia_2ETRAVERSE A_27a \in ((ty_2Elist_2Elist ty_2Enum_2Enum)^{(ty_2Epatricia_2Eptree A_27a)}) \quad (12)$$

Let $c_2Elist_2ELIST_TO_SET : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow c_2Elist_2ELIST_TO_SET A_27a \in ((2^{A_27a})^{(ty_2Elist_2Elist A_27a)}) \quad (13)$$

Definition 15 We define `c_2Ebool_2EIN` to be $\lambda A_{.27a} : \iota. (\lambda V0x \in A_{.27a}. (\lambda V1f \in (2^{A_{.27a}}). (ap V1f V0x)))$

Let `c_2Epatricia_2EIS_PTREE` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow \text{c_2Epatricia_2EIS_PTREE } A_{.27a} \in \mathcal{P}(\mathcal{P}(\text{ty_2Epatricia_2Etree } A_{.27a})) \quad (14)$$

Definition 16 We define `c_2Ebool_2E_5C_2F` to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (\text{c_2Ebool_2E_21 } 2) (\lambda V2t \in 2. (ap (V0t1 \Rightarrow V1t2) (V2t \Rightarrow V0t1))))))$

Assume the following.

$$\text{True} \quad (15)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (((p V0t1) \Rightarrow (p V1t2)) \Rightarrow (((p V1t2) \Rightarrow (p V0t1)) \Rightarrow ((p V0t1) \Leftrightarrow (p V1t2)))))) \quad (16)$$

Assume the following.

$$(\forall V0t \in 2. (\text{False} \Rightarrow (p V0t))) \quad (17)$$

Assume the following.

$$\forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A_{.27a}. (p V0t)) \Leftrightarrow (p V0t))) \quad (18)$$

Assume the following.

$$(\forall V0t \in 2. (((\text{True} \wedge (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \wedge \text{True}) \Leftrightarrow (p V0t)) \wedge (((\text{False} \wedge (p V0t)) \Leftrightarrow \text{False}) \wedge (((p V0t) \wedge \text{False}) \Leftrightarrow \text{False}) \wedge (((p V0t) \wedge (p V0t)) \Leftrightarrow (p V0t)))))) \quad (19)$$

Assume the following.

$$(\forall V0t \in 2. (((\text{True} \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow \text{True}) \Leftrightarrow \text{True}) \wedge (((\text{False} \Rightarrow (p V0t)) \Leftrightarrow \text{True}) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow \text{True}) \wedge (((p V0t) \Rightarrow \text{False}) \Leftrightarrow (\neg (p V0t)))))) \quad (20)$$

Assume the following.

$$((\forall V0t \in 2. ((\neg (\neg (p V0t))) \Leftrightarrow (p V0t))) \wedge (((\neg \text{True}) \Leftrightarrow \text{False}) \wedge ((\neg \text{False}) \Leftrightarrow \text{True}))) \quad (21)$$

Assume the following.

$$\forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}. (V0x = V0x)) \quad (22)$$

Assume the following.

$$\forall A_{.27a}. \text{nonempty } A_{.27a} \Rightarrow (\forall V0x \in A_{.27a}. ((V0x = V0x) \Leftrightarrow \text{True})) \quad (23)$$

Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (24)$$

Assume the following.

$$((\neg(\text{True} \Leftrightarrow \text{False})) \wedge (\neg(\text{False} \Leftrightarrow \text{True}))) \quad (25)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((\text{True} \Leftrightarrow (p \ V0t)) \Leftrightarrow (p \ V0t)) \wedge (((p \ V0t) \Leftrightarrow \text{True}) \Leftrightarrow \\ & (p \ V0t)) \wedge (((\text{False} \Leftrightarrow (p \ V0t)) \Leftrightarrow (\neg(p \ V0t))) \wedge (((p \ V0t) \Leftrightarrow \text{False}) \Leftrightarrow (\neg(\\ & p \ V0t)))))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p \ V0t1) \Rightarrow \\ & ((p \ V1t2) \Rightarrow (p \ V2t3))) \Leftrightarrow (((p \ V0t1) \wedge (p \ V1t2)) \Rightarrow (p \ V2t3)))))) \end{aligned} \quad (27)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in \\ & 2. (((p \ V0x) \Leftrightarrow (p \ V1x_27)) \wedge ((p \ V1x_27) \Rightarrow ((p \ V2y) \Leftrightarrow (p \ V3y_27)))) \Rightarrow \\ & (((p \ V0x) \Rightarrow (p \ V2y)) \Leftrightarrow ((p \ V1x_27) \Rightarrow (p \ V3y_27)))))) \end{aligned} \quad (28)$$

Assume the following.

$$(\forall V0v \in \text{ty_2Eone_2Eone}. (V0v = \text{c_2Eone_2Eone})) \quad (29)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0opt \in (\text{ty_2Eoption_2Eoption} \\ & A_27a). ((V0opt = (\text{c_2Eoption_2ENONE } A_27a)) \vee (\exists V1x \in A_27a. \\ & (V0opt = (\text{ap } (\text{c_2Eoption_2ESOME } A_27a) \ V1x)))))) \end{aligned} \quad (30)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in \\ & A_27a. (((\text{ap } (\text{c_2Eoption_2ESOME } A_27a) \ V0x) = (\text{ap } (\text{c_2Eoption_2ESOME} \\ & A_27a) \ V1y)) \Leftrightarrow (V0x = V1y)))) \end{aligned} \quad (31)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow (\forall V0x \in A_27a. (\neg((\text{c_2Eoption_2ENONE} \\ & A_27a) = (\text{ap } (\text{c_2Eoption_2ESOME } A_27a) \ V0x)))) \end{aligned} \quad (32)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.\text{nonempty } A_27a \Rightarrow ((\forall V0x \in A_27a. ((p \ (\text{ap } (\text{c_2Eoption_2EIS_SOME} \\ & A_27a) \ (\text{ap } (\text{c_2Eoption_2ESOME } A_27a) \ V0x))) \Leftrightarrow \text{True})) \wedge ((p \ (\text{ap } (\text{c_2Eoption_2EIS_SOME} \\ & A_27a) \ (\text{c_2Eoption_2ENONE } A_27a))) \Leftrightarrow \text{False})) \end{aligned} \quad (33)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0f \in (A_27b^{A_27a}).(\forall V1t \in (ty_2Epatricia_2Eptree \\ & \quad A_27a).((p\ (ap\ (c_2Epatricia_2EIS_PTREE\ A_27a)\ V1t)) \Rightarrow (p\ (ap \\ & \quad (c_2Epatricia_2EIS_PTREE\ A_27b)\ (ap\ (ap\ (c_2Epatricia_2ETTRANSFORM \\ & \quad A_27b\ A_27a)\ V0f)\ V1t)))))) \end{aligned} \quad (34)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t1 \in (ty_2Epatricia_2Eptree \\ & \quad A_27a).(\forall V1t2 \in (ty_2Epatricia_2Eptree\ A_27a).(((p\ (ap \\ & \quad (c_2Epatricia_2EIS_PTREE\ A_27a)\ V0t1)) \wedge (p\ (ap\ (c_2Epatricia_2EIS_PTREE \\ & \quad A_27a)\ V1t2))) \Rightarrow ((\forall V2k \in ty_2Enum_2Enum.((ap\ (ap\ (c_2Epatricia_2EPEEK \\ & \quad A_27a)\ V0t1)\ V2k) = (ap\ (ap\ (c_2Epatricia_2EPEEK\ A_27a)\ V1t2)\ V2k))) \Leftrightarrow \\ & \quad (V0t1 = V1t2)))))) \end{aligned} \quad (35)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\ & \quad \forall V0f \in (A_27b^{A_27a}).(\forall V1t \in (ty_2Epatricia_2Eptree \\ & \quad A_27a).((ap\ (c_2Epatricia_2ETRAVERSE\ A_27b)\ (ap\ (ap\ (c_2Epatricia_2ETTRANSFORM \\ & \quad A_27b\ A_27a)\ V0f)\ V1t)) = (ap\ (c_2Epatricia_2ETRAVERSE\ A_27a)\ V1t)))) \end{aligned} \quad (36)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0t \in (ty_2Epatricia_2Eptree \\ & \quad A_27a).(\forall V1k \in ty_2Enum_2Enum.((p\ (ap\ (c_2Epatricia_2EIS_PTREE \\ & \quad A_27a)\ V0t)) \Rightarrow ((p\ (ap\ (ap\ (c_2Ebool_2EIN\ ty_2Enum_2Enum)\ V1k)\ (\\ & \quad ap\ (c_2Elist_2ELIST_TO_SET\ ty_2Enum_2Enum)\ (ap\ (c_2Epatricia_2ETRAVERSE \\ & \quad A_27a)\ V0t)))) \Leftrightarrow (p\ (ap\ (c_2Eoption_2EIS_SOME\ A_27a)\ (ap\ (ap\ (c_2Epatricia_2EPEEK \\ & \quad A_27a)\ V0t)\ V1k)))))) \end{aligned} \quad (37)$$

Assume the following.

$$(\forall V0t \in 2.((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t))) \quad (38)$$

Assume the following.

$$(\forall V0A \in 2.((p\ V0A) \Rightarrow ((\neg(p\ V0A)) \Rightarrow False))) \quad (39)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((p\ V0A) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & \quad (((p\ V0A) \Rightarrow False) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \end{aligned} \quad (40)$$

Assume the following.

$$\begin{aligned} & (\forall V0A \in 2.(\forall V1B \in 2.(((\neg((\neg(p\ V0A)) \vee (p\ V1B))) \Rightarrow False) \Leftrightarrow \\ & \quad ((p\ V0A) \Rightarrow ((\neg(p\ V1B)) \Rightarrow False)))))) \end{aligned} \quad (41)$$

Assume the following.

$$(\forall V0A \in 2.((\neg(p V0A)) \Rightarrow False) \Rightarrow ((p V0A) \Rightarrow False) \Rightarrow False)) \quad (42)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Leftrightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee ((p V1q) \vee (p V2r))) \wedge (((p V0p) \vee (\neg(\\ & p V2r)) \vee (\neg(p V1q)))) \wedge (((p V1q) \vee ((\neg(p V2r)) \vee (\neg(p V0p)))) \wedge ((p V2r) \vee \\ & ((\neg(p V1q)) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (43)$$

Assume the following.

$$\begin{aligned} & (\forall V0p \in 2.(\forall V1q \in 2.(\forall V2r \in 2.(((p V0p) \Leftrightarrow (\\ & (p V1q) \Rightarrow (p V2r))) \Leftrightarrow (((p V0p) \vee (p V1q)) \wedge (((p V0p) \vee (\neg(p V2r))) \wedge (\\ & \neg(p V1q)) \vee ((p V2r) \vee (\neg(p V0p)))))))))) \end{aligned} \quad (44)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (p V0p)))) \quad (45)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \Rightarrow (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (46)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V0p)))) \quad (47)$$

Assume the following.

$$(\forall V0p \in 2.(\forall V1q \in 2.((\neg((p V0p) \vee (p V1q))) \Rightarrow (\neg(p V1q)))) \quad (48)$$

Assume the following.

$$(\forall V0p \in 2.((\neg(\neg(p V0p))) \Rightarrow (p V0p))) \quad (49)$$

Theorem 1

$$\begin{aligned} & \forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow (\\ & \quad \forall V0t1 \in (ty_2Epatricia_2Eptree A_27a).(\forall V1t2 \in (\\ & \quad ty_2Epatricia_2Eptree A_27b).(((p (ap (c_2Epatricia_2EIS_PTREE \\ & \quad A_27a) V0t1)) \wedge (p (ap (c_2Epatricia_2EIS_PTREE A_27b) V1t2))) \Rightarrow \\ & \quad ((\forall V2k \in ty_2Enum_2Enum.((p (ap (ap (c_2Ebool_2EIN ty_2Enum_2Enum) \\ & V2k) (ap (c_2Elist_2ELIST_TO_SET ty_2Enum_2Enum) (ap (c_2Epatricia_2ETRAVERSE \\ & \quad A_27a) V0t1)))) \Leftrightarrow (p (ap (ap (c_2Ebool_2EIN ty_2Enum_2Enum) V2k) \\ & (ap (c_2Elist_2ELIST_TO_SET ty_2Enum_2Enum) (ap (c_2Epatricia_2ETRAVERSE \\ & \quad A_27b) V1t2)))))) \Leftrightarrow ((ap (c_2Epatricia_2ETRAVERSE A_27a) V0t1) = \\ & \quad (ap (c_2Epatricia_2ETRAVERSE A_27b) V1t2)))))) \end{aligned}$$