

thm_2Epatricia_2ESIZE

(TMJCTtxW68hbqcu9ihfYvfJB8ZyDargpnTH)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A. \lambda x \in A. \lambda y \in A. inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap (ap (c_2Emin_2E_3D (2^{A_27a})) (\lambda V1P \in 2.V1P)) (\lambda V2P \in 2.V2P)))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2. \lambda Q \in 2. inj_o (p \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2. (ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF))$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty\ ty_2Enum_2Enum \quad (1)$$

Let $c_2Earithmetic_2EEVEN : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEVEN \in (2^{ty_2Enum_2Enum}) \quad (2)$$

Let $c_2Earithmetic_2EODD : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EODD \in (2^{ty_2Enum_2Enum}) \quad (3)$$

Definition 7 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2. inj_o (V0t1 = V1t2))))$

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (4)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^\omega) \quad (5)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^\omega) \quad (6)$$

Definition 8 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap c_2Enum_2EABS_num ($

Definition 9 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p (ap P x)) \text{ then } (\text{the } (\lambda x.x \in A \wedge p \text{ of type } \iota \Rightarrow \iota).$

Definition 10 We define $c_2Ebool_2E_3F$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap V0P (ap (c_2Emin_2E_40$

Definition 11 We define $c_2Eprim_rec_2E_3C$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 12 We define $c_2Earithmetic_2E_3E$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 13 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in$

Definition 14 We define $c_2Earithmetic_2E_3E_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Definition 15 We define $c_2Earithmetic_2E_3C_3D$ to be $\lambda V0m \in ty_2Enum_2Enum.\lambda V1n \in ty_2Enum_2Enum.$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (7)$$

Definition 16 We define c_2Enum_2E0 to be $(ap c_2Enum_2EABS_num c_2Enum_2EZERO_REP).$

Definition 17 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.$

Definition 18 We define $c_2Eprim_rec_2EPRE$ to be $\lambda V0m \in ty_2Enum_2Enum.(ap (ap (ap (c_2Ebool_2E$

Definition 19 We define $c_2Earithmetic_2EZERO$ to be $c_2Enum_2E0.$

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (8)$$

Definition 20 We define $c_2Earithmetic_2EBIT2$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2E$

Definition 21 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap (ap c_2Earithmetic_2E$

Let $c_2Earithmetic_2EEEXP : \iota$ be given. Assume the following.

$$c_2Earithmetic_2EEEXP \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (9)$$

Let $c_2Earithmetic_2E_2D : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2D \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (10)$$

Let $c_2Earithmetic_2E_2A : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2A \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (11)$$

Definition 22 We define $c_2\text{E}iZ$ to be $\lambda V0x \in ty_2\text{Enum_2}Enum.V0x$.

Definition 23 We define $c_2\text{EARITHMETIC_2}ENUMERAL$ to be $\lambda V0x \in ty_2\text{Enum_2}Enum.V0x$.

Let $ty_2\text{Elist_2}Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \text{nonempty } (ty_2\text{Elist_2}Elist A0) \quad (12)$$

Let $c_2\text{Elist_2}EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2\text{Elist_2}EAPPEND A_27a \in (((ty_2\text{Elist_2}Elist} \\ {A_27a})^{(ty_2\text{Elist_2}Elist A_27a)})^{(ty_2\text{Elist_2}Elist A_27a)}) \quad (13)$$

Let $ty_2\text{Epatriotia_2}Eptree : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.\text{nonempty } A0 \Rightarrow \text{nonempty } (ty_2\text{Epatriotia_2}Eptree A0) \quad (14)$$

Let $c_2\text{Epatriotia_2}EBRANCH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2\text{Epatriotia_2}EBRANCH A_27a \in ((((ty_2\text{Epatriotia_2}Eptree} \\ {A_27a})^{(ty_2\text{Epatriotia_2}Eptree A_27a)})^{(ty_2\text{Epatriotia_2}Eptree A_27a)})^{ty_2\text{Enum_2}Enum}) \quad (15)$$

Let $c_2\text{Elist_2}ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2\text{Elist_2}ECONS A_27a \in ((((ty_2\text{Elist_2}Elist} \\ {A_27a})^{(ty_2\text{Elist_2}Elist A_27a)})^{A_27a}) \quad (16)$$

Let $c_2\text{Epatriotia_2}ELEAF : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2\text{Epatriotia_2}ELEAF A_27a \in ((((ty_2\text{Epatriotia_2}Eptree} \\ {A_27a})^{A_27a})^{ty_2\text{Enum_2}Enum}) \quad (17)$$

Let $c_2\text{Elist_2}ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2\text{Elist_2}ENIL A_27a \in (ty_2\text{Elist_2}Elist} \\ {A_27a) \quad (18)$$

Let $c_2\text{Epatriotia_2}EEMPTY : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2\text{Epatriotia_2}EEMPTY A_27a \in (ty_2\text{Epatriotia_2}Eptree} \\ {A_27a) \quad (19)$$

Let $c_2\text{Epatriotia_2}ETRVERSE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2\text{Epatriotia_2}ETRVERSE A_27a \in ((ty_2\text{Elist_2}Elist} \\ {ty_2\text{Enum_2}Enum})^{(ty_2\text{Epatriotia_2}Eptree A_27a)}) \quad (20)$$

Let $c_2\text{Elist_2}ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.\text{nonempty } A_27a \Rightarrow c_2\text{Elist_2}ELENGTH A_27a \in (ty_2\text{Enum_2}Enum)^{(ty_2\text{Elist_2}Elist A_27a)} \quad (21)$$

Definition 24 We define $c_2Epatricia_2ESIZE$ to be $\lambda A_27a : \iota. \lambda V0t \in (ty_2Epatricia_2Eptree A_27a). (ap$

Assume the following.

$$\begin{aligned} & (\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (\\ & \forall V2p \in ty_2Enum_2Enum. (((ap (ap c_2Earithmetic_2E_2B V0m) \\ & V2p) = (ap (ap c_2Earithmetic_2E_2B V1n) V2p)) \Leftrightarrow (V0m = V1n)))))) \end{aligned} \quad (22)$$

Assume the following.

$$True \quad (23)$$

Assume the following.

$$\forall A_27a. nonempty A_27a \Rightarrow (\forall V0x \in A_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (24)$$

Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty A_27a \Rightarrow (((ap (c_2Elist_2ELENGTH A_27a) \\ & (c_2Elist_2ENIL A_27a)) = c_2Enum_2E0) \wedge (\forall V0h \in A_27a. (\\ & \forall V1t \in (ty_2Elist_2Elist A_27a). ((ap (c_2Elist_2ELENGTH \\ & A_27a) (ap (ap (c_2Elist_2ECONS A_27a) V0h) V1t)) = (ap c_2Enum_2ESUC \\ & (ap (c_2Elist_2ELENGTH A_27a) V1t))))))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} & \forall A_27a. nonempty A_27a \Rightarrow (\forall V0l1 \in (ty_2Elist_2Elist \\ & A_27a). (\forall V1l2 \in (ty_2Elist_2Elist A_27a). ((ap (c_2Elist_2ELENGTH \\ & A_27a) (ap (ap (c_2Elist_2EAPPEND A_27a) V0l1) V1l2)) = (ap (ap c_2Earithmetic_2E_2B \\ & (ap (c_2Elist_2ELENGTH A_27a) V0l1)) (ap (c_2Elist_2ELENGTH A_27a) \\ & V1l2))))))) \end{aligned} \quad (26)$$

Assume the following.

$$\begin{aligned}
 & ((\forall V0n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B \\
 & c_2Enum_2E0) V0n) = V0n)) \wedge ((\forall V1n \in ty_2Enum_2Enum.((ap \\
 & (ap c_2Earithmetic_2E_2B V1n) c_2Enum_2E0) = V1n)) \wedge ((\forall V2n \in \\
 & ty_2Enum_2Enum.(\forall V3m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2B \\
 & (ap c_2Earithmetic_2ENUMERAL V2n)) (ap c_2Earithmetic_2ENUMERAL \\
 & V3m)) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Enumeral_2EiZ (ap \\
 & (ap c_2Earithmetic_2E_2B V2n) V3m))))))) \wedge ((\forall V4n \in ty_2Enum_2Enum. \\
 & ((ap (ap c_2Earithmetic_2E_2A c_2Enum_2E0) V4n) = c_2Enum_2E0)) \wedge \\
 & ((\forall V5n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A \\
 & V5n) c_2Enum_2E0) = c_2Enum_2E0)) \wedge ((\forall V6n \in ty_2Enum_2Enum. \\
 & ((\forall V7m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2A \\
 & ap c_2Earithmetic_2ENUMERAL V6n)) (ap c_2Earithmetic_2ENUMERAL \\
 & V7m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2A \\
 & V6n) V7m))))))) \wedge ((\forall V8n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D \\
 & c_2Enum_2E0) V8n) = c_2Enum_2E0)) \wedge ((\forall V9n \in ty_2Enum_2Enum. \\
 & ((ap (ap c_2Earithmetic_2E_2D V9n) c_2Enum_2E0) = V9n)) \wedge ((\forall V10n \in \\
 & ty_2Enum_2Enum.(\forall V11m \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2E_2D \\
 & (ap c_2Earithmetic_2ENUMERAL V10n)) (ap c_2Earithmetic_2ENUMERAL \\
 & V11m)) = (ap c_2Earithmetic_2ENUMERAL (ap (ap c_2Earithmetic_2E_2D \\
 & V10n) V11m))))))) \wedge ((\forall V12n \in ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP \\
 & c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
 & V12n)) = c_2Enum_2E0)) \wedge ((\forall V13n \in ty_2Enum_2Enum.((ap \\
 & (ap c_2Earithmetic_2EEXP c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL \\
 & (ap c_2Earithmetic_2EBIT2 V13n)) = c_2Enum_2E0)) \wedge ((\forall V14n \in \\
 & ty_2Enum_2Enum.((ap (ap c_2Earithmetic_2EEXP V14n) c_2Enum_2E0) = \\
 & (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 c_2Earithmetic_2EZERO)))))) \wedge \\
 & ((\forall V15n \in ty_2Enum_2Enum.(\forall V16m \in ty_2Enum_2Enum. \\
 & ((ap (ap c_2Earithmetic_2EEXP (ap c_2Earithmetic_2ENUMERAL V15n)) \\
 & (ap c_2Earithmetic_2ENUMERAL V16m)) = (ap c_2Earithmetic_2ENUMERAL \\
 & (ap (ap c_2Earithmetic_2EEXP V15n) V16m)))))) \wedge (((ap c_2Enum_2ESUC \\
 & c_2Enum_2E0) = (ap c_2Earithmetic_2ENUMERAL (ap c_2Earithmetic_2EBIT1 \\
 & c_2Earithmetic_2EZERO)))) \wedge ((\forall V17n \in ty_2Enum_2Enum. \\
 & (ap c_2Enum_2ESUC (ap c_2Earithmetic_2ENUMERAL V17n)) = (ap c_2Earithmetic_2ENUMERAL \\
 & (ap c_2Enum_2ESUC V17n)))) \wedge (((ap c_2Eprim_rec_2EPRE c_2Enum_2E0) = \\
 & c_2Enum_2E0) \wedge ((\forall V18n \in ty_2Enum_2Enum.((ap c_2Eprim_rec_2EPRE \\
 & (ap c_2Earithmetic_2ENUMERAL V18n)) = (ap c_2Earithmetic_2ENUMERAL \\
 & (ap c_2Eprim_rec_2EPRE V18n)))))) \wedge ((\forall V19n \in ty_2Enum_2Enum. \\
 & (((ap c_2Earithmetic_2ENUMERAL V19n) = c_2Enum_2E0) \Leftrightarrow (V19n = c_2Earithmetic_2EZERO)))) \wedge \\
 & ((\forall V20n \in ty_2Enum_2Enum.((c_2Enum_2E0 = (ap c_2Earithmetic_2ENUMERAL \\
 & V20n)) \Leftrightarrow (V20n = c_2Earithmetic_2EZERO))) \wedge ((\forall V21n \in ty_2Enum_2Enum. \\
 & (\forall V22m \in ty_2Enum_2Enum.(((ap c_2Earithmetic_2ENUMERAL \\
 & V21n) = (ap c_2Earithmetic_2ENUMERAL V22m)) \Leftrightarrow (V21n = V22m)))) \wedge \\
 & ((\forall V23n \in ty_2Enum_2Enum.((p (ap (ap c_2Eprim_rec_2E_3C \\
 & V23n) c_2Enum_2E0)) \Leftrightarrow False)) \wedge ((\forall V24n \in ty_2Enum_2Enum. \\
 & ((p (ap (ap c_2Eprim_rec_2E_3C c_2Enum_2E0) (ap c_2Earithmetic_2ENUMERAL \\
 & V24n))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
 & V24n)))))) \wedge ((\forall V25n \in ty_2Enum_2Enum.(\forall V26m \in ty_2Enum_2Enum. \\
 & ((p (ap (ap c_2Eprim_rec_2E_3C (ap c_2Earithmetic_2ENUMERAL \\
 & V25n)) (ap c_2Earithmetic_2ENUMERAL V26m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
 & V25n) V26m)))))) \wedge ((\forall V27n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3E \\
 & c_2Enum_2E0) V27n)) \Leftrightarrow False)) \wedge ((\forall V28n \in ty_2Enum_2Enum. \\
 & ((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL \\
 & V28n)) c_2Enum_2E0)) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C c_2Earithmetic_2EZERO) \\
 & V28n)))))) \wedge ((\forall V29n \in ty_2Enum_2Enum.(\forall V30m \in ty_2Enum_2Enum. \\
 & ((p (ap (ap c_2Earithmetic_2E_3E (ap c_2Earithmetic_2ENUMERAL \\
 & V29n)) (ap c_2Earithmetic_2ENUMERAL V30m))) \Leftrightarrow (p (ap (ap c_2Eprim_rec_2E_3C \\
 & V30m) V29n)))))) \wedge ((\forall V31n \in ty_2Enum_2Enum.((p (ap (ap c_2Earithmetic_2E_3C_3D \\
 & c_2Enum_2E0) V31n)) \Leftrightarrow True)) \wedge ((\forall V32n \in ty_2Enum_2Enum. \\
 & ((p (ap (ap c_2Earithmetic_2E_3C_3D (ap c_2Earithmetic_2ENUMERAL \\
 & V32n)))))))
 \end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A_{.27a}.nonempty A_{.27a} \Rightarrow (((ap (c_{.2}Epatria_{.2}ETRAVERSE \\
& A_{.27a}) (c_{.2}Epatria_{.2}EEmpty A_{.27a})) = (c_{.2}Elist_{.2}ENIL ty_{.2}Enum_{.2}Enum)) \wedge \\
& ((\forall V0j \in ty_{.2}Enum_{.2}Enum. (\forall V1d \in A_{.27a}. ((ap (c_{.2}Epatria_{.2}ETRAVERSE \\
& A_{.27a}) (ap (ap (c_{.2}Epatria_{.2}ELLeaf A_{.27a}) V0j) V1d)) = (ap (ap (\\
& c_{.2}Elist_{.2}ECONS ty_{.2}Enum_{.2}Enum) V0j) (c_{.2}Elist_{.2}ENIL ty_{.2}Enum_{.2}Enum))))))) \wedge \\
& (\forall V2p \in ty_{.2}Enum_{.2}Enum. (\forall V3m \in ty_{.2}Enum_{.2}Enum. (\\
& \forall V4l \in (ty_{.2}Epatria_{.2}Eptree A_{.27a}). (\forall V5r \in (ty_{.2}Epatria_{.2}Eptree \\
& A_{.27a}). ((ap (c_{.2}Epatria_{.2}ETRAVERSE A_{.27a}) (ap (ap (ap (c_{.2}Epatria_{.2}EBranch \\
& A_{.27a}) V2p) V3m) V4l) V5r)) = (ap (ap (c_{.2}Elist_{.2}EAPPEND ty_{.2}Enum_{.2}Enum) \\
& (ap (c_{.2}Epatria_{.2}ETRAVERSE A_{.27a}) V4l)) (ap (c_{.2}Epatria_{.2}ETRAVERSE \\
& A_{.27a}) V5r))))))) \\
\end{aligned} \tag{28}$$

Theorem 1

$$\begin{aligned}
& \forall A_{.27a}.nonempty A_{.27a} \Rightarrow (((ap (c_{.2}Epatria_{.2}ESIZE A_{.27a}) \\
& (c_{.2}Epatria_{.2}EEmpty A_{.27a})) = c_{.2}Enum_{.2}E0) \wedge ((\forall V0k \in \\
& ty_{.2}Enum_{.2}Enum. (\forall V1d \in A_{.27a}. ((ap (c_{.2}Epatria_{.2}ESIZE \\
& A_{.27a}) (ap (ap (c_{.2}Epatria_{.2}ELLeaf A_{.27a}) V0k) V1d)) = (ap c_{.2}Earithmetic_{.2}ENUMERAL \\
& (ap c_{.2}Earithmetic_{.2}EBIT1 c_{.2}Earithmetic_{.2}EZERO)))))) \wedge (\forall V2p \in \\
& ty_{.2}Enum_{.2}Enum. (\forall V3m \in ty_{.2}Enum_{.2}Enum. (\forall V4l \in \\
& ty_{.2}Epatria_{.2}Eptree A_{.27a}). (\forall V5r \in (ty_{.2}Epatria_{.2}Eptree \\
& A_{.27a}). ((ap (c_{.2}Epatria_{.2}ESIZE A_{.27a}) (ap (ap (ap (c_{.2}Epatria_{.2}EBranch \\
& A_{.27a}) V2p) V3m) V4l) V5r)) = (ap (ap c_{.2}Earithmetic_{.2}E_2B (ap (c_{.2}Epatria_{.2}ESIZE \\
& A_{.27a}) V4l)) (ap (c_{.2}Epatria_{.2}ESIZE A_{.27a}) V5r)))))))
\end{aligned}$$