

thm_2Epatricia_2ESIZE_PTREE_OF_NUMSET_EMPTY (TMdikdNBfyzrrMXyH6iUUEjTzkHGcg2Jms3)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define c_2Ebool_2ET to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define c_2Ebool_2EF to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2EF$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (2)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (3)$$

Let $ty_2Epatricia_2Eptree : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Epatricia_2Eptree A0) \quad (4)$$

Let $ty_2Enum_2Enum : \iota$ be given. Assume the following.

$$nonempty ty_2Enum_2Enum \quad (5)$$

Let $c_2Epatricia_2EBranch : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Epatricia_2EBranch\ A_27a \in ((((ty_2Epatricia_2Eptree\ A_27a)^{(ty_2Epatricia_2Eptree\ A_27a)})^{(ty_2Epatricia_2Eptree\ A_27a)})^{ty_2Enum_2Enum}) \quad (6)$$

Let $c_2Enum_2EZERO_REP : \iota$ be given. Assume the following.

$$c_2Enum_2EZERO_REP \in \omega \quad (7)$$

Let $c_2Enum_2EABS_num : \iota$ be given. Assume the following.

$$c_2Enum_2EABS_num \in (ty_2Enum_2Enum^{\omega}) \quad (8)$$

Definition 7 We define c_2Enum_2E0 to be $(ap\ c_2Enum_2EABS_num\ c_2Enum_2EZERO_REP)$.

Definition 8 We define $c_2Earithmetic_2EZERO$ to be c_2Enum_2E0 .

Let $c_2Enum_2EREP_num : \iota$ be given. Assume the following.

$$c_2Enum_2EREP_num \in (\omega^{ty_2Enum_2Enum}) \quad (9)$$

Let $c_2Enum_2ESUC_REP : \iota$ be given. Assume the following.

$$c_2Enum_2ESUC_REP \in (\omega^{\omega}) \quad (10)$$

Definition 9 We define c_2Enum_2ESUC to be $\lambda V0m \in ty_2Enum_2Enum.(ap\ c_2Enum_2EABS_num\ (ap\ c_2Enum_2EREP_num\ V0m))$.

Let $c_2Earithmetic_2E_2B : \iota$ be given. Assume the following.

$$c_2Earithmetic_2E_2B \in ((ty_2Enum_2Enum^{ty_2Enum_2Enum})^{ty_2Enum_2Enum}) \quad (11)$$

Definition 10 We define $c_2Earithmetic_2EBIT1$ to be $\lambda V0n \in ty_2Enum_2Enum.(ap\ (ap\ c_2Earithmetic_2E_2B\ V0n)\ c_2Enum_2E0)$.

Definition 11 We define $c_2Earithmetic_2ENUMERAL$ to be $\lambda V0x \in ty_2Enum_2Enum.V0x$.

Let $c_2Epatricia_2ELeaf : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Epatricia_2ELeaf\ A_27a \in ((((ty_2Epatricia_2Eptree\ A_27a)^{A_27a})^{ty_2Enum_2Enum}) \quad (12)$$

Let $c_2Epatricia_2EEmpty : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Epatricia_2EEmpty\ A_27a \in (ty_2Epatricia_2Eptree\ A_27a) \quad (13)$$

Let $c_2Epred_set_2ECARD : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Epred_set_2ECARD\ A_27a \in (ty_2Enum_2Enum^{(2^{A_27a})}) \quad (14)$$

Let $c_2Ebool_2EARB : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c.2Ebool_2EARB\ A.27a \in A.27a \quad (15)$$

Let $c_2Epred_set_2ECHOICE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c.2Epred_set_2ECHOICE\ A.27a \in (A.27a)^{(2^{A-27a})} \quad (16)$$

Definition 12 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A.27a : \iota. (\lambda V0x \in A.27a.c.2Ebool_2EF)$.

Definition 13 We define c_2Ebool_2EIN to be $\lambda A.27a : \iota. (\lambda V0x \in A.27a. (\lambda V1f \in (2^{A-27a}). (ap\ V1f\ V0x)))$

Definition 14 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2. (ap\ V1t2\ V2t))))$

Definition 15 We define $c_2Ebool_2E_2F_5C$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in 2. (ap\ V1t2\ V2t))))$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (17)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c.2Epair_2EABS_prod\ A.27a\ A.27b \in ((ty_2Epair_2Eprod\ A.27a\ A.27b))^{((2^{A-27b})^{A-27a})} \quad (18)$$

Definition 16 We define $c_2Epair_2E_2C$ to be $\lambda A.27a : \iota. \lambda A.27b : \iota. \lambda V0x \in A.27a. \lambda V1y \in A.27b. (ap\ (c_2Epair_2EABS_prod\ A.27a\ A.27b)\ V0x\ V1y)$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow c.2Epred_set_2EGSPEC\ A.27a\ A.27b \in ((2^{A-27a})^{((ty_2Epair_2Eprod\ A.27a\ 2)^{A-27b})}) \quad (19)$$

Definition 17 We define $c_2Epred_set_2EINSERT$ to be $\lambda A.27a : \iota. \lambda V0x \in A.27a. \lambda V1s \in (2^{A-27a}). (ap\ (c_2Epair_2EABS_prod\ A.27a\ A.27a)\ V0x\ V1s)$

Definition 18 We define $c_2Epred_set_2EDIFF$ to be $\lambda A.27a : \iota. \lambda V0s \in (2^{A-27a}). \lambda V1t \in (2^{A-27a}). (ap\ (c_2Epair_2EABS_prod\ A.27a\ A.27a)\ V0s\ V1t)$

Definition 19 We define $c_2Epred_set_2EDELETE$ to be $\lambda A.27a : \iota. \lambda V0s \in (2^{A-27a}). \lambda V1x \in A.27a. (ap\ (c_2Epair_2EABS_prod\ A.27a\ A.27a)\ V0s\ V1x)$

Definition 20 We define $c_2Epred_set_2EREST$ to be $\lambda A.27a : \iota. \lambda V0s \in (2^{A-27a}). (ap\ (ap\ (c_2Epred_set_2EDELETE\ A.27a)\ V0s)\ V0s)$

Definition 21 We define $c_2Emin_2E_40$ to be $\lambda A. \lambda P \in 2^A. \mathbf{if}\ (\exists x \in A. p\ (ap\ P\ x))\ \mathbf{then}\ (the\ (\lambda x. x \in A \wedge p\ (ap\ P\ x))\ of\ type\ \iota \Rightarrow \iota)$

Definition 22 We define c_2Ebool_2ECOND to be $\lambda A.27a : \iota. (\lambda V0t \in 2. (\lambda V1t1 \in A.27a. (\lambda V2t2 \in A.27a. (ap\ V1t1\ V2t2))))$

Definition 23 We define $c_2Epred_set_2EFINITE$ to be $\lambda A.27a : \iota. \lambda V0s \in (2^{A-27a}). (ap\ (c_2Ebool_2E_21\ 2)\ V0s)$

Definition 24 We define $c_Ecombin_2EK$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. (\lambda V0x \in A_27a. (\lambda V1y \in A_27b. V0x))$

Definition 25 We define $c_Ecombin_2ES$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. (\lambda V0f \in ((A_27c)^{A_27b})^{A_27a})$

Definition 26 We define $c_Ecombin_2EI$ to be $\lambda A_27a : \iota. (ap (ap (c_Ecombin_2ES A_27a (A_27a)^{A_27a}) A_27a))$

Definition 27 We define $c_Ebool_2E_3F$ to be $\lambda A_27a : \iota. (\lambda V0P \in (2^{A_27a}). (ap V0P (ap (c_Emin_2E_40 A_27a P))))$

Definition 28 We define $c_ERelation_2EWF$ to be $\lambda A_27a : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). (ap (c_Ebool_2E_3F A_27a R))$

Definition 29 We define $c_ERelation_2ERESTRICT$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0f \in (A_27b)^{A_27a}. \lambda V1g \in (A_27b)^{A_27a}. (ap (ap (c_Emin_2E_40 A_27a f) g))$

Definition 30 We define $c_ERelation_2ETC$ to be $\lambda A_27a : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1a \in A_27a. \lambda V2b \in A_27a. (ap (ap (c_Emin_2E_40 A_27a R) a) b)$

Definition 31 We define $c_ERelation_2Eapprox$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1M \in (A_27b)^{A_27a}. (ap (ap (c_Emin_2E_40 A_27a R) M))$

Definition 32 We define $c_ERelation_2Ethe_fun$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1M \in (A_27b)^{A_27a}. (ap (ap (c_Emin_2E_40 A_27a R) M))$

Definition 33 We define $c_ERelation_2EWFREC$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0R \in ((2^{A_27a})^{A_27a}). \lambda V1M \in (A_27b)^{A_27a}. (ap (ap (c_Emin_2E_40 A_27a R) M))$

Definition 34 We define $c_Elist_2ESET_TO_LIST$ to be $\lambda A_27a : \iota. (ap (ap (c_ERelation_2EWFREC (2^{A_27a})^{A_27a}) A_27a))$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (20)$$

Definition 35 We define c_Eone_2Eone to be $(ap (c_Emin_2E_40 ty_2Eone_2Eone)) (\lambda V0x \in ty_2Eone_2Eone)$

Let $c_2Epatricia_2EADD : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow c_2Epatricia_2EADD\ A_27a \in (((ty_2Epatricia_2Eptree\ A_27a) (ty_2Epair_2Eprod\ ty_2Eenum_2Eenum\ A_27a)) (ty_2Epatricia_2Eptree\ A_27a)) \quad (21)$$

Definition 36 We define $c_2Epatricia_2EINSERT_PTREE$ to be $\lambda V0n \in ty_2Eenum_2Eenum. \lambda V1t \in (ty_2Eenum)^{A_27a}. (ap (c_2Epatricia_2EADD A_27a n t))$

Definition 37 We define $c_Ecombin_2EC$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda A_27c : \iota. (\lambda V0f \in ((A_27c)^{A_27b})^{A_27a})$

Let $c_2Elist_2EFOLDL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a. nonempty\ A_27a \Rightarrow \forall A_27b. nonempty\ A_27b \Rightarrow c_2Elist_2EFOLDL\ A_27a\ A_27b \in (((A_27b)^{(ty_2Elist_2Elist\ A_27a)})^{A_27b})^{((A_27b)^{A_27a})^{A_27b}} \quad (22)$$

Definition 38 We define $c_2Epatricia_2EPTREE_OF_NUMSET$ to be $\lambda V0t \in (ty_2Epatricia_2Eptree\ ty_2Eenum)^{A_27a}. (ap (c_2Epatricia_2EINSERT_PTREE A_27a t))$

Let $c_2Epatricia_2ETRAVERSE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Epatricia_2ETRAVERSE\ A_27a \in ((ty_2Elist_2Elist\ ty_2Enum_2Enum)^{(ty_2Epatricia_2Eptree\ A_27a)}) \quad (23)$$

Let $c_2Elist_2ELENGTH : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ELENGTH\ A_27a \in (ty_2Enum_2Enum)^{(ty_2Elist_2Elist\ A_27a)} \quad (24)$$

Definition 39 We define $c_2Epatricia_2ESIZE$ to be $\lambda A_27a : \iota. \lambda V0t \in (ty_2Epatricia_2Eptree\ A_27a). (ap$

Let $c_2Elist_2EAPPEND : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EAPPEND\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{(ty_2Elist_2Elist\ A_27a)}) \quad (25)$$

Let $c_2Elist_2EALL_DISTINCT : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2EALL_DISTINCT\ A_27a \in (2^{(ty_2Elist_2Elist\ A_27a)}) \quad (26)$$

Let $c_2Epatricia_2EIS_PTREE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Epatricia_2EIS_PTREE\ A_27a \in (2^{(ty_2Epatricia_2Eptree\ A_27a)}) \quad (27)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. ((ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ c_2Enum_2E0) = V0m)) \quad (28)$$

Assume the following.

$$(\forall V0m \in ty_2Enum_2Enum. (\forall V1n \in ty_2Enum_2Enum. (ap\ (ap\ c_2Earithmetic_2E_2B\ V0m)\ V1n) = (ap\ (ap\ c_2Earithmetic_2E_2B\ V1n)\ V0m)))) \quad (29)$$

Assume the following.

$$True \quad (30)$$

Assume the following.

$$(\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \quad (31)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((p\ V0t) \Rightarrow False) \Leftrightarrow (\neg (p\ V0t)))))) \quad (32)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0x \in A_27a. (\forall V1y \in A_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (33)$$

Assume the following.

$$(\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(p\ V0t))))) \quad (34)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (35)$$

Assume the following.

$$2. (((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))) \Rightarrow (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))) \quad (36)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0l \in (ty_2Elist_2Elist\ A_27a). ((ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ (c_2Elist_2ENIL\ A_27a))\ V0l) = V0l) \wedge (\forall V1l1 \in (ty_2Elist_2Elist\ A_27a). (\forall V2l2 \in (ty_2Elist_2Elist\ A_27a). (\forall V3h \in A_27a. ((ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V3h)\ V1l1))\ V2l2) = (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V3h)\ (ap\ (ap\ (c_2Elist_2EAPPEND\ A_27a)\ V1l1)\ V2l2)))))))))) \quad (37)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0s \in (2^{A_27a}). ((p\ (ap\ (c_2Epred_set_2EFINITE\ A_27a)\ V0s)) \Rightarrow (p\ (ap\ (c_2Elist_2EALL_DISTINCT\ A_27a)\ (ap\ (c_2Elist_2ESET_TO_LIST\ A_27a)\ V0s)))))) \quad (38)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (((ap\ (c_2Epatricia_2ETRAVERSE\ A_27a)\ (c_2Epatricia_2EEmpty\ A_27a)) = (c_2Elist_2ENIL\ ty_2Enum_2Enum)) \wedge ((\forall V0j \in ty_2Enum_2Enum. (\forall V1d \in A_27a. ((ap\ (c_2Epatricia_2ETRAVERSE\ A_27a)\ (ap\ (ap\ (c_2Epatricia_2ELeaf\ A_27a)\ V0j)\ V1d)) = (ap\ (ap\ (c_2Elist_2ECONS\ ty_2Enum_2Enum)\ V0j)\ (c_2Elist_2ENIL\ ty_2Enum_2Enum)))))) \wedge ((\forall V2p \in ty_2Enum_2Enum. (\forall V3m \in ty_2Enum_2Enum. (\forall V4l \in (ty_2Epatricia_2Eptree\ A_27a). (\forall V5r \in (ty_2Epatricia_2Eptree\ A_27a). ((ap\ (c_2Epatricia_2ETRAVERSE\ A_27a)\ (ap\ (ap\ (ap\ (c_2Epatricia_2EBranch\ A_27a)\ V2p)\ V3m)\ V4l)\ V5r)) = (ap\ (ap\ (c_2Elist_2EAPPEND\ ty_2Enum_2Enum)\ (ap\ (c_2Epatricia_2ETRAVERSE\ A_27a)\ V4l))\ (ap\ (c_2Epatricia_2ETRAVERSE\ A_27a)\ V5r)))))))))) \quad (39)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (p\ (ap\ (c.2Epatricia.2EIS_PTREE\ A.27a)\ (c.2Epatricia.2EEmpty\ A.27a))) \quad (40)$$

Assume the following.

$$\begin{aligned} \forall A.27a.nonempty\ A.27a \Rightarrow & (((ap\ (c.2Epatricia.2ESIZE\ A.27a)\ (c.2Epatricia.2EEmpty\ A.27a)) = c.2Enum.2E0) \wedge ((\forall V0k \in \\ & ty.2Enum.2Enum.(\forall V1d \in A.27a.((ap\ (c.2Epatricia.2ESIZE \\ A.27a)\ (ap\ (ap\ (c.2Epatricia.2ELeaf\ A.27a)\ V0k)\ V1d)) = (ap\ c.2Earithmetic.2ENUMERAL \\ & (ap\ c.2Earithmetic.2EBIT1\ c.2Earithmetic.2EZERO)))))) \wedge (\forall V2p \in \\ & ty.2Enum.2Enum.(\forall V3m \in ty.2Enum.2Enum.(\forall V4l \in (\\ & ty.2Epatricia.2Eptree\ A.27a).(\forall V5r \in (ty.2Epatricia.2Eptree \\ & A.27a).((ap\ (c.2Epatricia.2ESIZE\ A.27a)\ (ap\ (ap\ (ap\ (ap\ (c.2Epatricia.2EBranch \\ & A.27a)\ V2p)\ V3m)\ V4l)\ V5r)) = (ap\ (ap\ c.2Earithmetic.2E.2B\ (ap\ (c.2Epatricia.2ESIZE \\ & A.27a)\ V4l))\ (ap\ (c.2Epatricia.2ESIZE\ A.27a)\ V5r)))))))))) \end{aligned} \quad (41)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in (ty.2Epatricia.2Eptree\ ty.2Eone.2Eone).(\forall V1s \in \\ & (2^{ty.2Enum.2Enum}).((p\ (ap\ (c.2Epred_set.2EFINITE\ ty.2Enum.2Enum) \\ & V1s)) \Rightarrow (((p\ (ap\ (c.2Epatricia.2EIS_PTREE\ ty.2Eone.2Eone)\ V0t)) \wedge \\ & (p\ (ap\ (c.2Elist.2EALL_DISTINCT\ ty.2Enum.2Enum)\ (ap\ (ap\ (c.2Elist.2EAPPEND \\ & ty.2Enum.2Enum)\ (ap\ (c.2Epatricia.2ETRAVERSE\ ty.2Eone.2Eone) \\ & V0t))\ (ap\ (c.2Elist.2ESET_TO_LIST\ ty.2Enum.2Enum)\ V1s)))))) \Rightarrow \\ & ((ap\ (c.2Epatricia.2ESIZE\ ty.2Eone.2Eone)\ (ap\ (ap\ c.2Epatricia.2EPTREE_OF_NUMSET \\ & V0t)\ V1s)) = (ap\ (ap\ c.2Earithmetic.2E.2B\ (ap\ (c.2Epatricia.2ESIZE \\ & ty.2Eone.2Eone)\ V0t))\ (ap\ (c.2Epred_set.2ECARD\ ty.2Enum.2Enum) \\ & V1s)))))) \end{aligned} \quad (42)$$

Theorem 1

$$\begin{aligned} & (\forall V0s \in (2^{ty.2Enum.2Enum}).((p\ (ap\ (c.2Epred_set.2EFINITE \\ & ty.2Enum.2Enum)\ V0s)) \Rightarrow ((ap\ (c.2Epatricia.2ESIZE\ ty.2Eone.2Eone) \\ & (ap\ (ap\ c.2Epatricia.2EPTREE_OF_NUMSET\ (c.2Epatricia.2EEmpty \\ & ty.2Eone.2Eone))\ V0s)) = (ap\ (c.2Epred_set.2ECARD\ ty.2Enum.2Enum) \\ & V0s)))) \end{aligned}$$