

thm_2Epatricia_2EUNION__PTREE__IS__PTREE (TMdH7YDdtXudAnxpzZL4CNAULYsLMZf7TXf)

October 26, 2020

Definition 1 We define `c_2Emin_2E_3D` to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define `c_2Ebool_2E_2T` to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define `c_2Ebool_2E_21` to be $\lambda A_{.27a} : \iota.(\lambda V0P \in (2^{A_{.27a}}).(ap (ap (c_2Emin_2E_3D (2^{A_{.27a}}))$

Definition 4 We define `c_2Ebool_2E_2F` to be $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define `c_2Emin_2E_3D_3D_3E` to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define `c_2Ebool_2E_7E` to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2F))$

Definition 7 We define `c_2Ebool_2E_2F_5C` to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t)))$

Let `ty_2Eone_2Eone` : ι be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \tag{1}$$

Let `ty_2Eenum_2Eenum` : ι be given. Assume the following.

$$nonempty\ ty_2Eenum_2Eenum \tag{2}$$

Let `ty_2Elist_2Elist` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Elist_2Elist\ A0) \tag{3}$$

Let `ty_2Epatricia_2Eptree` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Epatricia_2Eptree\ A0) \tag{4}$$

Let `c_2Epatricia_2ETRAVERSE` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow c_2Epatricia_2ETRAVERSE\ A_{.27a} \in ((ty_2Elist_2Elist\ ty_2Eenum_2Eenum)^{(ty_2Epatricia_2Eptree\ A_{.27a})}) \tag{5}$$

Let `c_2Elist_2ELIST__TO__SET` : $\iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_{.27a}.nonempty\ A_{.27a} \Rightarrow c_2Elist_2ELIST_TO_SET\ A_{.27a} \in ((2^{A_{.27a}})^{(ty_2Elist_2Elist\ A_{.27a})}) \tag{6}$$

Definition 8 We define $c_2Epatricia_2ENUMSET_OF_PTREE$ to be $\lambda V0t \in (ty_2Epatricia_2Eptree\ ty_2E$
Let $c_2Ebool_2EARB : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Ebool_2EARB\ A_27a \in A_27a \quad (7)$$

Let $c_2Epred_set_2ECHOICE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Epred_set_2ECHOICE\ A_27a \in (A_27a^{(2^{A_27a})}) \quad (8)$$

Definition 9 We define $c_2Epred_set_2EEMPTY$ to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a.c_2Ebool_2EF)$.

Definition 10 We define c_2Ebool_2EIN to be $\lambda A_27a : \iota. (\lambda V0x \in A_27a. (\lambda V1f \in (2^{A_27a}). (ap\ V1f\ V0x))$

Definition 11 We define $c_2Ebool_2E_5C_2F$ to be $(\lambda V0t1 \in 2. (\lambda V1t2 \in 2. (ap\ (c_2Ebool_2E_21\ 2)\ (\lambda V2t \in$

Let $ty_2Epair_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Epair_2Eprod\ A0\ A1) \quad (9)$$

Let $c_2Epair_2EABS_prod : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epair_2EABS_prod\ A_27a\ A_27b \in ((ty_2Epair_2Eprod\ A_27a\ A_27b)^{(2^{A_27b})^{A_27a}}) \quad (10)$$

Definition 12 We define $c_2Epair_2E_2C$ to be $\lambda A_27a : \iota. \lambda A_27b : \iota. \lambda V0x \in A_27a. \lambda V1y \in A_27b. (ap\ (c_2E$

Let $c_2Epred_set_2EGSPEC : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Epred_set_2EGSPEC\ A_27a\ A_27b \in ((2^{A_27a})^{((ty_2Epair_2Eprod\ A_27a\ 2)^{A_27b})}) \quad (11)$$

Definition 13 We define $c_2Epred_set_2EINSERT$ to be $\lambda A_27a : \iota. \lambda V0x \in A_27a. \lambda V1s \in (2^{A_27a}). (ap\ (c_2E$

Definition 14 We define $c_2Epred_set_2EDIFF$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1t \in (2^{A_27a}). (ap\ (c_2E$

Definition 15 We define $c_2Epred_set_2EDELETE$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). \lambda V1x \in A_27a. (ap\ (a$

Definition 16 We define $c_2Epred_set_2EREST$ to be $\lambda A_27a : \iota. \lambda V0s \in (2^{A_27a}). (ap\ (ap\ (c_2Epred_set_2E$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ECONS\ A_27a \in (((ty_2Elist_2Elist\ A_27a)^{(ty_2Elist_2Elist\ A_27a)})^{A_27a}) \quad (12)$$

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Elist_2ENIL\ A_27a \in (ty_2Elist_2Elist\ A_27a) \quad (13)$$

Definition 17 We define $c_2Emin_2E_40$ to be $\lambda A.\lambda P \in 2^A.\text{if } (\exists x \in A.p \text{ (ap } P \ x)) \text{ then (the } (\lambda x.x \in A)\lambda$
of type $\iota \Rightarrow \iota$.

Definition 18 We define c_2Ebool_2ECOND to be $\lambda A.\lambda 27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.\lambda 27a.(\lambda V2t2 \in A.\lambda 27a.$

Definition 19 We define $c_2Epred_set_2EFINITE$ to be $\lambda A.\lambda 27a : \iota.\lambda V0s \in (2^{A.\lambda 27a}).(\text{ap } (c_2Ebool_2E_21 \ 2$

Definition 20 We define $c_2Ecombin_2EK$ to be $\lambda A.\lambda 27a : \iota.\lambda A.\lambda 27b : \iota.(\lambda V0x \in A.\lambda 27a.(\lambda V1y \in A.\lambda 27b.V0x)$

Definition 21 We define $c_2Ecombin_2ES$ to be $\lambda A.\lambda 27a : \iota.\lambda A.\lambda 27b : \iota.\lambda A.\lambda 27c : \iota.(\lambda V0f \in ((A.\lambda 27c^{A.\lambda 27b})^{A.\lambda 27a})$

Definition 22 We define $c_2Ecombin_2EI$ to be $\lambda A.\lambda 27a : \iota.(\text{ap } (\text{ap } (c_2Ecombin_2ES \ A.\lambda 27a \ (A.\lambda 27a^{A.\lambda 27a}) \ A$

Definition 23 We define $c_2Ebool_2E_3F$ to be $\lambda A.\lambda 27a : \iota.(\lambda V0P \in (2^{A.\lambda 27a}).(\text{ap } V0P \ (\text{ap } (c_2Emin_2E_40 \ 2$

Definition 24 We define $c_2ERelation_2EWF$ to be $\lambda A.\lambda 27a : \iota.\lambda V0R \in ((2^{A.\lambda 27a})^{A.\lambda 27a}).(\text{ap } (c_2Ebool_2E_21 \ 2$

Definition 25 We define $c_2ERelation_2ERESTRICT$ to be $\lambda A.\lambda 27a : \iota.\lambda A.\lambda 27b : \iota.\lambda V0f \in (A.\lambda 27b^{A.\lambda 27a}).\lambda V1M$

Definition 26 We define $c_2ERelation_2ETC$ to be $\lambda A.\lambda 27a : \iota.\lambda V0R \in ((2^{A.\lambda 27a})^{A.\lambda 27a}).\lambda V1a \in A.\lambda 27a.\lambda V2b$

Definition 27 We define $c_2ERelation_2Eapprox$ to be $\lambda A.\lambda 27a : \iota.\lambda A.\lambda 27b : \iota.\lambda V0R \in ((2^{A.\lambda 27a})^{A.\lambda 27a}).\lambda V1M$

Definition 28 We define $c_2ERelation_2Ethe_fun$ to be $\lambda A.\lambda 27a : \iota.\lambda A.\lambda 27b : \iota.\lambda V0R \in ((2^{A.\lambda 27a})^{A.\lambda 27a}).\lambda V1M$

Definition 29 We define $c_2ERelation_2EWFREC$ to be $\lambda A.\lambda 27a : \iota.\lambda A.\lambda 27b : \iota.\lambda V0R \in ((2^{A.\lambda 27a})^{A.\lambda 27a}).\lambda V1M$

Definition 30 We define $c_2Elist_2ESET_TO_LIST$ to be $\lambda A.\lambda 27a : \iota.(\text{ap } (\text{ap } (c_2ERelation_2EWFREC \ (2^{A.\lambda 27a})$

Definition 31 We define c_2Eone_2Eone to be $(\text{ap } (c_2Emin_2E_40 \ ty.\lambda 2Eone.\lambda 2Eone) \ (\lambda V0x \in ty.\lambda 2Eone.\lambda 2Eone$

Let $c_2Epatricia_2EADD : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.\lambda 27a.\text{nonempty } A.\lambda 27a \Rightarrow c_2Epatricia_2EADD \ A.\lambda 27a \in (((ty.\lambda 2Epatricia_2Eptree \ A.\lambda 27a) \ (ty.\lambda 2Epair_2Eprod \ ty.\lambda 2Eenum_2Eenum \ A.\lambda 27a)) \ (ty.\lambda 2Epatricia_2Eptree \ A.\lambda 27a)) \ (14)$$

Definition 32 We define $c_2Epatricia_2EINSERT_PTREE$ to be $\lambda V0n \in ty.\lambda 2Eenum_2Eenum.\lambda V1t \in (ty.\lambda 2Eenum$

Definition 33 We define $c_2Ecombin_2EC$ to be $\lambda A.\lambda 27a : \iota.\lambda A.\lambda 27b : \iota.\lambda A.\lambda 27c : \iota.(\lambda V0f \in ((A.\lambda 27c^{A.\lambda 27b})^{A.\lambda 27a})$

Let $c_2Elist_2EFOLDL : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.\lambda 27a.\text{nonempty } A.\lambda 27a \Rightarrow \forall A.\lambda 27b.\text{nonempty } A.\lambda 27b \Rightarrow c_2Elist_2EFOLDL \ A.\lambda 27a \ A.\lambda 27b \in (((A.\lambda 27b \ (ty.\lambda 2Elist_2Elist \ A.\lambda 27a)) \ A.\lambda 27b) \ ((A.\lambda 27b^{A.\lambda 27a})^{A.\lambda 27b})) \ (15)$$

Definition 34 We define $c_2Epatricia_2EPTREE_OF_NUMSET$ to be $\lambda V0t \in (ty.\lambda 2Epatricia_2Eptree \ ty.\lambda 2Eenum$

Definition 35 We define $c_2Epatricia_2EUNION_PTREE$ to be $\lambda V0t1 \in (ty_2Epatricia_2Eptree\ ty_2Eone$

Let $c_2Epatricia_2EIS_PTREE : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow c_2Epatricia_2EIS_PTREE\ A.27a \in (2^{(ty_2Epatricia_2Eptree\ A.27a)}) \quad (16)$$

Assume the following.

$$True \quad (17)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge (((p\ V0t) \Rightarrow (p\ V0t)) \Leftrightarrow True) \wedge ((\\ & (p\ V0t) \Rightarrow False) \Leftrightarrow \neg(p\ V0t)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0x \in A.27a.(\forall V1y \in A.27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (19)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow \neg(p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow \neg(\\ & p\ V0t)))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1) \Rightarrow \\ & ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2.(\forall V1x.27 \in 2.(\forall V2y \in 2.(\forall V3y.27 \in \\ & 2.(((p\ V0x) \Leftrightarrow (p\ V1x.27)) \wedge ((p\ V1x.27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y.27)))) \Rightarrow \\ & (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x.27) \Rightarrow (p\ V3y.27)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in (ty_2Epatricia_2Eptree\ ty_2Eone.2Eone).(\forall V1s \in \\ & (2^{ty.2Eenum.2Eenum}).((p\ (ap\ (c_2Epatricia_2EIS_PTREE\ ty_2Eone.2Eone) \\ & V0t)) \Rightarrow (p\ (ap\ (c_2Epatricia_2EIS_PTREE\ ty_2Eone.2Eone) (ap\ (\\ & ap\ c_2Epatricia_2EPTREE_OF_NUMSET\ V0t)\ V1s)))))) \end{aligned} \quad (23)$$

Theorem 1

$$\begin{aligned} & (\forall V0t1 \in (ty_2Epatricia_2Eptree\ ty_2Eone.2Eone).(\forall V1t2 \in \\ & (ty_2Epatricia_2Eptree\ ty_2Eone.2Eone).(((p\ (ap\ (c_2Epatricia_2EIS_PTREE \\ & ty_2Eone.2Eone)\ V0t1)) \wedge (p\ (ap\ (c_2Epatricia_2EIS_PTREE\ ty_2Eone.2Eone) \\ & V1t2))) \Rightarrow (p\ (ap\ (c_2Epatricia_2EIS_PTREE\ ty_2Eone.2Eone) (ap \\ & (ap\ c_2Epatricia_2EUNION_PTREE\ V0t1)\ V1t2)))))) \end{aligned}$$