

# thm\_2EpatternMatches\_2EAPPLY\_\_REDUNDANT\_\_ROWS\_\_INFO (TMd41kCLWt1SKVw7KZahf2qfkQRurQMtEX9)

October 26, 2020

**Definition 1** We define `c_2Emin_2E_3D` to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define `c_2Ebool_2E_2ET` to be  $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define `c_2Ebool_2E_21` to be  $\lambda A.27a : \iota.(\lambda V0P \in (2^{A \cdot 27a}).(ap (ap (c_2Emin_2E_3D (2^{A \cdot 27a}))$

**Definition 4** We define `c_2Ebool_2E_2EF` to be  $(ap (c_2Ebool_2E_21 2) (\lambda V0t \in 2.V0t))$ .

**Definition 5** We define `c_2Emin_2E_3D_3D_3E` to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 6** We define `c_2Ebool_2E_2F_5C` to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c_2Ebool_2E_21 2) (\lambda V2t \in 2.V2t))$

**Definition 7** We define `c_2Emin_2E_40` to be  $\lambda A.\lambda P \in 2^A.if (\exists x \in A.p (ap P x)) \mathbf{then} (the (\lambda x.x \in A \wedge p x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 8** We define `c_2Ebool_2ECOND` to be  $\lambda A.27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A.27a.(\lambda V2t2 \in A.27a.(ap$

Let `ty_2Elist_2Elist` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (1)$$

Let `c_2Elist_2ECONS` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow c\_2Elist\_2ECONS A.27a \in (((ty\_2Elist\_2Elist A.27a)^{(ty\_2Elist\_2Elist A.27a)})^{A.27a}) \quad (2)$$

Let `c_2Elist_2ENIL` :  $\iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A.27a.nonempty A.27a \Rightarrow c\_2Elist\_2ENIL A.27a \in (ty\_2Elist\_2Elist A.27a) \quad (3)$$

Let  $ty\_2Epair\_2Eprod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Epair\_2Eprod\ A0\ A1) \quad (4)$$

Let  $c\_2Epair\_2EABS\_prod : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b \in ((ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)^{(2^{A\_27b})^{A\_27a}}) \quad (5)$$

**Definition 9** We define  $c\_2Epair\_2E\_2C$  to be  $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0x \in A\_27a.\lambda V1y \in A\_27b.(ap\ (c\_2Epair\_2EABS\_prod\ A\_27a\ A\_27b)\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b))$

Let  $c\_2Elist\_2EZIP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Elist\_2EZIP\ A\_27a\ A\_27b \in ((ty\_2Elist\_2Elist\ (ty\_2Epair\_2Eprod\ A\_27a\ A\_27b))^{(ty\_2Epair\_2Eprod\ (ty\_2Elist\_2Elist\ A\_27a\ A\_27b))}) \quad (6)$$

Let  $c\_2Epair\_2E\_2FST : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2E\_2FST\ A\_27a\ A\_27b \in (A\_27a^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (7)$$

**Definition 10** We define  $c\_2Ebool\_2E\_27E$  to be  $(\lambda V0t \in 2.(ap\ (ap\ c\_2Emin\_2E\_2D\_2D\_2E\ V0t)\ c\_2Ebool\_2E\_27E))$

Let  $c\_2Elist\_2E\_2FILTER : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2E\_2FILTER\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{(2^{A\_27a})}) \quad (8)$$

Let  $c\_2Epair\_2E\_2SND : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Epair\_2E\_2SND\ A\_27a\ A\_27b \in (A\_27b^{(ty\_2Epair\_2Eprod\ A\_27a\ A\_27b)}) \quad (9)$$

Let  $c\_2Elist\_2E\_2MAP : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Elist\_2E\_2MAP\ A\_27a\ A\_27b \in (((ty\_2Elist\_2Elist\ A\_27b)^{(ty\_2Elist\_2Elist\ A\_27a)})^{(A\_27b^{A\_27a})}) \quad (10)$$

**Definition 11** We define  $c\_2EpatternMatches\_2EAPPLY\_2E\_2REDUNDANT\_2E\_2ROWS\_2E\_2INFO$  to be  $\lambda A\_27a : \iota.\lambda V0is \in (ty\_2Elist\_2Elist\ 2).\lambda V1xs \in (ty\_2Elist\_2Elist\ A\_27a).(ap\ (ap\ (c\_2Elist\_2E\_2MAP\ A\_27a\ A\_27a)\ (c\_2Elist\_2E\_2FILTER\ A\_27a))\ (c\_2Elist\_2Elist\ V0is))$

Assume the following.

$$True \quad (11)$$

Assume the following.

$$(\forall V0t \in 2.(False \Rightarrow (p\ V0t))) \quad (12)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (13)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (14)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge (((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True)))) \end{aligned} \quad (15)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (16)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t1 \in A\_27a. (\forall V1t2 \in \\ & A\_27a. (((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ c\_2Ebool\_2ET)\ V0t1)\ V1t2) = V0t1) \wedge \\ & ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ c\_2Ebool\_2EF)\ V0t1)\ V1t2) = V1t2)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & (\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow \\ & ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \end{aligned} \quad (19)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\ & (\forall V2x \in A\_27a. (\forall V3x\_27 \in A\_27a. (\forall V4y \in A\_27a. \\ & (\forall V5y\_27 \in A\_27a. (((((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge (((p\ V1Q) \Rightarrow (V2x = V3x\_27)) \wedge \\ & ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y\_27)))))) \Rightarrow ((ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ V0P)\ V2x)\ V4y) = \\ & (ap\ (ap\ (ap\ (c\_2Ebool\_2ECOND\ A\_27a)\ V1Q)\ V3x\_27)\ V5y\_27)))))))))) \end{aligned} \quad (20)$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\
& (\forall V0f \in (A.27b^{A.27a}).((ap\ (ap\ (c.2Elist.2EMAP\ A.27a\ A.27b) \\
& V0f)\ (c.2Elist.2ENIL\ A.27a)) = (c.2Elist.2ENIL\ A.27b))) \wedge (\forall V1f \in \\
& (A.27b^{A.27a}).(\forall V2h \in A.27a.(\forall V3t \in (ty.2Elist.2Elist \\
& A.27a).((ap\ (ap\ (c.2Elist.2EMAP\ A.27a\ A.27b)\ V1f)\ (ap\ (ap\ (c.2Elist.2ECONS \\
& A.27a)\ V2h)\ V3t)) = (ap\ (ap\ (c.2Elist.2ECONS\ A.27b)\ (ap\ V1f\ V2h)) \\
& (ap\ (ap\ (c.2Elist.2EMAP\ A.27a\ A.27b)\ V1f)\ V3t)))))) \\
& \tag{21}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow ((\forall V0P \in (2^{A.27a}).((ap\ ( \\
& ap\ (c.2Elist.2EFILTER\ A.27a)\ V0P)\ (c.2Elist.2ENIL\ A.27a)) = (c.2Elist.2ENIL \\
& A.27a))) \wedge (\forall V1P \in (2^{A.27a}).(\forall V2h \in A.27a.(\forall V3t \in \\
& (ty.2Elist.2Elist\ A.27a).((ap\ (ap\ (c.2Elist.2EFILTER\ A.27a) \\
& V1P)\ (ap\ (ap\ (c.2Elist.2ECONS\ A.27a)\ V2h)\ V3t)) = (ap\ (ap\ (ap\ (c.2Ebool.2ECOND \\
& (ty.2Elist.2Elist\ A.27a))\ (ap\ V1P\ V2h))\ (ap\ (ap\ (c.2Elist.2ECONS \\
& A.27a)\ V2h)\ (ap\ (ap\ (c.2Elist.2EFILTER\ A.27a)\ V1P)\ V3t))))\ (ap\ (ap \\
& (c.2Elist.2EFILTER\ A.27a)\ V1P)\ V3t)))))) \\
& \tag{22}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow (\forall V0a0 \in A.27a.(\forall V1a1 \in \\
& (ty.2Elist.2Elist\ A.27a).(\forall V2a0.27 \in A.27a.(\forall V3a1.27 \in \\
& (ty.2Elist.2Elist\ A.27a).(((ap\ (ap\ (c.2Elist.2ECONS\ A.27a)\ V0a0) \\
& V1a1) = (ap\ (ap\ (c.2Elist.2ECONS\ A.27a)\ V2a0.27)\ V3a1.27)) \Leftrightarrow ((V0a0 = \\
& V2a0.27) \wedge (V1a1 = V3a1.27)))))) \\
& \tag{23}
\end{aligned}$$

Assume the following.

$$\begin{aligned}
& \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\
& nonempty\ A.27c \Rightarrow \forall A.27d.nonempty\ A.27d \Rightarrow (((ap\ (c.2Elist.2EZIP \\
& A.27c\ A.27d)\ (ap\ (ap\ (c.2Epair.2E.2C\ (ty.2Elist.2Elist\ A.27c) \\
& (ty.2Elist.2Elist\ A.27d))\ (c.2Elist.2ENIL\ A.27c))\ (c.2Elist.2ENIL \\
& A.27d))) = (c.2Elist.2ENIL\ (ty.2Epair.2Eprod\ A.27c\ A.27d))) \wedge \\
& (\forall V0x1 \in A.27a.(\forall V1l1 \in (ty.2Elist.2Elist\ A.27a). \\
& (\forall V2x2 \in A.27b.(\forall V3l2 \in (ty.2Elist.2Elist\ A.27b). \\
& ((ap\ (c.2Elist.2EZIP\ A.27a\ A.27b)\ (ap\ (ap\ (c.2Epair.2E.2C\ (ty.2Elist.2Elist \\
& A.27a)\ (ty.2Elist.2Elist\ A.27b))\ (ap\ (ap\ (c.2Elist.2ECONS\ A.27a) \\
& V0x1)\ V1l1))\ (ap\ (ap\ (c.2Elist.2ECONS\ A.27b)\ V2x2)\ V3l2))) = (ap \\
& (ap\ (c.2Elist.2ECONS\ (ty.2Epair.2Eprod\ A.27a\ A.27b))\ (ap\ (ap\ ( \\
& c.2Epair.2E.2C\ A.27a\ A.27b)\ V0x1)\ V2x2))\ (ap\ (c.2Elist.2EZIP\ A.27a \\
& A.27b)\ (ap\ (ap\ (c.2Epair.2E.2C\ (ty.2Elist.2Elist\ A.27a)\ (ty.2Elist.2Elist \\
& A.27b))\ V1l1)\ V3l2)))))) \\
& \tag{24}
\end{aligned}$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ & \forall V0x \in A.27a. (\forall V1y \in A.27b. ((ap\ (c.2Epair.2EFST\ A.27a \\ & A.27b)\ (ap\ (ap\ (c.2Epair.2E_2C\ A.27a\ A.27b)\ V0x)\ V1y)) = V0x))) \end{aligned} \quad (25)$$

Assume the following.

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow ( \\ & \forall V0x \in A.27a. (\forall V1y \in A.27b. ((ap\ (c.2Epair.2ESND\ A.27a \\ & A.27b)\ (ap\ (ap\ (c.2Epair.2E_2C\ A.27a\ A.27b)\ V0x)\ V1y)) = V1y))) \end{aligned} \quad (26)$$

**Theorem 1**

$$\begin{aligned} & \forall A.27a.nonempty\ A.27a \Rightarrow \forall A.27b.nonempty\ A.27b \Rightarrow \forall A.27c. \\ & nonempty\ A.27c \Rightarrow (((ap\ (ap\ (c.2EpatternMatches.2EAPPLY\_REDUNDANT\_ROWS\_INFO \\ & A.27a)\ (c.2Elist.2ENIL\ 2))\ (c.2Elist.2ENIL\ A.27a)) = (c.2Elist.2ENIL \\ & A.27a)) \wedge ((\forall V0is \in (ty.2Elist.2Elist\ 2). (\forall V1x \in \\ & A.27b. (\forall V2xs \in (ty.2Elist.2Elist\ A.27b). ((ap\ (ap\ (c.2EpatternMatches.2EAPPLY\_REDUNDANT\_ROW \\ & A.27b)\ (ap\ (ap\ (c.2Elist.2ECONS\ 2)\ c.2Ebool.2ET)\ V0is))\ (ap\ (ap \\ & (c.2Elist.2ECONS\ A.27b)\ V1x)\ V2xs)) = (ap\ (ap\ (c.2EpatternMatches.2EAPPLY\_REDUNDANT\_ROW \\ & A.27b)\ V0is)\ V2xs)))))) \wedge (\forall V3is \in (ty.2Elist.2Elist\ 2). \\ & (\forall V4x \in A.27c. (\forall V5xs \in (ty.2Elist.2Elist\ A.27c). \\ & ((ap\ (ap\ (c.2EpatternMatches.2EAPPLY\_REDUNDANT\_ROWS\_INFO \\ & A.27c)\ (ap\ (ap\ (c.2Elist.2ECONS\ 2)\ c.2Ebool.2EF)\ V3is))\ (ap\ (ap \\ & (c.2Elist.2ECONS\ A.27c)\ V4x)\ V5xs)) = (ap\ (ap\ (c.2Elist.2ECONS \\ & A.27c)\ V4x)\ (ap\ (ap\ (c.2EpatternMatches.2EAPPLY\_REDUNDANT\_ROWS\_INFO \\ & A.27c)\ V3is)\ V5xs)))))))))) \end{aligned}$$