thm_2EpatternMatches_2EPMATCH__FLATTEN__THM__SINGLE (TMc-QMvJLd4DgCasa6ECgDhrUUjEwYEQTStk)

October 26, 2020

Definition 1 *We define* c_2Emin_2E_3D *to be* $\lambda A.\lambda x \in A.\lambda y \in A.inj\_\_o\ (x = y)$ *of type* $\iota \Rightarrow \iota$.

Definition 2 *We define* c_2Ebool_2ET *to be* $(ap\ (ap\ (\mathsf{c\_2Emin\_2E\_3D}\ (2^2))\ (\lambda V0x \in 2.V0x))\ (\lambda V1x \in 2.V1$

Definition 3 *We define* c_2Ebool_2E_21 *to be* $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ (ap\ (\mathsf{c\_2Emin\_2E\_3D}\ (2^{A\_27}$

Definition 4 *We define* c_2Ebool_2EF *to be* $(ap\ (\mathsf{c\_2Ebool\_2E\_21}\ 2)\ (\lambda V0t \in 2.V0t))$.

Definition 5 *We define* c_2Emin_2E_3D_3D_3E *to be* $\lambda P \in 2.\lambda Q \in 2.inj\_\_o\ (p\ P \Rightarrow p\ Q)$ *of type* ι.

Definition 6 *We define* c_2Ebool_2E_7E *to be* $(\lambda V0t \in 2.(ap\ (ap\ \mathsf{c\_2Emin\_2E\_3D\_3D\_3E}\ V0t)\ \mathsf{c\_2Ebool\_2EF}$

Let $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Elist\_2Elist\ A0) \tag{1}$$

Let $c\_2Elist\_2EMAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Elist\_2EMAP\ A\_27a\ A\_27b \in (((ty\_2Elist\_2Elist\ A\_27b)^{(ty\_2Elist\_2Elist\ A\_27a)})^{(A\_27b^{A\_27a})}) \tag{2}$$

Definition 7 *We define* c_2Ebool_2E_5C_2F *to be* $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (\mathsf{c\_2Ebool\_2E\_21}\ 2)\ (\lambda V2t \in 2$

Definition 8 *We define* c_2Emin_2E_40 *to be* $\lambda A.\lambda P \in 2^A.$**if** $(\exists x \in A.p\ (ap\ P\ x))$ **then** $(the\ (\lambda x.x \in A \wedge p$ *of type* $\iota \Rightarrow \iota$.

Let $ty\_2Eone\_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \tag{3}$$

Definition 9 *We define* c_2Ebool_2E_2F_5C *to be* $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (\mathsf{c\_2Ebool\_2E\_21}\ 2)\ (\lambda V2t \in 2$

Let $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \tag{4}$$

Let $c\_2Esum\_2EABS\_\_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_\_sum\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{(((2^{A\_27b})^{A\_27a})^{2})}) \tag{5}$$

Definition 10 *We define* c_2Esum_2EINL *to be* $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27a.(ap\ (c\_2Esum\_2EABS$

Let $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Eoption\_2Eoption\ A0) \tag{6}$$

Let $c\_2Eoption\_2Eoption\_\_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2Eoption\_\_ABS\ A\_27a \in ((ty\_2Eoption\_2Eoption\ A\_27a)^{(ty\_2Esum\_2Esum\ A\_27a\ ty\_2Eone\_2Eone)}) \tag{7}$$

Definition 11 *We define* c_2Eoption_2ESOME *to be* $\lambda A\_27a : \iota.\lambda V0x \in A\_27a.(ap\ (c\_2Eoption\_2Eoption\_\_$

Definition 12 *We define* c_2Ebool_2ECOND *to be* $\lambda A\_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A\_27a.(\lambda V2t2 \in A\_27a.($

Let $c\_2Eoption\_2EOPTION\_\_MAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Eoption\_2EOPTION\_\_MAP\ A\_27a\ A\_27b \in (((ty\_2Eoption\_2Eoption\ A\_27b)^{(ty\_2Eoption\_2Eoption\ A\_27a)})^{(A\_27b^{A\_27a})}) \tag{8}$$

Definition 13 *We define* c_2EpatternMatches_2EPMATCH__ROW__COND *to be* $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0pat \in (A\_27b^{A\_27a}).\lambda V1guard \in (2^{A\_27a}).\lambda V2inp \in A\_27b.\lambda V3v \in A\_27a.(ap\ (ap$

Definition 14 *We define* c_2Eone_2Eone *to be* $(ap\ (\mathsf{c\_2Emin\_2E\_40}\ ty\_2Eone\_2Eone)\ (\lambda V0x \in ty\_2Eone\_2$

Definition 15 *We define* c_2Esum_2EINR *to be* $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0e \in A\_27b.(ap\ (c\_2Esum\_2EABS$

Definition 16 *We define* c_2Eoption_2ENONE *to be* $\lambda A\_27a : \iota.(ap\ (c\_2Eoption\_2Eoption\_\_ABS\ A\_27a)\ ($

Definition 17 *We define* c_2Ebool_2E_3F *to be* $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap\ V0P\ (ap\ (\mathsf{c\_2Emin\_2E\_40}$

Definition 18 *We define* c_2Eoption_2Esome *to be* $\lambda A\_27a : \iota.\lambda V0P \in (2^{A\_27a}).(ap\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2ECO}$

Definition 19 *We define* c_2EpatternMatches_2EPMATCH__ROW *to be* $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V$

Definition 20 *We define* c_2Ecombin_2EK *to be* $\lambda A\_27a : \iota.\lambda A\_27b : \iota.(\lambda V0x \in A\_27a.(\lambda V1y \in A\_27b.V0x)$

Definition 21 *We define* c_2Ecombin_2ES *to be* $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.(\lambda V0f \in ((A\_27c^{A\_27b})^{A\_2}$

Definition 22 *We define* c_2Ecombin_2EI *to be* $\lambda A\_27a : \iota.(ap\ (ap\ (\mathsf{c\_2Ecombin\_2ES}\ A\_27a\ (A\_27a^{A\_27a})\ A$

Let $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ECONS\ A\_27a \in (((ty\_2Elist\_2Elist\ A\_27a)^{(ty\_2Elist\_2Elist\ A\_27a)})^{A\_27a}) \tag{9}$$

Let $c\_2Ebool\_2EARB : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Ebool\_2EARB\ A\_27a \in A\_27a \tag{10}$$

Definition 23 *We define* c_2EpatternMatches_2EPMATCH__INCOMPLETE *to be* $\lambda A\_27a : \iota.(c\_2Ebool\_2EARB\ A\_27a)$.

Let $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ENIL\ A\_27a \in (ty\_2Elist\_2Elist\ A\_27a) \tag{11}$$

Let $c\_2Elist\_2ELIST\_\_TO\_\_SET : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2ELIST\_\_TO\_\_SET\ A\_27a \in ((2^{A\_27a})^{(ty\_2Elist\_2Elist\ A\_27a)}) \tag{12}$$

Definition 24 *We define* c_2Ebool_2EIN *to be* $\lambda A\_27a : \iota.(\lambda V0x \in A\_27a.(\lambda V1f \in (2^{A\_27a}).(ap\ V1f\ V0x))$

Let $c\_2EpatternMatches\_2EPMATCH : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2EpatternMatches\_2EPMATCH\ A\_27a\ A\_27b \in ((A\_27a^{(ty\_2Elist\_2Elist\ ((ty\_2Eoption\_2Eoption\ A\_27a)^{A\_27b}))})^{A\_27b}) \tag{13}$$

Let $c\_2Eoption\_2EIS\_\_SOME : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2EIS\_\_SOME\ A\_27a \in (2^{(ty\_2Eoption\_2Eoption\ A\_27a)}) \tag{14}$$

Definition 25 *We define* c_2EpatternMatches_2EPMATCH__EQUIV__ROWS *to be* $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0v \in A\_27a.\lambda V1rows1 \in (ty\_2Elist\_2Elist\ ((ty\_2Eoption\_2Eoption\ A\_27b)^{A\_27}$

Let $c\_2Elist\_2EEXISTS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EEXISTS\ A\_27a \in ((2^{(ty\_2Elist\_2Elist\ A\_27a)})^{(2^{A\_27a})}) \tag{15}$$

Definition 26 *We define* c_2EpatternMatches_2EPMATCH__IS__EXHAUSTIVE *to be* $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda V0v \in A\_27a.\lambda V1rs \in (ty\_2Elist\_2Elist\ ((ty\_2Eoption\_2Eoption\ A\_27b)^{A\_27a}$

Let $c\_2Eoption\_2Eoption\_\_CASE : \iota{\Rightarrow}\iota{\Rightarrow}\iota$ be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a{\Rightarrow}\forall A\_27b.nonempty\ A\_27b{\Rightarrow}c\_2Eoption\_2Eoption\_\_CASE\ A\_27a\ A\_27b \in (((A\_27b^{(A\_27b^{A\_27a})})^{A\_27b})^{(ty\_2Eoption\_2Eoption\ A\_27a)}) \tag{16}$$

Definition 27 *We define* c_2EpatternMatches_2EPMATCH__FLATTEN__FUN *to be* $\lambda A\_27a : \iota.\lambda A\_27b : \iota.\lambda A\_27c : \iota.\lambda V0p \in (A\_27c^{A\_27b}).\lambda V1g \in (2^{A\_27b}).\lambda V2row \in (((ty\_2Eoption\_2Eopti$

Assume the following.

$$True \tag{17}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(((p\ V0t1){\Rightarrow}(p\ V1t2)){\Rightarrow}(((p\ V1t2){\Rightarrow}(p\ V0t1)){\Rightarrow}((p\ V0t1){\Leftrightarrow}(p\ V1t2)))))) \tag{18}$$

Assume the following.

$$(\forall V0t \in 2.(False{\Rightarrow}(p\ V0t))) \tag{19}$$

Assume the following.

$$(\forall V0t \in 2.((p\ V0t){\vee}(\neg(p\ V0t)))) \tag{20}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a{\Rightarrow}(\forall V0t \in 2.((\forall V1x \in A\_27a.(p\ V0t)){\Leftrightarrow}(p\ V0t))) \tag{21}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a{\Rightarrow}(\forall V0t \in 2.((\exists V1x \in A\_27a.(p\ V0t)){\Leftrightarrow}(p\ V0t))) \tag{22}$$

Assume the following.

$$(\forall V0t \in 2.(((True{\wedge}(p\ V0t)){\Leftrightarrow}(p\ V0t)){\wedge}((((p\ V0t){\wedge}True){\Leftrightarrow}(p\ V0t)){\wedge}(((False{\wedge}(p\ V0t)){\Leftrightarrow}False){\wedge}((((p\ V0t){\wedge}False){\Leftrightarrow}False){\wedge}(((p\ V0t){\wedge}(p\ V0t)){\Leftrightarrow}(p\ V0t))))))) \tag{23}$$

Assume the following.

$$(\forall V0t \in 2.(((True{\vee}(p\ V0t)){\Leftrightarrow}True){\wedge}((((p\ V0t){\vee}True){\Leftrightarrow}True){\wedge}(((False{\vee}(p\ V0t)){\Leftrightarrow}(p\ V0t)){\wedge}((((p\ V0t){\vee}False){\Leftrightarrow}(p\ V0t)){\wedge}(((p\ V0t){\vee}(p\ V0t)){\Leftrightarrow}(p\ V0t))))))) \tag{24}$$

Assume the following.

$$(\forall V0t \in 2.(((True{\Rightarrow}(p\ V0t)){\Leftrightarrow}(p\ V0t)){\wedge}((((p\ V0t){\Rightarrow}True){\Leftrightarrow}True){\wedge}(((False{\Rightarrow}(p\ V0t)){\Leftrightarrow}True){\wedge}((((p\ V0t){\Rightarrow}(p\ V0t)){\Leftrightarrow}True){\wedge}(((p\ V0t){\Rightarrow}False){\Leftrightarrow}(\neg(p\ V0t)))))))) \tag{25}$$

Assume the following.

$$((\forall V0t \in 2.((\neg(\neg(p\ V0t)))\Leftrightarrow(p\ V0t)))\wedge(((\neg True)\Leftrightarrow False)\wedge ((\neg False)\Leftrightarrow True))) \tag{26}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a\Rightarrow(\forall V0x \in A\_27a.((V0x = V0x)\Leftrightarrow True)) \tag{27}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a\Rightarrow(\forall V0x \in A\_27a.(\forall V1y \in A\_27a.((V0x = V1y)\Leftrightarrow(V1y = V0x)))) \tag{28}$$

Assume the following.

$$(\forall V0t \in 2.(((True\Leftrightarrow(p\ V0t))\Leftrightarrow(p\ V0t))\wedge((((p\ V0t)\Leftrightarrow True)\Leftrightarrow (p\ V0t))\wedge(((False\Leftrightarrow(p\ V0t))\Leftrightarrow(\neg(p\ V0t)))\wedge(((p\ V0t)\Leftrightarrow False)\Leftrightarrow(\neg(p\ V0t))))))) \tag{29}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a\Rightarrow(\forall V0t1 \in A\_27a.(\forall V1t2 \in A\_27a.(((ap\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2ECOND}\ A\_27a)\ \mathsf{c\_2Ebool\_2ET})\ V0t1)\ V1t2) = V0t1)\wedge((ap\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2ECOND}\ A\_27a)\ \mathsf{c\_2Ebool\_2EF})\ V0t1)\ V1t2) = V1t2)))) \tag{30}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a\Rightarrow(\forall V0P \in (2^{A\_27a}).(\forall V1Q \in 2.((\exists V2x \in A\_27a.((p\ (ap\ V0P\ V2x))\wedge(p\ V1Q)))\Leftrightarrow((\exists V3x \in A\_27a.(p\ (ap\ V0P\ V3x)))\wedge(p\ V1Q))))) \tag{31}$$

Assume the following.

$$(\forall V0t1 \in 2.(\forall V1t2 \in 2.(\forall V2t3 \in 2.(((p\ V0t1)\Rightarrow ((p\ V1t2)\Rightarrow(p\ V2t3)))\Leftrightarrow(((p\ V0t1)\wedge(p\ V1t2))\Rightarrow(p\ V2t3)))))) \tag{32}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a\Rightarrow\forall A\_27b.nonempty\ A\_27b\Rightarrow(\forall V0f \in (A\_27b^{A\_27a}).(\forall V1b \in 2.(\forall V2x \in A\_27a. (\forall V3y \in A\_27a.((ap\ V0f\ (ap\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2ECOND}\ A\_27a)\ V1b)\ V2x)\ V3y)) = (ap\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2ECOND}\ A\_27b)\ V1b)\ (ap\ V0f\ V2x))\ (ap\ V0f\ V3y))))))) \tag{33}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in 2.(\forall V1Q \in 2.(\forall V2x \in A\_27a.(\forall V3x\_27 \in A\_27a.(\forall V4y \in A\_27a.(\forall V5y\_27 \in A\_27a.((((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge (((p\ V1Q) \Rightarrow (V2x = V3x\_27)) \wedge ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y\_27)))) \Rightarrow ((ap\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2ECOND}\ A\_27a)\ V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2ECOND}\ A\_27a)\ V1Q)\ V3x\_27)\ V5y\_27)))))))) \tag{34}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).(\forall V1a \in A\_27a.((\exists V2x \in A\_27a.((V2x = V1a) \wedge (p\ (ap\ V0P\ V2x)))) \Leftrightarrow (p\ (ap\ V0P\ V1a))))) \tag{35}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a.((ap\ (\mathsf{c\_2Ecombin\_2EI}\ A\_27a)\ V0x) = V0x)) \tag{36}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ((\forall V0f \in (A\_27b^{A\_27a}).((ap\ (ap\ (c\_2Elist\_2EMAP\ A\_27a\ A\_27b)\ V0f)\ (c\_2Elist\_2ENIL\ A\_27a)) = (c\_2Elist\_2ENIL\ A\_27b))) \wedge (\forall V1f \in (A\_27b^{A\_27a}).(\forall V2h \in A\_27a.(\forall V3t \in (ty\_2Elist\_2Elist\ A\_27a).((ap\ (ap\ (c\_2Elist\_2EMAP\ A\_27a\ A\_27b)\ V1f)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V2h)\ V3t)) = (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27b)\ (ap\ V1f\ V2h))\ (ap\ (ap\ (c\_2Elist\_2EMAP\ A\_27a\ A\_27b)\ V1f)\ V3t))))))) \tag{37}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{(ty\_2Elist\_2Elist\ A\_27a)}).(((p\ (ap\ V0P\ (c\_2Elist\_2ENIL\ A\_27a))) \wedge (\forall V1t \in (ty\_2Elist\_2Elist\ A\_27a).((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A\_27a.(p\ (ap\ V0P\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V2h)\ V1t))))))) \Rightarrow (\forall V3l \in (ty\_2Elist\_2Elist\ A\_27a).(p\ (ap\ V0P\ V3l))))) \tag{38}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0P \in (2^{A\_27a}).(\forall V1l \in (ty\_2Elist\_2Elist\ A\_27a).((p\ (ap\ (ap\ (c\_2Elist\_2EEXISTS\ A\_27a)\ V0P)\ V1l)) \Leftrightarrow (\exists V2e \in A\_27a.((p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ A\_27a)\ V2e)\ (ap\ (c\_2Elist\_2ELIST\_\_TO\_\_SET\ A\_27a)\ V1l))) \wedge (p\ (ap\ V0P\ V2e))))))) \tag{39}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow (\forall V0l \in (ty\_2Elist\_2Elist\ A\_27a).(\forall V1f \in (A\_27b^{A\_27a}). (\forall V2x \in A\_27b.((p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ A\_27b)\ V2x)\ (ap\ (c\_2Elist\_2ELIST\_\_TO\_\_SET\ A\_27b)\ (ap\ (ap\ (c\_2Elist\_2EMAP\ A\_27a\ A\_27b)\ V1f)\ V0l)))) \Leftrightarrow (\exists V3y \in A\_27a.((V2x = (ap\ V1f\ V3y)) \wedge (p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ A\_27a)\ V3y)\ (ap\ (c\_2Elist\_2ELIST\_\_TO\_\_SET\ A\_27a)\ V0l)))))))) \tag{40}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow ((\forall V0x \in A\_27a.((p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ A\_27a)\ V0x)\ (ap\ (c\_2Elist\_2ELIST\_\_TO\_\_SET\ A\_27a)\ (c\_2Elist\_2ENIL\ A\_27a)))) \Leftrightarrow False)) \wedge (\forall V1x \in A\_27a.(\forall V2h \in A\_27a.(\forall V3t \in (ty\_2Elist\_2Elist\ A\_27a).((p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ A\_27a)\ V1x)\ (ap\ (c\_2Elist\_2ELIST\_\_TO\_\_SET\ A\_27a)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V2h)\ V3t)))) \Leftrightarrow ((V1x = V2h) \vee (p\ (ap\ (ap\ (\mathsf{c\_2Ebool\_2EIN}\ A\_27a)\ V1x)\ (ap\ (c\_2Elist\_2ELIST\_\_TO\_\_SET\ A\_27a)\ V3t))))))))) \tag{41}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0opt \in (ty\_2Eoption\_2Eoption\ A\_27a).((V0opt = (\mathsf{c\_2Eoption\_2ENONE}\ A\_27a)) \vee (\exists V1x \in A\_27a. (V0opt = (ap\ (\mathsf{c\_2Eoption\_2ESOME}\ A\_27a)\ V1x))))) \tag{42}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ((\forall V0v \in A\_27b.(\forall V1f \in (A\_27b^{A\_27a}).((ap\ (ap\ (ap\ (c\_2Eoption\_2Eoption\_\_CASE\ A\_27a\ A\_27b)\ (\mathsf{c\_2Eoption\_2ENONE}\ A\_27a))\ V0v)\ V1f) = V0v))) \wedge (\forall V2x \in A\_27a.(\forall V3v \in A\_27b.(\forall V4f \in (A\_27b^{A\_27a}).((ap\ (ap\ (ap\ (c\_2Eoption\_2Eoption\_\_CASE\ A\_27a\ A\_27b)\ (ap\ (\mathsf{c\_2Eoption\_2ESOME}\ A\_27a)\ V2x))\ V3v)\ V4f) = (ap\ V4f\ V2x)))))) \tag{43}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ((\forall V0f \in (A\_27b^{A\_27a}).(\forall V1x \in A\_27a.((ap\ (ap\ (c\_2Eoption\_2EOPTION\_\_MAP\ A\_27a\ A\_27b)\ V0f)\ (ap\ (\mathsf{c\_2Eoption\_2ESOME}\ A\_27a)\ V1x)) = (ap\ (\mathsf{c\_2Eoption\_2ESOME}\ A\_27b)\ (ap\ V0f\ V1x))))) \wedge (\forall V2f \in (A\_27b^{A\_27a}).((ap\ (ap\ (c\_2Eoption\_2EOPTION\_\_MAP\ A\_27a\ A\_27b)\ V2f)\ (\mathsf{c\_2Eoption\_2ENONE}\ A\_27a)) = (\mathsf{c\_2Eoption\_2ENONE}\ A\_27b)))) \tag{44}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow ((\forall V0x \in A\_27a.((p\ (ap\ (c\_2Eoption\_2EIS\_\_SOME\ A\_27a)\ (ap\ (\mathsf{c\_2Eoption\_2ESOME}\ A\_27a)\ V0x))) \Leftrightarrow True)) \wedge ((p\ (ap\ (c\_2Eoption\_2EIS\_\_SOME\ A\_27a)\ (\mathsf{c\_2Eoption\_2ENONE}\ A\_27a))) \Leftrightarrow False)) \tag{45}$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow ((\forall V0v \in A\_27b.((ap\ (ap\ (c\_2EpatternMatches\_2EPMATCH\ A\_27a\ A\_27b)\ V0v)\ (c\_2Elist\_2ENIL\ ((ty\_2Eoption\_2Eoption\ A\_27a)^{A\_27b}))) = (\mathsf{c\_2EpatternMatches\_2EPMATCH\_\_INCOMPLETE}\ A\_27a))) \wedge (\forall V1v \in A\_27b.(\forall V2r \in ((ty\_2Eoption\_2Eoption\ A\_27a)^{A\_27b}).(\forall V3rs \in (ty\_2Elist\_2Elist\ ((ty\_2Eoption\_2Eoption\ A\_27a)^{A\_27b})).((ap\ (ap\ (c\_2EpatternMatches\_2EPMATCH\ A\_27a\ A\_27b)\ V1v)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ ((ty\_2Eoption\_2Eoption\ A\_27a)^{A\_27b}))\ V2r)\ V3rs)) = (ap\ (ap\ (ap\ (c\_2Eoption\_2Eoption\_\_CASE\ A\_27a\ A\_27a)\ (ap\ V2r\ V1v))\ (ap\ (ap\ (c\_2EpatternMatches\_2EPMATCH\ A\_27a\ A\_27b)\ V1v)\ V3rs))\ (\mathsf{c\_2Ecombin\_2EI}\ A\_27a)))))))) \tag{46}$$

Theorem 1

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c.nonempty\ A\_27c \Rightarrow (\forall V0v \in A\_27a.(\forall V1p \in (A\_27a^{A\_27b}).(\forall V2g \in (2^{A\_27b}).(\forall V3rows \in (ty\_2Elist\_2Elist\ (((ty\_2Eoption\_2Eoption\ A\_27c)^{A\_27b})^{A\_27b})).((\forall V4x \in A\_27b.(p\ (ap\ (ap\ (\mathsf{c\_2EpatternMatches\_2EPMATCH\_\_IS\_\_EXHAUSTIVE}\ A\_27b\ A\_27c)\ V4x)\ (ap\ (ap\ (c\_2Elist\_2EMAP\ (((ty\_2Eoption\_2Eoption\ A\_27c)^{A\_27b})^{A\_27b})\ ((ty\_2Eoption\_2Eoption\ A\_27c)^{A\_27b}))\ (\lambda V5r \in (((ty\_2Eoption\_2Eoption\ A\_27c)^{A\_27b})^{A\_27b}).(ap\ V5r\ V4x)))\ V3rows)))) \Rightarrow (p\ (ap\ (ap\ (ap\ (\mathsf{c\_2EpatternMatches\_2EPMATCH\_\_EQUIV\_\_ROWS}\ A\_27a\ A\_27c)\ V0v)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ ((ty\_2Eoption\_2Eoption\ A\_27c)^{A\_27a}))\ (ap\ (ap\ (ap\ (\mathsf{c\_2EpatternMatches\_2EPMATCH\_\_ROW}\ A\_27c\ A\_27b\ A\_27a)\ V1p)\ V2g)\ (\lambda V6x \in A\_27b.(ap\ (ap\ (c\_2EpatternMatches\_2EPMATCH\ A\_27c\ A\_27b)\ V6x)\ (ap\ (ap\ (c\_2Elist\_2EMAP\ (((ty\_2Eoption\_2Eoption\ A\_27c)^{A\_27b})^{A\_27b})\ ((ty\_2Eoption\_2Eoption\ A\_27c)^{A\_27b}))\ (\lambda V7r \in (((ty\_2Eoption\_2Eoption\ A\_27c)^{A\_27b})^{A\_27b}).(ap\ V7r\ V6x)))\ V3rows)))))\ (c\_2Elist\_2ENIL\ ((ty\_2Eoption\_2Eoption\ A\_27c)^{A\_27a}))))\ (ap\ (ap\ (c\_2Elist\_2EMAP\ (((ty\_2Eoption\_2Eoption\ A\_27c)^{A\_27b})^{A\_27b})\ ((ty\_2Eoption\_2Eoption\ A\_27c)^{A\_27a}))\ (\lambda V8r \in (((ty\_2Eoption\_2Eoption\ A\_27c)^{A\_27b})^{A\_27b}).(ap\ (ap\ (ap\ (\mathsf{c\_2EpatternMatches\_2EPMATCH\_\_FLATTEN\_\_FUN}\ A\_27c\ A\_27b\ A\_27a)\ V1p)\ V2g)\ V8r)))\ V3rows))))))))$$