

# thm\_2EpatternMatches\_2EPMATCH\_IS\_EXHAUSTIVE\_REWR (TMHDGVJ9yXufiMBUe18D6zWHCHzss65a82r)

October 26, 2020

**Definition 1** We define  $c\_2Emin\_2E\_3D$  to be  $\lambda A.\lambda x \in A.\lambda y \in A.inj\_o (x = y)$  of type  $\iota \Rightarrow \iota$ .

**Definition 2** We define  $c\_2Ebool\_2E\_ET$  to be  $(ap (ap (c\_2Emin\_2E\_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

**Definition 3** We define  $c\_2Emin\_2E\_3D\_3D\_3E$  to be  $\lambda P \in 2.\lambda Q \in 2.inj\_o (p P \Rightarrow p Q)$  of type  $\iota$ .

**Definition 4** We define  $c\_2Ebool\_2E\_21$  to be  $\lambda A\_27a : \iota.(\lambda V0P \in (2^{A\_27a}).(ap (ap (c\_2Emin\_2E\_3D (2^{A\_27a}))$

**Definition 5** We define  $c\_2Ebool\_2E\_5C\_2F$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

Let  $ty\_2Elist\_2Elist : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty\_2Elist\_2Elist A0) \quad (1)$$

Let  $c\_2Elist\_2ECONS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ECONS A\_27a \in (((ty\_2Elist\_2Elist A\_27a)^{(ty\_2Elist\_2Elist A\_27a)})^{A\_27a}) \quad (2)$$

**Definition 6** We define  $c\_2Ebool\_2E\_EF$  to be  $(ap (c\_2Ebool\_2E\_21 2) (\lambda V0t \in 2.V0t))$ .

Let  $c\_2Elist\_2ENIL : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty A\_27a \Rightarrow c\_2Elist\_2ENIL A\_27a \in (ty\_2Elist\_2Elist A\_27a) \quad (3)$$

**Definition 7** We define  $c\_2Ebool\_2E\_2F\_5C$  to be  $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap (c\_2Ebool\_2E\_21 2) (\lambda V2t \in 2.V2t)))$

Let  $c\_2Elist\_2EEXISTS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Elist\_2EEXISTS\ A\_27a \in ((2^{(ty\_2Elist\_2Elist\ A\_27a)})^{(2^{A\_27a})}) \quad (4)$$

Let  $ty\_2Eoption\_2Eoption : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty\_2Eoption\_2Eoption\ A0) \quad (5)$$

Let  $c\_2Eoption\_2EIS\_SOME : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2EIS\_SOME\ A\_27a \in (2^{(ty\_2Eoption\_2Eoption\ A\_27a)}) \quad (6)$$

**Definition 8** We define  $c\_2EpatternMatches\_2EPMATCH\_IS\_EXHAUSTIVE$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0v \in A\_27a. \lambda V1rs \in (ty\_2Elist\_2Elist\ ((ty\_2Eoption\_2Eoption\ A\_27b)^{A\_27a}))$ .

Let  $ty\_2Eone\_2Eone : \iota$  be given. Assume the following.

$$nonempty\ ty\_2Eone\_2Eone \quad (7)$$

**Definition 9** We define  $c\_2Emin\_2E\_40$  to be  $\lambda A. \lambda P \in 2^A. \text{if } (\exists x \in A. P\ x) \text{ then } (the\ (\lambda x. x \in A \wedge P\ x))$  of type  $\iota \Rightarrow \iota$ .

**Definition 10** We define  $c\_2Eone\_2Eone$  to be  $(ap\ (c\_2Emin\_2E\_40\ ty\_2Eone\_2Eone))\ (\lambda V0x \in ty\_2Eone\_2Eone)$

**Definition 11** We define  $c\_2Ebool\_2E\_7E$  to be  $(\lambda V0t \in 2. (ap\ (ap\ c\_2Emin\_2E\_3D\_3D\_3E\ V0t)\ c\_2Ebool\_2E\_7E))$

Let  $ty\_2Esum\_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty\_2Esum\_2Esum\ A0\ A1) \quad (8)$$

Let  $c\_2Esum\_2EABS\_sum : \iota \Rightarrow \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b \in ((ty\_2Esum\_2Esum\ A\_27a\ A\_27b)^{((2^{A\_27b})^{A\_27a})^2}) \quad (9)$$

**Definition 12** We define  $c\_2Esum\_2EINR$  to be  $\lambda A\_27a : \iota. \lambda A\_27b : \iota. \lambda V0e \in A\_27b. (ap\ (c\_2Esum\_2EABS\_sum\ A\_27a\ A\_27b)\ V0e)$

Let  $c\_2Eoption\_2Eoption\_ABS : \iota \Rightarrow \iota$  be given. Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow c\_2Eoption\_2Eoption\_ABS\ A\_27a \in ((ty\_2Eoption\_2Eoption\ A\_27a)^{(ty\_2Esum\_2Esum\ A\_27a\ ty\_2Eone\_2Eone)}) \quad (10)$$

**Definition 13** We define  $c\_2Eoption\_2ENONE$  to be  $\lambda A\_27a : \iota. (ap\ (c\_2Eoption\_2Eoption\_ABS\ A\_27a)\ (c\_2Eone\_2Eone))$

Assume the following.

$$True \quad (11)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0t \in 2. ((\forall V1x \in A\_27a.(p\ V0t)) \Leftrightarrow (p\ V0t))) \quad (12)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \wedge True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \wedge (p\ V0t)) \Leftrightarrow False) \wedge (((p\ V0t) \wedge False) \Leftrightarrow False) \wedge \\ & (((p\ V0t) \wedge (p\ V0t)) \Leftrightarrow (p\ V0t)))))) \end{aligned} \quad (13)$$

Assume the following.

$$\begin{aligned} & ((\forall V0t \in 2. ((\neg(\neg(p\ V0t))) \Leftrightarrow (p\ V0t)) \wedge ((\neg True) \Leftrightarrow False) \wedge \\ & ((\neg False) \Leftrightarrow True))) \end{aligned} \quad (14)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. ((V0x = V0x) \Leftrightarrow True)) \quad (15)$$

Assume the following.

$$\forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in A\_27a. (\forall V1y \in A\_27a. ((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (16)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2. (((True \Leftrightarrow (p\ V0t)) \Leftrightarrow (p\ V0t)) \wedge (((p\ V0t) \Leftrightarrow True) \Leftrightarrow \\ & (p\ V0t)) \wedge (((False \Leftrightarrow (p\ V0t)) \Leftrightarrow (\neg(p\ V0t))) \wedge (((p\ V0t) \Leftrightarrow False) \Leftrightarrow (\neg( \\ & p\ V0t)))))) \end{aligned} \quad (17)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow ((\forall V0P \in (2^{A\_27a}). ((p\ (ap \\ & (ap\ (c\_2Elist\_2EEXISTS\ A\_27a)\ V0P)\ (c\_2Elist\_2ENIL\ A\_27a))) \Leftrightarrow \\ & False)) \wedge (\forall V1P \in (2^{A\_27a}). (\forall V2h \in A\_27a. (\forall V3t \in \\ & (ty\_2Elist\_2Elist\ A\_27a). ((p\ (ap\ (ap\ (c\_2Elist\_2EEXISTS\ A\_27a)\ \\ & V1P)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ A\_27a)\ V2h)\ V3t))) \Leftrightarrow ((p\ (ap\ V1P\ V2h)) \vee \\ & (p\ (ap\ (ap\ (c\_2Elist\_2EEXISTS\ A\_27a)\ V1P)\ V3t)))))) \end{aligned} \quad (18)$$

Assume the following.

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow (\forall V0x \in (ty\_2Eoption\_2Eoption \\ & A\_27a). ((p\ (ap\ (c\_2Eoption\_2EIS\_SOME\ A\_27a)\ V0x)) \Leftrightarrow (\neg(V0x = ( \\ & c\_2Eoption\_2ENONE\ A\_27a)))) \end{aligned} \quad (19)$$

**Theorem 1**

$$\begin{aligned} & \forall A\_27a.nonempty\ A\_27a \Rightarrow \forall A\_27b.nonempty\ A\_27b \Rightarrow \forall A\_27c. \\ & nonempty\ A\_27c \Rightarrow \forall A\_27d.nonempty\ A\_27d \Rightarrow ((\forall V0v \in A\_27a. \\ & ((p\ (ap\ (ap\ (c\_2EpatternMatches\_2EPMATCH\_IS\_EXHAUSTIVE\ A\_27a \\ & A\_27b)\ V0v)\ (c\_2Elist\_2ENIL\ ((ty\_2Eoption\_2Eoption\ A\_27b)^{A\_27a})))) \Leftrightarrow \\ & False)) \wedge (\forall V1v \in A\_27c. (\forall V2r \in ((ty\_2Eoption\_2Eoption \\ & A\_27d)^{A\_27c}). (\forall V3rs \in (ty\_2Elist\_2Elist\ ((ty\_2Eoption\_2Eoption \\ & A\_27d)^{A\_27c})). ((p\ (ap\ (ap\ (c\_2EpatternMatches\_2EPMATCH\_IS\_EXHAUSTIVE \\ & A\_27c\ A\_27d)\ V1v)\ (ap\ (ap\ (c\_2Elist\_2ECONS\ ((ty\_2Eoption\_2Eoption \\ & A\_27d)^{A\_27c})\ V2r)\ V3rs))) \Leftrightarrow ((\neg((ap\ V2r\ V1v) = (c\_2Eoption\_2ENONE \\ & A\_27d))) \vee (p\ (ap\ (ap\ (c\_2EpatternMatches\_2EPMATCH\_IS\_EXHAUSTIVE \\ & A\_27c\ A\_27d)\ V1v)\ V3rs))))))))) \end{aligned}$$