

thm_2EpatternMatches_2EPMATCH_REMOVE_ARB (TMWwV5dmV1fCRA7B1gC4hSWq2SzfZ3zQSxD)

October 26, 2020

Definition 1 We define $c_2Emin_2E_3D$ to be $\lambda A.\lambda x \in A.\lambda y \in A.inj_o (x = y)$ of type $\iota \Rightarrow \iota$.

Definition 2 We define $c_2Ebool_2E_2ET$ to be $(ap (ap (c_2Emin_2E_3D (2^2)) (\lambda V0x \in 2.V0x)) (\lambda V1x \in 2.V1x))$

Definition 3 We define $c_2Ebool_2E_2E21$ to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap (ap (c_2Emin_2E_3D (2^{A_27a}))$

Definition 4 We define $c_2Ebool_2E_2EF$ to be $(ap (c_2Ebool_2E_2E21 2) (\lambda V0t \in 2.V0t))$.

Definition 5 We define $c_2Emin_2E_3D_3D_3E$ to be $\lambda P \in 2.\lambda Q \in 2.inj_o (p P \Rightarrow p Q)$ of type ι .

Definition 6 We define $c_2Ebool_2E_2E7E$ to be $(\lambda V0t \in 2.(ap (ap c_2Emin_2E_3D_3D_3E V0t) c_2Ebool_2E_2EF$

Let $ty_2Elist_2Elist : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty A0 \Rightarrow nonempty (ty_2Elist_2Elist A0) \quad (1)$$

Let $c_2Elist_2ESNOC : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ESNOC A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (2)$$

Let $c_2Ebool_2EARB : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Ebool_2EARB A_27a \in A_27a \quad (3)$$

Definition 7 We define $c_2Ecombin_2EK$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.(\lambda V0x \in A_27a.(\lambda V1y \in A_27b.V0x))$

Definition 8 We define $c_2Ecombin_2ES$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.(\lambda V0f \in ((A_27c^{A_27b})^{A_27a}))$

Definition 9 We define $c_2Ecombin_2EI$ to be $\lambda A_27a : \iota.(ap (ap (c_2Ecombin_2ES A_27a (A_27a^{A_27a})) A_27a$

Let $ty_2Eoption_2Eoption : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow nonempty\ (ty_2Eoption_2Eoption\ A0) \quad (4)$$

Let $c_2Eoption_2Eoption_CASE : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\begin{aligned} \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Eoption_2Eoption_CASE \\ A_27a\ A_27b \in (((A_27b^{(A_27b^{A_27a})})^{A_27b})^{(ty_2Eoption_2Eoption\ A_27a)}) \end{aligned} \quad (5)$$

Definition 10 We define c_2Emin_2E40 to be $\lambda A.\lambda P \in 2^A$.if $(\exists x \in A.p\ (ap\ P\ x))$ then (the $(\lambda x.x \in A \wedge p\ x)$ of type $\iota \Rightarrow \iota$).

Definition 11 We define $c_2Ebool_2E2F_5C$ to be $(\lambda V0t1 \in 2.(\lambda V1t2 \in 2.(ap\ (c_2Ebool_2E21\ 2)\ (\lambda V2t \in 2.(ap\ (c_2Emin_2E40\ V2t)\ V1t2))\ V0t1)))$

Definition 12 We define $c_2EpatternMatches_2EPMATCH_ROW_COND$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0pat \in (A_27b^{A_27a}).\lambda V1guard \in (2^{A_27a}).\lambda V2inp \in A_27b.\lambda V3v \in A_27a.(ap\ (ap\ (c_2Emin_2E40\ V3v)\ V2inp)\ V1guard)\ V0pat)$

Definition 13 We define c_2Ebool_2E3F to be $\lambda A_27a : \iota.(\lambda V0P \in (2^{A_27a}).(ap\ V0P\ (ap\ (c_2Emin_2E40\ V0P)\ V0P)))$

Definition 14 We define c_2Ebool_2ECOND to be $\lambda A_27a : \iota.(\lambda V0t \in 2.(\lambda V1t1 \in A_27a.(\lambda V2t2 \in A_27a.(ap\ (c_2Emin_2E40\ V2t2)\ V1t1))\ V0t)))$

Let $ty_2Eone_2Eone : \iota$ be given. Assume the following.

$$nonempty\ ty_2Eone_2Eone \quad (6)$$

Definition 15 We define c_2Eone_2Eone to be $(ap\ (c_2Emin_2E40\ ty_2Eone_2Eone)\ (\lambda V0x \in ty_2Eone_2Eone.V0x))$

Let $ty_2Esum_2Esum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A0.nonempty\ A0 \Rightarrow \forall A1.nonempty\ A1 \Rightarrow nonempty\ (ty_2Esum_2Esum\ A0\ A1) \quad (7)$$

Let $c_2Esum_2EABS_sum : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow c_2Esum_2EABS_sum\ A_27a\ A_27b \in ((ty_2Esum_2Esum\ A_27a\ A_27b)^{((2^{A_27b})^{A_27a})^2}) \quad (8)$$

Definition 16 We define c_2Esum_2EINR to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27b.(ap\ (c_2Esum_2EABS_sum\ V0e)\ A_27a)$

Let $c_2Eoption_2Eoption_ABS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow c_2Eoption_2Eoption_ABS\ A_27a \in ((ty_2Eoption_2Eoption\ A_27a)^{(ty_2Esum_2Esum\ A_27a\ ty_2Eone_2Eone)}) \quad (9)$$

Definition 17 We define $c_2Eoption_2EENONE$ to be $\lambda A_27a : \iota.(ap\ (c_2Eoption_2Eoption_ABS\ A_27a)\ (ty_2Eone_2Eone))$

Definition 18 We define c_2Esum_2EINL to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda V0e \in A_27a.(ap\ (c_2Esum_2EABS_sum\ V0e)\ A_27a)$

Definition 19 We define $c_2Eoption_2EESOME$ to be $\lambda A_27a : \iota.\lambda V0x \in A_27a.(ap\ (c_2Eoption_2Eoption_ABS\ V0x)\ A_27a)$

Definition 20 We define $c_2Eoption_2Esome$ to be $\lambda A_27a : \iota.\lambda V0P \in (2^{A_27a}).(ap (ap (ap (c_2Ebool_2ECC$

Let $c_2Eoption_2EOPTION_MAP : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2Eoption_2EOPTION_MAP A_27a A_27b \in (((ty_2Eoption_2Eoption A_27b)^{(ty_2Eoption_2Eoption A_27a)})^{(A_27b^{A_27a})}) \quad (10)$$

Definition 21 We define $c_2EpatternMatches_2EPMATCH_ROW$ to be $\lambda A_27a : \iota.\lambda A_27b : \iota.\lambda A_27c : \iota.\lambda V$

Let $c_2Elist_2ECONS : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ECONS A_27a \in (((ty_2Elist_2Elist A_27a)^{(ty_2Elist_2Elist A_27a)})^{A_27a}) \quad (11)$$

Definition 22 We define $c_2EpatternMatches_2EPMATCH_INCOMPLETE$ to be $\lambda A_27a : \iota.(c_2Ebool_2EARB A_27a)$.

Let $c_2Elist_2ENIL : \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow c_2Elist_2ENIL A_27a \in (ty_2Elist_2Elist A_27a) \quad (12)$$

Let $c_2EpatternMatches_2EPMATCH : \iota \Rightarrow \iota \Rightarrow \iota$ be given. Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow \forall A_27b.nonempty A_27b \Rightarrow c_2EpatternMatches_2EPMATCH A_27a A_27b \in ((A_27a^{(ty_2Elist_2Elist ((ty_2Eoption_2Eoption A_27a)^{A_27b}))})^{A_27b}) \quad (13)$$

Assume the following.

$$True \quad (14)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0t \in 2.((\forall V1x \in A_27a.(p V0t)) \Leftrightarrow (p V0t))) \quad (15)$$

Assume the following.

$$\begin{aligned} & (\forall V0t \in 2.(((True \Rightarrow (p V0t)) \Leftrightarrow (p V0t)) \wedge (((p V0t) \Rightarrow True) \Leftrightarrow \\ & True) \wedge (((False \Rightarrow (p V0t)) \Leftrightarrow True) \wedge (((p V0t) \Rightarrow (p V0t)) \Leftrightarrow True) \wedge ((\\ & (p V0t) \Rightarrow False) \Leftrightarrow (\neg (p V0t)))))) \end{aligned} \quad (16)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.((V0x = V0x) \Leftrightarrow True)) \quad (17)$$

Assume the following.

$$\forall A_27a.nonempty A_27a \Rightarrow (\forall V0x \in A_27a.(\forall V1y \in A_27a.((V0x = V1y) \Leftrightarrow (V1y = V0x)))) \quad (18)$$

Assume the following.

$$\forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0b \in 2. (\forall V1t \in A_27a. ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ V0b)\ V1t)\ V1t) = V1t))) \quad (19)$$

Assume the following.

$$(\forall V0t1 \in 2. (\forall V1t2 \in 2. (\forall V2t3 \in 2. (((p\ V0t1) \Rightarrow ((p\ V1t2) \Rightarrow (p\ V2t3))) \Leftrightarrow (((p\ V0t1) \wedge (p\ V1t2)) \Rightarrow (p\ V2t3)))))) \quad (20)$$

Assume the following.

$$\begin{aligned} & (\forall V0x \in 2. (\forall V1x_27 \in 2. (\forall V2y \in 2. (\forall V3y_27 \in 2. \\ & 2. (((p\ V0x) \Leftrightarrow (p\ V1x_27)) \wedge ((p\ V1x_27) \Rightarrow ((p\ V2y) \Leftrightarrow (p\ V3y_27)))))) \Rightarrow \\ & (((p\ V0x) \Rightarrow (p\ V2y)) \Leftrightarrow ((p\ V1x_27) \Rightarrow (p\ V3y_27)))))) \end{aligned} \quad (21)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in 2. (\forall V1Q \in 2. \\ & (\forall V2x \in A_27a. (\forall V3x_27 \in A_27a. (\forall V4y \in A_27a. \\ & (\forall V5y_27 \in A_27a. (((p\ V0P) \Leftrightarrow (p\ V1Q)) \wedge ((p\ V1Q) \Rightarrow (V2x = V3x_27)) \wedge \\ & ((\neg(p\ V1Q)) \Rightarrow (V4y = V5y_27)))))) \Rightarrow ((ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ V0P)\ V2x)\ V4y) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND\ A_27a)\ V1Q)\ V3x_27)\ V5y_27)))))) \end{aligned} \quad (22)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow (\forall V0P \in (2^{(ty_2Elist_2Elist\ A_27a)}). \\ & (((p\ (ap\ V0P\ (c_2Elist_2ENIL\ A_27a))) \wedge (\forall V1t \in (ty_2Elist_2Elist\ A_27a). ((p\ (ap\ V0P\ V1t)) \Rightarrow (\forall V2h \in A_27a. (p\ (ap\ V0P\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V2h)\ V1t)))))) \Rightarrow (\forall V3l \in (ty_2Elist_2Elist\ A_27a). (p\ (ap\ V0P\ V3l)))))) \end{aligned} \quad (23)$$

Assume the following.

$$\begin{aligned} & \forall A_27a.nonempty\ A_27a \Rightarrow ((\forall V0x \in A_27a. ((ap\ (ap\ (c_2Elist_2ESNOC\ A_27a)\ V0x)\ (c_2Elist_2ENIL\ A_27a)) = (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V0x)\ (c_2Elist_2ENIL\ A_27a)))) \wedge (\forall V1x \in A_27a. (\forall V2x_27 \in A_27a. (\forall V3l \in (ty_2Elist_2Elist\ A_27a). ((ap\ (ap\ (c_2Elist_2ESNOC\ A_27a)\ V1x)\ (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V2x_27)\ V3l)) = (ap\ (ap\ (c_2Elist_2ECONS\ A_27a)\ V2x_27)\ (ap\ (ap\ (c_2Elist_2ESNOC\ A_27a)\ V1x)\ V3l)))))) \end{aligned} \quad (24)$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow (\\
& (\forall V0v \in A_27b. ((ap\ (ap\ (c_2EpatternMatches_2EPMATCH\ A_27a \\
& A_27b)\ V0v)\ (c_2Elist_2ENIL\ ((ty_2Eoption_2Eoption\ A_27a)^{A_27b}))) = \\
& (c_2EpatternMatches_2EPMATCH_INCOMPLETE\ A_27a))) \wedge (\forall V1v \in \\
& A_27b. (\forall V2r \in ((ty_2Eoption_2Eoption\ A_27a)^{A_27b}). (\forall V3rs \in \\
& (ty_2Elist_2Elist\ ((ty_2Eoption_2Eoption\ A_27a)^{A_27b})). ((\\
& ap\ (ap\ (c_2EpatternMatches_2EPMATCH\ A_27a\ A_27b)\ V1v)\ (ap\ (ap\ (\\
& c_2Elist_2ECONS\ ((ty_2Eoption_2Eoption\ A_27a)^{A_27b})\ V2r)\ V3rs)) = \\
& (ap\ (ap\ (ap\ (c_2Eoption_2Eoption_CASE\ A_27a\ A_27a)\ (ap\ V2r\ V1v)) \\
& (ap\ (ap\ (c_2EpatternMatches_2EPMATCH\ A_27a\ A_27b)\ V1v)\ V3rs)) \\
& (c_2Ecombin_2EI\ A_27a))))))
\end{aligned} \tag{25}$$

Assume the following.

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& nonempty\ A_27c \Rightarrow \forall A_27d.nonempty\ A_27d \Rightarrow (\forall V0v \in A_27b. \\
& (\forall V1p \in (A_27b^{A_27d}). (\forall V2g \in (2^{A_27d}). (\forall V3r \in \\
& (A_27c^{A_27d}). (\forall V4rs \in (ty_2Elist_2Elist\ ((ty_2Eoption_2Eoption \\
& A_27c)^{A_27b})). ((ap\ (ap\ (c_2EpatternMatches_2EPMATCH\ A_27a \\
& A_27b)\ V0v)\ (c_2Elist_2ENIL\ ((ty_2Eoption_2Eoption\ A_27a)^{A_27b}))) = \\
& (c_2EpatternMatches_2EPMATCH_INCOMPLETE\ A_27a))) \wedge ((ap\ (ap \\
& (c_2EpatternMatches_2EPMATCH\ A_27c\ A_27b)\ V0v)\ (ap\ (ap\ (c_2Elist_2ECONS \\
& ((ty_2Eoption_2Eoption\ A_27c)^{A_27b}))\ (ap\ (ap\ (ap\ (c_2EpatternMatches_2EPMATCH_ROW \\
& A_27c\ A_27d\ A_27b)\ V1p)\ V2g)\ V3r))\ V4rs)) = (ap\ (ap\ (ap\ (c_2Ebool_2ECOND \\
& A_27c)\ (ap\ (c_2Ebool_2E_3F\ A_27d)\ (\lambda V5x \in A_27d. (ap\ (ap\ (ap\ (\\
& ap\ (c_2EpatternMatches_2EPMATCH_ROW_COND\ A_27d\ A_27b)\ V1p) \\
& V2g)\ V0v)\ V5x))))\ (ap\ V3r\ (ap\ (c_2Emin_2E_40\ A_27d)\ (\lambda V6x \in A_27d. \\
& (ap\ (ap\ (ap\ (ap\ (c_2EpatternMatches_2EPMATCH_ROW_COND\ A_27d \\
& A_27b)\ V1p)\ V2g)\ V0v)\ V6x))))))\ (ap\ (ap\ (c_2EpatternMatches_2EPMATCH \\
& A_27c\ A_27b)\ V0v)\ V4rs))))))
\end{aligned} \tag{26}$$

Theorem 1

$$\begin{aligned}
& \forall A_27a.nonempty\ A_27a \Rightarrow \forall A_27b.nonempty\ A_27b \Rightarrow \forall A_27c. \\
& nonempty\ A_27c \Rightarrow (\forall V0p \in (A_27b^{A_27a}). (\forall V1g \in (2^{A_27a}). \\
& (\forall V2r \in (A_27c^{A_27a}). (\forall V3v \in A_27b. (\forall V4rows \in \\
& (ty_2Elist_2Elist\ ((ty_2Eoption_2Eoption\ A_27c)^{A_27b})). ((\\
& \forall V5x \in A_27a. ((ap\ V2r\ V5x) = (c_2Ebool_2EARB\ A_27c))) \Rightarrow ((\\
& ap\ (ap\ (c_2EpatternMatches_2EPMATCH\ A_27c\ A_27b)\ V3v)\ (ap\ (ap\ (\\
& c_2Elist_2ESNOC\ ((ty_2Eoption_2Eoption\ A_27c)^{A_27b}))\ (ap\ (ap \\
& (ap\ (c_2EpatternMatches_2EPMATCH_ROW\ A_27c\ A_27a\ A_27b)\ V0p) \\
& V1g)\ V2r))\ V4rows)) = (ap\ (ap\ (c_2EpatternMatches_2EPMATCH\ A_27c \\
& A_27b)\ V3v)\ V4rows))))))
\end{aligned}$$